

AWARD/CONTRACT	1. This Contract Is A Rated Order Under DPAS (15 CFR 700)	Rating DOA4	Page 1 Of 34
-----------------------	---	-------------	--------------

2. Contract (Proc. Inst. Ident) No. W56HZV-04-C-0548	3. Effective Date 2004SEP27	4. Requisition/Purchase Request/Project No. SEE SCHEDULE
---	--------------------------------	---

5. Issued By TACOM WARREN AMSTA-AQ-ATAD RICHELE FERRARA (586)574-6318 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL e-mail address: FERRARAR@TACOM.ARMY.MIL	Code	W56HZV	6. Administered By (If Other Than Item 5) DCMA CHICAGO 1523 WEST CENTRAL ROAD BLDG 203 ARLINGTON HEIGHTS IL 60004-2451	Code	S1403A
			SCD C PAS NONE	ADP PT HQ0339	

7. Name And Address Of Contractor (No. Street, City, County, State, And Zip Code) GEAR WIZZARD INC 570 WEST ARMORY SOUTH HOLLAND, IL. 60473-2824 TYPE BUSINESS: Other Small Business Performing in U.S.	8. Delivery <input checked="" type="checkbox"/> FOB Origin <input type="checkbox"/> Other (See Below)
9. Discount For Prompt Payment .25% 20 Days Net 30 Days	
10. Submit Invoices (4 Copies Unless Otherwise Specified)	
Item 12 To The Address Shown In:	

Code 1T8R1	Facility Code
------------	---------------

11. Ship To/Mark For DEF DIST DEPOT RED RIVER RECEIVING BLDG 499 10TH STREET AND K AVENUE TEXARKANA TX 75507-5000	Code	SW3227	12. Payment Will Be Made By DFAS - COLUMBUS CENTER DFAS-CO/WEST ENTITLEMENT OPERATIONS P.O. BOX 182381 COLUMBUS, OH 43218-2381	Code	HQ0339
---	------	--------	--	------	--------

13. Authority For Using Other Than Full And Open Competition: <input checked="" type="checkbox"/> 10 U.S.C. 2304(c)(3) <input type="checkbox"/> 41 U.S.C. 253(c)	14. Accounting And Appropriation Data ACRN: AA 97 X4930AC9D 6D 26AB S20113 W56HZV
---	--

15A. Item No. SEE SCHEDULE	15B. Schedule Of Supplies/Services CONTRACT TYPE: Firm-Fixed-Price	15C. Quantity	15D. Unit	15E. Unit Price	15F. Amount
KIND OF CONTRACT: Supply Contracts and Priced Orders					

15G. Total Amount Of Contract	\$246,931.60
-------------------------------	--------------

16. Table Of Contents							
(X)	Section	Description	Page(s)	(X)	Section	Description	Page(s)
Part I - The Schedule				Part II - Contract Clauses			
X	A	Solicitation/Contract Form	1	X	I	Contract Clauses	26
X	B	Supplies or Services and Prices/Costs	5	Part III - List Of Documents, Exhibits, And Other Attachments			
X	C	Description/Specs./Work Statement	7	X	J	List of Attachments	34
X	D	Packaging and Marking	10	Part IV - Representations And Instructions			
X	E	Inspection and Acceptance	16		K	Representations, Certifications, and Other Statements of Offerors	
X	F	Deliveries or Performance	21				
X	G	Contract Administration Data	24		L	Instrs., Conds., and Notices to Offerors	
X	H	Special Contract Requirements	25				

Contracting Officer Will Complete Item 17 Or 18 As Applicable

17. <input type="checkbox"/> Contractor's Negotiated Agreement (Contractor is required to sign this document and return _____ copies to issuing office.) Contractor agrees to furnish and deliver all items or perform all the services set forth or otherwise identified above and on any continuation sheets for the consideration stated herein. The rights and obligations of the parties to this contract shall be subject to and governed by the following documents: (a) this award/contract, (b) the solicitation, if any, and (c) such provisions, representations, certifications, and specifications, as are attached or incorporated by reference herein. (Attachments are listed herein.)	18. <input checked="" type="checkbox"/> Award (Contractor is not required to sign this document.) Your offer on Solicitation Number <u>W56HZV04R0487</u> including the additions or changes made by you which additions or changes are set forth in full above, is hereby accepted as to the items listed above and on any continuation sheets. This award consummates the contract which consists of the following documents: (a) the Government's solicitation and your offer, and (b) this award/contract. No further contractual document is necessary.
--	---

19A. Name And Title Of Signer (Type Or Print)	20A. Name Of Contracting Officer PAMELA L. GROZDON GROZDONP@TACOM.ARMY.MIL (586)574-8552
19B. Name of Contractor	20B. United States Of America
By _____ (Signature of person authorized to sign)	By _____ /SIGNED/ (Signature of Contracting Officer)
19c. Date Signed	20C. Date Signed 2004SEP27

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 2 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION A - SUPPLEMENTAL INFORMATION

Regulatory Cite	Title	Date
-----------------	-------	------

A-1	52.204-4850 ACCEPTANCE APPENDIX (TACOM)	FEB/2002
-----	--	----------

(a) Contract Number W56HZV04C0548 is awarded to GEAR WIZZARD. The Government accepts your proposal dated MAY 10, 2004 in response to Solicitation Number: W56HZV04R0487, signed by ROBERT CARRIN, CHAIRMAN OF THE BOARD (title) of your company.

(b) The contractor, in it's proposal, provided the following data for the listed clauses in this contract:

Section E, 52.246-4028, INSPECTION POINT: GEAR WIZZARD INC
570 WEST ARMORY
SOUTH HOLLAND IL 60473-2824

Shipping Characteristics:

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

(1) To be completed by the offeror:

(i) Type of "Outer" container: Wood Box _____, Fiber Box _____, Barrel _____, Reel _____, Drum _____, Other (Specify) STEEL CONTAINER

(ii) Shipping configuration: Knocked-down _____, Set-up x _____, Nested _____, Other (specify) _____;

(iii) Size of outer container: 50.0 inches (Length), x 36.8 inches (Width), x 40.7 inches (Height) = 43.25 Cubic FT;

(iv) Number of items per outer container 1 Each;

(v) Gross weight of outer container and contents 1010 LBS

(vi) Palletized/skidded x Yes _____ No;

(vii) Number of outer containers per pallet/skid 1;

(viii) Weight of empty pallet bottom/skid and sides 535 LBS;

(ix) Size of pallet/skid and contents 535 LBS Cube 43.25;

(x) Number of outer containers or pallets/skids per railcar UNKNOWN * --

Size of railcar UNKNOWN

Type of railcar UNKNOWN

(xi) Number of outer containers or pallets/skids per trailer 42 *--

Size of trailer 45'

Type of trailer VAN

*Number of complete units (contract line item) to be shipped in carrier's equipment.

(2) To be completed by the Government after evaluation but before contract award:

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 3 of 34
	PIIN/SIIN W56HZV-04-C-0548 MOD/AMD	

Name of Offeror or Contractor: GEAR WIZZARD INC

- (i) Rate used in evaluation _____;
- (ii) Tender/Tariff _____;
- (iii) Item _____;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of FAR Clause]

Others: NONE

(c) Any attachments not included with this document will be provided by TACOM-Warren directly to the administrative contracting officer (ACO) via e-mail. A hard copy of the award will be sent to those ACOs not EDW (Electronic Document Workflow) capable. Technical data packages will be mailed by TACOM-Warren to the ACO on CD-ROM. Within one week of this award, any office not able to obtain these attachments from TACOM's website (<http://contracting.tacom.army.mil/>) and still requiring a copy, can request it by sending an e-mail message to the buyer listed on the front page of this contract.

(d) The following Amendment(s) to the solicitation are incorporated into this contract: 0001, 0002

[End of Clause]

A-2 52.204-4016 TACOM-WARREN ELECTRONIC CONTRACTING JUL/2003
(TACOM)

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

A-3 52.209-4500 QUALIFIED SUPPLIERS LIST REQUIREMENTS MAR/2001

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0548 MOD/AMD	Page 4 of 34
Name of Offeror or Contractor: GEAR WIZZARD INC		

(TACOM)

(a) Only manufacturers on the TACOM Qualified Suppliers List (QSL) are eligible for award. As indicated on the TACOM Warren website below, QSL-01 applies to buys for Tracked Combat Vehicle Suspension Components and QSL-03 to Wheeled Vehicle Components. A qualified manufacturer is a concern who has met the requirements for qualification and whose name and business address have been entered on the applicable QSL. QSL status must be in place prior to any award pursuant to this solicitation whether or not the name of the manufacturer is actually included on the QSL. Contractors should contact the office designated below to arrange for qualification. Unless determined to be in the Government's best interest, this acquisition will not be delayed in order to provide an Offeror an opportunity to meet the standards specified for qualification.

(b) The provisions governing qualification, and the applicable qualification criteria may be viewed electronically at the following web site: <http://contracting.tacom.army.mil/qs1/qs1.htm>

(c) The requirement of this clause for status as a QSL concern at the time of award is in addition to, and does not abrogate, any requirement for an Offeror to provide a Qualified Products List (QPL) item when such a requirement is specified.

[End of Clause]

The purchase parts for this procurement are:
1) MS24665-359 2) 12448383.

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0548 MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 2520-01-423-3640 FSCM: 19207 PART NR: 57K3351 SECURITY CLASS: Unclassified				
0001AA	<p><u>PRODUCTION QUANTITY</u></p> <p>CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: TRANSFER TRANSMISSI PRON: EH4Y7023EH PRON AMD: 03 ACRN: AA AMS CD: 060011</p> <p>MORE DESCRIPTIVE INFORMATION</p> <ol style="list-style-type: none"> 1. REWORK OF THE M35 SERIES TRANSFER TRANSMISSION ASSEMBLY. 2. APPLIES TO M35A2/M35A3 SERIES 2 1/2 TON TRUCK. 3. 76 TRANSFER TRANSMISSIONS WILL BE PROVIDED BY THE GOVERNMENT AS GOVERNMENT FURNISHED MATERIAL. 4. SEE STATEMENT OF WORK (SOW) FOR SPECIFICS. 5. SOW IS AVAILABLE ON THE TACOM WEBSITE. <p style="text-align: center;">(End of narrative B002)</p> <p>PURCHASED PARTS ARE: MS24665-359 AND 12448383.</p> <p style="text-align: center;">(End of narrative B003)</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: NO TDP-SOW ON WEBPAG</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQ SHEET IN DATA PACKAGE LOCATION OF PACKAGING/PACKING/SPECS: ADDENDA: 1 UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</p>	76	EA	\$ 3,249.10000	\$ 246,931.60

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0548 MOD/AMD

Page 6 of 34

Name of Offeror or Contractor: GEAR WIZZARD INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT									
001	W56HZV3364T840 SW3227 J 3													
	<table border="0"> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DAYS AFTER AWARD</u></td> </tr> <tr> <td>001</td> <td>50</td> <td>0180</td> </tr> <tr> <td>002</td> <td>26</td> <td>0210</td> </tr> </table>	<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DAYS AFTER AWARD</u>	001	50	0180	002	26	0210				
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DAYS AFTER AWARD</u>												
001	50	0180												
002	26	0210												
	FOB POINT: Origin SHIP TO: <u>FREIGHT ADDRESS</u> (SW3227) DEF DIST DEPOT RED RIVER RECEIVING BLDG 499 10TH STREET AND K AVENUE TEXARKANA TX 75507-5000													
	MARK FOR: 0000													

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 7 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
------------------------	--------------	-------------

C-1	52.211-4015 CONFIGURATION CONTROL - ENGINEERING CHANGES (TACOM)	APR/2004
-----	--	----------

(a) DEFINITIONS:

(1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.

(2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.

(3) Value Engineering Change Proposal (VECP). A proposal that --

(i) Requires a change to the instant contract; and

(ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --

(A) In deliverable end item quantities only;

(B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or

(C) To the contract type only.

(4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.

(b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.

(c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.

(1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is (NV).

(2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 8 of 34**

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer (LeparsR@tacom.army.mil) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECPs and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

C-2 52.211-4053 REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING MAR/2000
(TACOM) SUBSTANCES (CIODS)

(a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: FF-B-171, FF-B-187, MIL-C-53072.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0548 MOD/AMD	Page 9 of 34
Name of Offeror or Contractor: GEAR WIZZARD INC		

C-3 52.211-4008 DRAWING LIMITATIONS
 (TACOM)

NOV/2002

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 10 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION D - PACKAGING AND MARKING

<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
------------------------	--------------	-------------

D-1	252.211-7003	ITEM IDENTIFICATION AND VALUATION	JAN/2004
-----	--------------	-----------------------------------	----------

[NOTE: The following clause requires unique item identification marking, or a DoD recognized unique identification equivalent, for all items delivered under the contract for which the Government's acquisition cost (as defined under 'Definitions' below) is \$5,000 or more. Unique item identification marking is also required for items listed in paragraphs (c)(1)(ii) of the clause. Unique item identification marking is required for embedded subassemblies, components, and parts if listed in paragraph (c)(1)(ii), or if listed elsewhere in the solicitation or resulting contract. In the event that the Government has not yet identified these items or embedded parts, paragraph (c)(1)(ii) will read "TBD" for "to be determined". If these items are identified by the Government before the time proposals are due, an amendment to the solicitation will be issued which identifies them. If not, award will be made on the basis of them not being identified, however the contract may be later modified to include such identification marking. This clause also requires the contractor to report the Government's acquisition cost for each item delivered under the contract. Information concerning these requirements is available at <http://www.acq.osd.mil/uid> .]

(a) Definitions. As used in this clause--

"Automatic identification device" means a device, such as a reader or interrogator, used to retrieve data encoded on machine-readable media.

"Commonly accepted commercial marks" means any system of marking products for identification that is in use generally throughout commercial industry or within commercial industry sectors. Some examples of commonly accepted commercial marks are: EAN.UCC Global Trade Item Number; Automotive Industry Action Group B-4 Parts Identification and Tracking Application Standard, and B-2 Vehicle Identification Number Bar Code Label Standard; American Trucking Association Vehicle Maintenance Reporting Standards; Electronic Industries Alliance EIA 802 Product Marking Standard; and Telecommunications Manufacturers Common Language Equipment Identification Code.

"Concatenated unique item identifier" means-- (1) For items that are serialized within the enterprise identifier, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, and unique serial number within the enterprise identifier; or (2) For items that are serialized within the original part number, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, original part number, and serial number within the part number.

"Data qualifier" means a specified character (or string of characters) that immediately precedes a data field that defines the general category or intended use of the data that follows.

"DoD recognized unique identification equivalent" means a unique identification method that is in commercial use and has been recognized by DoD. All DoD recognized unique identification equivalents are listed at <http://www.acq.osd.mil/uid> .

"DoD unique item identification" means marking an item with a unique item identifier that has machine-readable data elements to distinguish it from all other like and unlike items. In addition-- (1) For items that are serialized within the enterprise identifier, the unique identifier shall include the data elements of issuing agency code, enterprise identifier, and a unique serial number. (2) For items that are serialized within the part number within the enterprise identifier, the unique identifier shall include the data elements of issuing agency code, enterprise identifier, the original part number, and the serial number. Enterprise means the entity (i.e., a manufacturer or vendor) responsible for assigning unique item identifiers to items.

"Enterprise identifier" means a code that is uniquely assigned to an enterprise by a registration (or controlling) authority.

"Government's unit acquisition cost" means-- (1) For fixed-price type line, subline, or exhibit line items, the unit price identified in the contract at the time of delivery; and (2) For cost-type line, subline, or exhibit line items, the Contractor's estimated fully burdened unit cost to the Government for each item at the time of delivery.

"Issuing agency code" means a code that designates the registration (or controlling) authority.

"Item" means a single hardware article or unit formed by a grouping of subassemblies, components, or constituent parts required to be delivered in accordance with the terms and conditions of this contract.

"Machine-readable" means an automatic information technology media, such as bar codes, contact memory buttons, radio frequency identification, or optical memory cards.

"Original part number" means a combination of numbers or letters assigned by the enterprise at asset creation to a class of items with the same form, fit, function, and interface.

"Registration (or controlling) authority" means an organization responsible for assigning a non-repeatable identifier to an enterprise (i.e., Dun & Bradstreet's Data Universal Numbering System (DUNS) Number, Uniform Code Council (UCC)/EAN International (EAN) Company Prefix, or Defense Logistics Information System (DLIS) Commercial and Government Entity (CAGE) Code).

Name of Offeror or Contractor: GEAR WIZZARD INC

"Serial number within the enterprise identifier or unique serial number" means a combination of numbers, letters, or symbols assigned by the enterprise to an item that provides for the differentiation of that item from any other like and unlike item and is never used again within the enterprise.

"Serial number within the part number or serial number" means a combination of numbers or letters assigned by the enterprise to an item that provides for the differentiation of that item from any other like item within a part number assignment.

"Serialization within the enterprise identifier" means each item produced is assigned a serial number that is unique among all the tangible items produced by the enterprise and is never used again. The enterprise is responsible for ensuring unique serialization within the enterprise identifier.

"Serialization within the part number" means each item of a particular part number is assigned a unique serial number within that part number assignment. The enterprise is responsible for ensuring unique serialization within the part number within the enterprise identifier.

"Unique item identification" means marking an item with machine-readable data elements to distinguish it from all other like and unlike items.

"Unique item identifier" means a set of data marked on items that is globally unique, unambiguous, and robust enough to ensure data information quality throughout life and to support multi-faceted business applications and users.

"Unique item identifier type" means a designator to indicate which method of uniquely identifying a part has been used. The current list of accepted unique item identifier types is maintained at http://www.acq.osd.mil/uid_.

(b) The Contractor shall deliver all items under a contract line, subline, or exhibit line item.

(c) Unique item identification.

(1) The Contractor shall provide DoD unique item identification, or a DoD recognized unique identification equivalent, for--

(i) All items for which the Government's unit acquisition cost is \$5,000 or more; and

(ii) The following items for which the Government's unit acquisition cost is less than \$5,000:

Contract Line, Subline, or Exhibit Line Item Number: 0001AA

Item Description: TRANSFER TRANSMISSION ASSEMBLY-REWORK

(iii) Subassemblies, components, and parts embedded within items as specified in STATEMENT OF WORK (SOW).

(2) The unique item identifier and the component data elements of the unique item identifier shall not change over the life of the item.

(3) Data syntax and semantics. The Contractor shall--

(i) Mark the encoded data elements (except issuing agency code) on the item using any of the following three types of data qualifiers, as specified elsewhere in the contract:

(A) Data Identifiers (DIs) (Format 06).

(B) Application Identifiers (AIs) (Format 05), in accordance with ISO/IEC International Standard 15418, Information Technology-- EAN/UCC Application Identifiers and ASC MH 10 Data Identifiers and ASC MH 10 Data Identifiers and Maintenance.

(C) Text Element Identifiers (TEIs), in accordance with the DoD collaborative solution ``DD'' format for use until the final solution is approved by ISO JTC1/SC 31. The DoD collaborative solution is described in Appendix D of the DoD Guide to Uniquely Identifying Items, available at <http://www.acq.osd.mil/uid> ; and

(ii) Use high capacity automatic identification devices in unique identification that conform to ISO/IEC International Standard 15434, Information Technology--Syntax for High Capacity Automatic Data Capture Media.

(4) Marking items.

(i) Unless otherwise specified in the contract, data elements for unique identification (enterprise identifier, serial

Name of Offeror or Contractor: GEAR WIZZARD INC

number, and, for serialization within the part number only, original part number) shall be placed on items requiring marking by paragraph (c)(1) of this clause in accordance with the version of MIL-STD-130, Identification Marking of U.S. Military Property, cited in the contract Schedule.

(ii) The issuing agency code--

(A) Shall not be placed on the item; and

(B) Shall be derived from the data qualifier for the enterprise identifier.

(d) Commonly accepted commercial marks. The Contractor shall provide commonly accepted commercial marks for items that are not required to have unique identification under paragraph (c) of this clause.

(e) Material Inspection and Receiving Report. The Contractor shall report at the time of delivery, as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the following information:

(1) Description.*

(2) Unique identifier**, consisting of--

(i) Concatenated DoD unique item identifier; or

(ii) DoD recognized unique identification equivalent.

(3) Unique item identifier type.**

(4) Issuing agency code (if DoD unique item identifier is used).**

(5) Enterprise identifier (if DoD unique item identifier is used).**

(6) Original part number.**

(7) Serial number.**

(8) Quantity shipped.*

(9) Unit of measure.*

(10) Government's unit acquisition cost.*

(11) Ship-to code.

(12) Shipment date.

(13) Contractor's CAGE code or DUNS number.

(14) Contract number.

(15) Contract line, subline, or exhibit line item number.*

(16) Acceptance code.

* Once per contract line, subline, or exhibit line item.

** Once per item.

(f) Material Inspection and Receiving Report for embedded subassemblies, components, and parts requiring unique item identification. The Contractor shall report at the time of delivery, as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the following information:

(1) Unique item identifier of the item delivered under a contract line, subline, or exhibit line item that contains the embedded subassembly, component, or part.

(2) Unique item identifier of the embedded subassembly, component, or part, consisting of--

(i) Concatenated DoD unique item identifier; or

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 13 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

(ii) DoD recognized unique identification equivalent.

(3) Unique item identifier type.**

(4) Issuing agency code (if DoD unique item identifier is used).**

(5) Enterprise identifier (if DoD unique item identifier is used).**

(6) Original part number.**

(7) Serial number.**

(8) Unit of measure.

(9) Description.

** Once per item.

(g) The Contractor shall submit the information required by paragraphs (e) and (f) of this clause in accordance with the procedures at <http://www.acq.osd.mil.uid>

(h) Subcontracts. If paragraph (c)(1)(iii) of this clause applies, the Contractor shall include this clause, including this paragraph (h), in all subcontracts issued under this contract.

[End of Clause]

D-2 52.211-4515 PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS) JUN/2004
(TACOM)

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

(1) LEVEL OF PRESERVATION: Military

(2) LEVEL OF PACKING: A

(3) QUANTITY PER UNIT PACKAGE: 001

(4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK14233640

(a) REVISION As listed on TDPL.

(b) DATE OF REVISION As listed on TDPL.

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard.

Name of Offeror or Contractor: GEAR WIZZARD INC

For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). . Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Military Shipping Label: : Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <http://www.easysoftcorp.com/products/Software/MSL.html>. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(e) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations
International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: NONE

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 15 of 34****PIIN/SIIN** W56HZV-04-C-0548**MOD/AMD****Name of Offeror or Contractor:** GEAR WIZZARD INC

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEABILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 16 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION E - INSPECTION AND ACCEPTANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
E-1	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
E-2	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
E-3	52.242-4008 (TACOM)	ROUTING OF SPECIAL PROCESS APPROVALS	AUG/1994

(a) Specifications TT-C-490 and MIL-STD-1261, which are part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

E-4	52.211-4016	CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS, GALVANIZED AND ALUMINUM SURFACES	AUG/2003
-----	-------------	--	----------

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1 microcrystalline zinc phosphate system per TT-C-490E. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490E. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in compliance with the (pretreatment chemicals) manufacturers instructions. Process control tests for this or alternative systems must ensure that the process remains in control and must be documented per ISO 9000 series and approved by TACOM. Testing (corrosion resistance and adhesion) must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours (ASTM B117). All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any TT-C-490E (Type I) inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg per square foot to minimize chipping of the CARC system. All TT-C-490E (Type I) zinc phosphate pretreatment systems must be documented per ISO 9000 series and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490E shall be submitted to the procuring activity no less than 45 days prior to start of work. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of zinc phosphate or any proposed alternate pretreatment system must be demonstrated and approved by the procuring activity. Prior to production, a Letter of Approval shall be provided by the Contracting Officer. Requalification of the process shall be required if the process is changed outside the limits defined in the TACOM letter of system acceptance (Letter of Approval) provided to the application facility.

Note: Zinc phosphate systems for galvanized surfaces require separate qualification. Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed prior to pretreatment for the coating system to pass these performance tests. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. The test coupons must duplicate the production painting process as closely as possible.

(b) Qualification of pretreatment systems for zinc galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with pretreatment and primer only shall be cured for seven days, and then scribed through the primer to the substrate. After 40 cycles of test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, both parallel and perpendicular to the scribe between 24 and 168 hours after removal from the cyclic salt spray chamber for coupon evaluation. There shall be no more than 3 mm of red rust creep, blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with none greater than 1 mm diameter. This test shall be performed at two month intervals (two test coupons) to ensure that the process remains in control.

(c) Aluminum substrates require a chromate conversion coating per MIL-C-5541E (or alternate, see note below), after appropriate cleaning per TT-C-490E. If any other alternate pretreatment is considered, it must pass 120 cycles of GM9540P, as a scribed Q-panel when coated with the production primer. After completion of the cyclic salt environment exposure, the panels shall be scraped as described above, and shall have no more than 0.5 mm paint loss (creep-back) from the scribe. In addition, there shall be no more than

Name of Offeror or Contractor: GEAR WIZZARD INC

5 blisters in the field with none larger than 1mm diameter. After completion of the 120 cycle corrosion resistance test evaluation, each test panel will be subjected to cross hatch tape test (ASTM D3359, minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 lines x 4 lines scribed to the metallic layer at 2mm intervals (approximate) and shall be done no closer than 12 mm from any panel edge or the scribe. Multiple head cutters may be used. The removal of two or more complete squares of primer shall constitute failure. Any alternate system must demonstrate its ability to pass both corrosion and adhesion tests on 5 consecutive days of production to be considered acceptable. All process steps shall be documented IAW ISO 9000 series standards and approved by the procuring activity.

Note: The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.

(d) The use of TT-C-490E Type III: Vinyl Wash Primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level. The Army is committed to minimizing the use of HAPS and hazardous materials.

[End of Clause]

E-5	52.211-4030 (TACOM)	BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS (CARC) ON METALLIC SURFACES	JAN/2003
-----	------------------------	---	----------

(a) Scope: The requirements contained herein apply whenever any or all of the following specifications are cited in the contract: MIL-C-46168, MIL-C-53039, MIL-PRF-22750, or MIL-DTL-64159.

(b) CARC Primers: The preferred CARC primer for all applications is cathodic, epoxy electrocoat per MIL-C-53084. This primer can be directly substituted whenever MIL-P-53022 or MIL-P-53030 is specified on a drawing or specification. The dry film thickness table below contains mandatory minimum and maximum dry film thickness requirements. Failure of production painted hardware to comply with these ranges will dramatically impact the corrosion resistance and/or chip resistance of the CARC coating system. If the contractor does not possess the personnel or equipment to meet these mandatory thickness requirements, then cathodic epoxy electrocoat must be used. Any part that has rust, heat treat or mill scale must be abrasive blasted prior to the application of any coating. Select powder coat primers which have 0.0 VOCs and 0.0 HAPS can also be used as a direct replacement for MIL-P-53022 and MIL-P-53030 primers. These powder coat primers, however, can only be applied by TACOM-approved applicators. The qualification and application of these primers is controlled by "Performance Standard for Combat Grade Powder Coat Paint - U.S. Army - TACOM" and is available at <http://contracting.tacom.army.mil/engr/eng.htm>

(c) CARC Application: The dip application of any coating listed in the table below (with the exception of epoxy electrocoat which is specifically designed for dip application) is prohibited.

(d) End-Item Inspection. After the complete paint finish has been applied and cured* (See note below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in Table I herein. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in Table I herein.

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees

Name of Offeror or Contractor: GEAR WIZZARD INC

F. for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F. minimum.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(a) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(b) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(c) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(d) Wait ten seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

NOTE: The above two tests are not a substitute for corrosion test such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(f) Acceptance Criteria:

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

DRY FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)
	(MANDATORY RANGE)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022, Type I	1.0 - 2.5
MIL-P-53022, Type II	1.5 - 2.5
MIL-P-53030	1.5 - 2.5
MIL-P-53084	0.8 - 1.5
MIL-C-22750	1.3 - 2.5
MIL-C-46168	1.8 MINIMUM
MIL-C-53039	1.8 MINIMUM
MIL-DTL-64159	1.0 MINIMUM

* May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

NOTICE: The scribe tape test is designed to detect any major deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (a) Inadequate cleaning of the substrate.
- (b) Contamination of the surface between coatings.
- (c) Excessive paint film thickness in a single coating application.

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 19 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

(d) Application of a coating over a previous coating which has not been adequately cured.

[End of clause]

E-6 52.211-4071 CHEMICAL AGENT RESISTANT COATING (CARC) ON WOOD COMPONENTS OCT/1997
(TACOM)

(a) Wood shall be in accordance with A-A-52520, and pressure treated with copper naphthenate in light solvent solution to a net minimum retention of 0.040 pound per cubic foot (PCF) of copper as measured by gauge or assay method or treatment to refusal. For domestic hardwood species, an alternative non-pressure treatment is acceptable if the high concentrate (2%) of water repellent copper naphthenate solution in accordance with American Wood Preservers Association (AWPA) P8 is used and the same net retention is achieved as with pressure treatment when measured by assay method. After treatment, the wood shall provide a paintable surface as described by the paintability requirements of Spec TT-W-572, except that the wood species, treatment and paint shall be the same as furnished for this contract.

(b) After demonstrating that the paint adhesion requirements are met, and Government inspection/acceptance of this item has occurred, any subsequent flaking and peeling of paint from the wood shall not be considered a defect unless the Government establishes that the flaking and/or peeling of the paint was caused by defective workmanship in the application of the paint or the preparation of the painted surface.

[End of Clause]

E-7 52.246-4019 VISUAL INSPECTION CRITERIA FOR STEEL WELDMENTS MAR/2001
(TACOM)

(a) Application: MIL-STD-1261

(b) Scope:

(1) These criteria supplement paragraph 4.3 of MIL-STD-1261 and supersede paragraph 6.3.1.5 of MIL-W-46086 and paragraph 5.9.1.5 of MIL-STD-1941. AWS A3.0 shall be used to define all other welding terms not defined herein.

(2) The limits established below represent the maximum discontinuities allowable for visual inspection of workmanship specimens and production steel weldments. (Note: Workmanship specimens which require cross-sectioning must also be evaluated for subsurface quality; these criteria are not contained herein.) Any discontinuity exceeding this limit is classified as defective and must be reworked or repaired dependent upon the nature and extent of the discontinuity. Weldments requiring subsurface weld inspection should be evaluated in accordance with the acceptance standard specified on the drawing in addition to these requirements.

(c) Discontinuities:

(1) Cracks - A weld crack is defined as a linear rupture resulting from excessive localized stress. Cracks can occur in the weld metal, fusion zone or heat affected zone.

No cracks are allowed

(2) Porosity - Porosity is defined as a rounded cavity free of solid material resulting from gas entrapment during solidification.

(i) Maximum pore size shall be 1/16 inch.

(ii) There shall be no more than six pores for any twelve inch length of weld. For small weldments with continuous welds less than twelve inches in length, they shall have proportionately fewer pores allowed (example: three pores maximum for six inch length of weld).

(3) Overlap - Overlap is defined as a protrusion of weld metal beyond the bond at the toe of the weld.

(i) A radiused tie-in must exist with the parent metal.

(ii) The overlap condition must not exceed 10% of the total weld length.

(4) Slag Inclusion - Slag inclusion is defined as a non-metallic solid material entrapped in or on the weld metal or between the weld metal and base metal. This discontinuity is applicable to SMA and FCAW processes.

Name of Offeror or Contractor: GEAR WIZZARD INC

No slag inclusions are allowed.

(5) Undercut - Undercut is defined as a groove melted into the base material adjacent to the toe of the weld and left unfilled by weld metal.

(i) For base materials .25 inch and less in thickness, no undercutting is permitted.

(ii) For base materials greater than .25 inch thickness:

(A) The maximum depth of undercut shall be 1/32 inch.

(B) The undercut must have a width not less than twice the depth.

(C) The length of undercut shall not exceed two inches cumulative in any continuous 24 inch length of weld. For continuous welds less than 24 inches in length, the maximum cumulative length shall be in direct proportion to this limit or one inch, whichever is greater.

(For example: for an eight inch continuous length of weld, maximum cumulative allowable undercut length is one inch).

(d) Weld Size:

(1) Fillet Welds:

(i) Fillet welds shall be measured using fillet weld gages.

(ii) For welds one-fourth inch and less, the weld size is the minimum as specified on the drawing symbol.

(iii) For fillet welds larger than one-fourth inch, the weld may be undersize by 1/16 inch for a maximum length of 10% of the continuous weld length.

(2) Groove Welds:

No underfill is allowed.

[End of Clause]

E-8 52.246-4028 INSPECTION POINT: ORIGIN
(TACOM)

FEB/1994

We will inspect the supplies as described elsewhere in this solicitation/contract before acceptance. Fill-in the location, contractor's plant, where origin inspection will occur.

CONTRACTOR'S PLANT: GEAR WIZZARD
 570 WEST ARMORY
 SOUTH HOLLAND IL 60473-2824

[End of Clause]

E-9 52.246-4029 ACCEPTANCE POINT: ORIGIN
(TACOM)

OCT/2002

We will accept these supplies at the address or addresses designated in the Section E clause entitled INSPECTION POINT.

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 21 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION F - DELIVERIES OR PERFORMANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
F-1	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
F-2	52.247-29	F.O.B. ORIGIN	JUN/1988
F-3	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
F-4	52.247-59	F.O.B. ORIGIN--CARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
F-5	52.242-4022 (TACOM)	DELIVERY SCHEDULE	MAY/2000

(a) DEFINITIONS:(1) CLIN means Contract Line Item Number, and refers to the contract items listed in Section B of this document.(2) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (QTY) of supplies.(3) DELIVERY is defined as follows:(i) FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual contract; or(ii) FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.

(b) The Government's proposed delivery schedule is:

<u>CLIN</u>	<u>DAYS</u>	<u>QUANTITY</u>
0001AA	180	76 EACH

(c) You can accelerate delivery: AT NO ADDITIONAL COST TO THE GOVERNMENT.

(d) Proposing an accelerated delivery schedule will not prejudice your offer. However, if you propose a delivery schedule longer than the schedule listed above, your offer may be determined unacceptable for award.

(e) CONTRACTOR'S PROPOSED SCHEDULE:(1) I WILL START DELIVERIES 180 DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, N/A DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.(2) I WILL DELIVER A QUANTITY OF 50 UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF 100 UNITS EVERY 30 DAYS.

[End of Clause]

F-6	52.211-16	VARIATION IN QUANTITY	APR/1984
-----	-----------	-----------------------	----------

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

ZERO percent increase; and
ZERO percent decrease.

(c) This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 22 of 34
	PIIN/SIIN W56HZV-04-C-0548 MOD/AMD	
Name of Offeror or Contractor: GEAR WIZZARD INC		

F-7 52.247-65 F.O.B. ORIGIN--PREPAID FREIGHT--SMALL PACKAGE SHIPMENTS JAN/1991

(a) When authorized by the Contracting Officer, f.o.b. origin freight shipments which do not have a security classification shall move on prepaid commercial bills of lading or other shipping documents to domestic destinations, including air and water terminals. Weight of individual shipments shall be governed by carrier restrictions but shall not exceed 150 pounds by any form of commercial air or 1,000 pounds by other commercial carriers. The Government will reimburse the Contractor for reasonable freight charges.

(b) The Contractor shall annotate the commercial bill of lading as required by the clause of this contract entitled Commercial Bill of Lading Notations.

(c) The Contractor shall consolidate prepaid shipments in accordance with procedures established by the cognizant transportation office. The Contractor is authorized to combine Government prepaid shipments with the Contractor's commercial shipments for delivery to one or more consignees and the Government will reimburse its pro rata share of the total freight costs. The Contractor shall provide a copy of the commercial bill of lading promptly to each consignee. Quantities shall not be divided into mailable lots for the purpose of avoiding movement by other modes of transportation.

(d) Transportation charges will be billed as a separate item on the invoice for each shipment made. A copy of the pertinent bill of lading, shipment receipt, or freight bill shall accompany the invoice unless otherwise specified in the contract.

(e) Loss and damage claims will be processed by the Government.

[End of Clause]

F-8 52.247-4005 SHIPMENT OF SUPPLIES AND DETENTION OF CARRIERS EQUIPMENT AUG/2003
(TACOM)

(a) Unless otherwise directed, shipment items under this contract in following order of priority:

- (1) Government/Commercial Bill(s) of Lading or US Postal Services;
- (2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or
- (3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.

(b) The Contractor will request:

- (1) Government Bills of Lading and
- (2) Routing and other instructions, including Defense Transportation Regulation (DTR), DOD Regulation 4500.9-R-Part 2 Cargo Movement, as to the methods of shipment to be followed by the Contractor, or

(c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the Contractor, except when the detention is required or caused by the Government.

[End of Clause]

F-9 52.247-4017 DEPOT ADDRESS FOR THE APPLICABLE MODE OF SHIPMENTS: IN-THE-CLEAR MAY/2004
(TACOM) ADDRESSES

Rail/ Motor SPLC*	MILSTRIP Address Code	Rail Ship To:	Motor Ship To:	Parcel Post Mail To:
206721/ 209405	W25G1U	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA 17070-5001

NOTE: All deliveries to New Cumberland MUST be scheduled at least 10 days prior to the delivery date. The carrier or contractor must call the New Cumberland DDSP customer service number, 800-307-8496 and provide the following information: contract number, item name, National Stock Number, total weight and cube, and vendor. All shipments to this MILSTRIP address code (W25G1U) are for mission stock

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 23 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

and they will need to know that as well, but if you have instructions from the Contracting Officer to use MILSTRIP address code W25N14 instead, you must inform the appointment-taker that the delivery is for Consolidation and Containerization Point (CCP) stock. Appointments for FOB Origin shipments should be coordinated with DCMA Transportation.

875670/ 875675	W62G2T	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130
471995/ 471996	W31G1Z	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021
209741/ 209770	W25G1R	Transportation Officer Letterkenny Army Depot, Culbertson, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150
661136/ 661157	W45G19	Transportation Officer Red River Army Depot, Defense, TX	Transportation Officer Red River Army Depot, Texarkana, TX	Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000
764538/ 764535	W67G23	Transportation Officer Tooele Army Depot, Warner, UT	Transportation Officer Tooele Army Depot, Tooele, UT	Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003

***SPLC indicates Standard Point Locator Code.

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot
Red River Army Depot
Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

[End of Clause]

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 24 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION G - CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/ <u>ITEM</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>		<u>JOB</u> ORDER <u>NUMBER</u>	<u>ACCOUNTING</u> <u>STATION</u>	<u>OBLIGATED</u> <u>AMOUNT</u>
0001AA	EH4Y7023EH 060011	AA	2	97 X4930AC9D 6D	26AB S20113		W56HZV \$	246,931.60
							TOTAL	\$ 246,931.60

<u>SERVICE</u> <u>NAME</u>	<u>TOTAL BY ACRN</u>	<u>ACCOUNTING CLASSIFICATION</u>		<u>ACCOUNTING</u> <u>STATION</u>	<u>OBLIGATED</u> <u>AMOUNT</u>	
Army	AA	97 X4930AC9D 6D	26AB S20113	W56HZV \$	246,931.60	
					TOTAL	\$ 246,931.60

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 25 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION H - SPECIAL CONTRACT REQUIREMENTS

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
H-1	52.232-16	PROGRESS PAYMENTS (ALTERNATE I dated Mar 2000)	APR/2003
H-2	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
H-3	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003
H-4	252.225-7013	DUTY-FREE ENTRY	JAN/2004
H-5	252.231-7000	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
H-6	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
H-7	52.204-4005	REQUIRED USE OF ELECTRONIC CONTRACTING	JUN/2004
H-8	52.246-4026 (TACOM)	LOCAL ADDRESSES FOR DD FORM 250	JAN/2002

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-5527 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://web1.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION I - CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <http://farsite.hill.af.mil/>

[End of Clause]

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
I-1	52.202-1	DEFINITIONS	JUL/2004
I-2	52.203-3	GRATUITIES	APR/1984
I-3	52.203-5	COVENANT AGAINST CONTINGENT FEES	APR/1984
I-4	52.203-6	RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT	JUL/1995
I-5	52.203-7	ANTI-KICKBACK PROCEDURES	JUL/1995
I-6	52.203-8	CANCELLATION, RESCISSION AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-7	52.203-10	PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-8	52.203-12	LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS	JUN/2003
I-9	52.204-4	PRINTING/COPYING DOUBLE-SIDED ON RECYCLED PAPER	AUG/2000
I-10	52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	JUL/1995
I-11	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
I-12	52.215-2	AUDIT AND RECORDS - NEGOTIATIONS	JUN/1999
I-13	52.215-8	ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT	OCT/1997
I-14	52.215-11	PRICE REDUCTION FOR DEFECTIVE COST OR PRICING DATA--MODIFICATIONS	OCT/1997
I-15	52.215-13	SUBCONTRACTOR COST OR PRICING DATA -- MODIFICATIONS	OCT/1997
I-16	52.215-14	INTEGRITY OF UNIT PRICES	OCT/1997
I-17	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
I-18	52.219-8	UTILIZATION OF SMALL BUSINESS CONCERNS	MAY/2004
I-19	52.219-14	LIMITATIONS ON SUBCONTRACTING	DEC/1996
I-20	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
I-21	52.222-4	CONTRACT WORK HOURS AND SAFETY STANDARDS ACT--OVERTIME COMPENSATION	SEP/2000
I-22	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
I-23	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
I-24	52.222-26	EQUAL OPPORTUNITY	APR/2002
I-25	52.222-35	AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VIETNAM ERA	DEC/2001
I-26	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
I-27	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
I-28	52.223-6	DRUG FREE WORKPLACE	MAY/2001
I-29	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JAN/2004
I-30	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
I-31	52.227-2	NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT	AUG/1996
I-32	52.232-1	PAYMENTS	APR/1984
I-33	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
I-34	52.232-11	EXTRAS	APR/1984
I-35	52.232-17	INTEREST	JUN/1996
I-36	52.232-23	ASSIGNMENT OF CLAIMS	JAN/1986
I-37	52.232-25	PROMPT PAYMENT	OCT/2003
I-38	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
I-39	52.233-1	DISPUTES	JUL/2002
I-40	52.233-3	PROTEST AFTER AWARD	AUG/1996
I-41	52.242-10	F.O.B. ORIGIN--GOVERNMENT BILLS OF LADING OR PREPAID POSTAGE	APR/1984
I-42	52.242-12	REPORT OF SHIPMENT (REPSHIP)	JUN/2003
I-43	52.242-13	BANKRUPTCY	JUL/1995
I-44	52.243-1	CHANGES--FIXED-PRICE	AUG/1987
I-45	52.246-23	LIMITATION OF LIABILITY	FEB/1997
I-46	52.247-1	COMMERCIAL BILL OF LADING NOTATIONS the notation set forth in paragraph (a) of the clause applies in this contract. The agency name in line one of the notation shall read:US ARMY TANK-AUTOMOTIVE & ARMAMENTS COMMAND	APR/1984
I-47	52.248-1	VALUE ENGINEERING	FEB/2000
I-48	52.249-2	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)	MAY/2004

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
I-49	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)	APR/1984
I-50	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
I-51	252.203-7001	PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE CONTRACT-RELATED FELONIES	MAR/1999
I-52	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
I-53	252.209-7000	ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY	NOV/1995
I-54	252.209-7004	SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal Register 27 Mar 98	MAR/1998
I-55	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
I-56	252.215-7000	PRICING ADJUSTMENTS	DEC/1991
I-57	252.225-7012	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES	JUN/2004
I-58	252.225-7014	PREFERENCE FOR DOMESTIC SPECIALTY METALS (ALT 1)	APR/2003
I-59	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	MAY/2004
I-60	252.225-7025	RESTRICTION ON ACQUISITION OF FORGINGS	APR/2003
I-61	252.225-7031	SECONDARY ARAB BOYCOTT OF ISRAEL	APR/2003
I-62	252.226-7001	UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES	SEP/2001
I-63	252.242-7003	APPLICATION FOR U.S. GOVERNMENT SHIPPING DOCUMENTATION/INSTRUCTIONS	DEC/1991
I-64	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
I-65	252.243-7002	REQUESTS FOR EQUITABLE ADJUSTMENT	MAR/1998
I-66	252.244-7000	SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DoD CONTRACTS)	MAR/2000
I-67	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)
(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name _____
Manufacturer's Name _____
Source's Name _____
Item Name _____
Service _____
Identification _____ Test Number _____ (to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 28 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

I-68 52.246-4005 INSPECTION AND ACCEPTANCE POINTS: ORIGIN FEB/1995
 (TACOM)

(a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection: ORIGIN Acceptance: ORIGIN

(b) Origin inspection shall take place at the site specified below:

GEAR WIZZARD
570 WEST ARMORY
SOUTH HOLLAND IL 60473-2824

CONTACT: ROBERT CARREN
PHONE: 239-596-4675
FAX: 239-596-0159
EMAIL: BOB@GEARWIZZARD.COM

[End of Clause]

I-69 52.223-11 OZONE-DEPLETING SUBSTANCES MAY/2001

(a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as--

- (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
- (2) Class II, including but not limited to, hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) _____ * _____, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

[End of Clause]

I-70 52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS JUL/2004

(a) Definitions. As used in this clause--

(1) "Commercial item" has the meaning contained in Federal Acquisition Regulation 2.101, Definitions.

(2) "Subcontract," as used in this clause, includes a transfer of commercial items between divisions, subsidiaries, or affiliates of the Contractor or subcontractor at any tier.

(b) To the maximum extent practicable, the Contractor shall incorporate, and require its subcontractors at all tiers to incorporate, commercial items or nondevelopmental items as components of items to be supplied under this contract.

(c)

(1) The contractor shall insert the following clauses in subcontracts for commercial items:

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 29 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

(i) 52.219-8, Utilization of Small Business Concerns (May 2004)(15U.S.C. 637(d)(2) and (3)), in all subcontracts that offer subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$500,000 (\$1,000,000 for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(ii) 52.222-26, Equal Opportunity (APR 2002)(E.O. 11246);

(iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (Dec 2001) (38 U.S.C. 4212(a));

(iv) 52.222-36, Affirmative Action for Workers with Disabilities (JUN 1998)(29 U.S.C. 793);

(v) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (APR 2003) (46 U.S.C. Appx 1241 and 10 U.S.C. 2631) (flow down required in accordance with paragraph (d) of FAR clause 52.247-64).

(2) While not required, the Contractor may flow down to subcontracts for commercial items a minimum number of additional clauses necessary to satisfy its contractual obligations.

(d) The Contractor shall include the terms of this clause, including this paragraph (d), in subcontracts awarded under this contract.

[End of Clause]

I-71

52.247-60

GUARANTEED SHIPPING CHARACTERISTICS

DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

(1) To be completed by the offeror:

(i) Type of "Outer" container: Wood Box [], Fiber Box [], Barrel [], Reel [], Drum [],
Other (Specify) SIDE CONTAINER_____

(ii) Shipping configuration: Knocked-down [], Set-up [X], Nested [], Other (specify) _____;

(iii) Size of outer container: 50.0 inches (Length), x 36.8 inches (Width), x 40.7 inches (Height)
= 43.25 Cubic FT;

(iv) Number of items per outer container 1 Each;

(v) Gross weight of outer container and contents 1010 LBS

(vi) Palletized/skidded [X] Yes [] No;

(vii) Number of outer containers per pallet/skid 1;

(viii) Weight of empty pallet bottom/skid and sides 535 LBS;

(ix) Size of pallet/skid and contents 535 LBS Cube 43.25;

(x) Number of outer containers or pallets/skids per railcar UNKNOWN * --

Size of railcar UNKNOWN

Type of railcar UNKNOWN

(xi) Number of outer containers or pallets/skids per trailer 42 *--

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 30 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

Size of trailer _____ 45' _____

Type of trailer _____ VAN _____

*Number of complete units (contract line item) to be shipped in carrier's equipment.

(2) To be completed by the Government after evaluation but before contract award:

(i) Rate used in evaluation _____;

(ii) Tender/Tariff _____;

(iii) Item _____;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of Clause]

I-72

52.252-6

AUTHORIZED DEVIATIONS IN CLAUSES

APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

I-73

252.204-7004

ALTERNATE A

NOV/2003

As prescribed in 204.1104, substitute the following paragraph (a) for paragraph (a) of the clause at FAR 52.204-7:

(a) Definitions. As used in this clause--

"Central Contractor Registration (CCR) database" means the primary Government repository for contractor information required for the conduct of business with the Government.

"Commercial and Government Entity (CAGE) code" means--

(1) A code assigned by the Defense Logistics Information Service (DLIS) to identify a commercial or Government entity; or

(2) A code assigned by a member of the North Atlantic Treaty Organization that DLIS records and maintains in the CAGE master file. This type of code is known as an "NCAGE code."

"Data Universal Numbering System (DUNS) number" means the 9-digit number assigned by Dun and Bradstreet, Inc. (D&B) to identify unique business entities.

"Data Universal Numbering System +4 (DUNS+4) number" means the DUNS number assigned by D&B plus a 4-character suffix that may be assigned by a business concern. (D&B has no affiliation with this 4-character suffix.) This 4-character suffix may be assigned at the discretion of the business concern to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see Subpart 32.11 of the Federal Acquisition Regulation) for the same parent concern.

"Registered in the CCR database" means that--

(1) The Contractor has entered all mandatory information, including the DUNS number or the DUNS+4 number, into the CCR database;

(2) The Contractor's CAGE code is in the CCR database; and

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 31 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

(3) The Government has validated all mandatory data fields and has marked the records "Active."

[End of Clause]

I-74 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA

MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)

(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.

(2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-

(i) This contract is a construction contract; or

(ii) The supplies being transported are-

(A) Noncommercial items; or

(B) Commercial items that-

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

(1) U.S.-flag vessels are not available for timely shipment;

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 32 of 34**

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

(2) The freight charges are inordinately excessive or unreasonable; or

(3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

(1) Type, weight, and cube of cargo;

(2) Required shipping date;

(3) Special handling and discharge requirements;

(4) Loading and discharge points;

(5) Name of shipper and consignee;

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

(1) Prime contract number;

(2) Name of vessel;

(3) Vessel flag of registry;

(4) Date of loading;

(5) Port of loading;

(6) Port of final discharge;

(7) Description of commodity;

(8) Gross weight in pounds and cubic feet if available;

(9) Total ocean freight in U.S. dollars; and

(10) Name of the steamship company.

(f) The Contractor shall provide with its final invoice under this contract a representation that to the best of its knowledge and belief--

(1) No ocean transportation was used in the performance of this contract;

(2) Ocean transportation was used and only U.S.-flag vessels were used for all ocean shipments under the contract;

(3) Ocean transportation was used, and the Contractor had the written consent of the Contracting Officer for all non-U.S.-flag ocean transportation; or

(4) Ocean transportation was used and some or all of the shipments were made on non-U.S.-flag vessels without the written consent of the Contracting Officer. The Contractor shall describe these shipments in the following format:

ITEM

CONTRACT

Name of Offeror or Contractor: GEAR WIZZARD INC

DESCRIPTION	LINE ITEMS	QUANTITY	TOTAL
-------------	------------	----------	-------

(g) If the final invoice does not include the required representation, the Government will reject and return it to the Contractor as an improper invoice for the purposes of the Prompt Payment clause of this contract. In the event there has been unauthorized use of non-U.S.-flag vessels in the performance of this contract, the Contracting Officer is entitled to equitably adjust the contract, based on the unauthorized use.

(h) In the award of subcontracts for the types of supplies described in paragraph (b)(2) of this clause, the Contractor shall flow down the requirements of this clause as follows:

(1) The Contractor shall insert the substance of this clause, including this paragraph (h) in all subcontracts that exceed the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

(2) The Contractor shall insert the substance of paragraphs (a) through (e) of this clause, and this paragraph (h), in subcontracts that are at or below the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

[End of Clause]

I-75	52.204-4009	MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION	JUN/1999
	(TACOM)		

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offer/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

I-76	52.247-4011	FOB POINT	SEP/1978
------	-------------	-----------	----------

Delivery on F.O.B. origin offers will be F.O.B. Carrier's equipment, wharf, or freight station, at the Government's option, at or near:

(1) Contractor's Plant: SOUTH HOLLAND IL 60473-7204 USA _____

 (City) (State) (ZIP) (County)

(2) Subcontractor's Plant: _____

 (City) (State) (ZIP) (County)

[End of Provision]

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 34 of 34

PIIN/SIIN W56HZV-04-C-0548

MOD/AMD

Name of Offeror or Contractor: GEAR WIZZARD INC

SECTION J - LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 001	SOW IS ON THE WEB PAGE			