

| | | | |
|-----------------------|---|-------------|--------------|
| AWARD/CONTRACT | 1. This Contract Is A Rated Order Under DPAS (15 CFR 700) | Rating DOA4 | Page 1 Of 29 |
|-----------------------|---|-------------|--------------|

| | | |
|---|--------------------------------|---|
| 2. Contract (Proc. Inst. Ident) No. W56HZV-04-C-0566 | 3. Effective Date 2004SEP27 | 4. Requisition/Purchase Request/Project No. SEE SCHEDULE |
|---|--------------------------------|---|

| | | | |
|--|----------------|--|----------------|
| 5. Issued By TACOM WARREN AMSTA-AQ-ATAC MICHELLE VAN HOECK (586)574-8493 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL e-mail address: VANHOECM@TACOM.ARMY.MIL | Code W56HZV | 6. Administered By (If Other Than Item 5) DCMA SANTA ANA 34 CIVIC CENTER PLAZA ROOM 813A SANTA ANA CA 92701-4056 SCD B PAS NONE ADP PT HQ0339 | Code S0513A |
|--|----------------|--|----------------|

| | |
|---|---|
| 7. Name And Address Of Contractor (No. Street, City, County, State, And Zip Code) CONNECTEC COMPANY INC 1701 REYNOLDS AVE IRVINE, CA. 92614-5711 TYPE BUSINESS: Other Small Business Performing in U.S. | 8. Delivery <input type="checkbox"/> FOB Origin <input checked="" type="checkbox"/> Other (See Below) SEE SCHEDULE |
| | 9. Discount For Prompt Payment |
| | 10. Submit Invoices (4 Copies Unless Otherwise Specified) Item To The Address Shown In: 12 |
| Code OEFR2 | Facility Code |

| | | | |
|--------------------------------------|------|--|----------------|
| 11. Ship To/Mark For SEE SCHEDULE | Code | 12. Payment Will Be Made By DFAS - COLUMBUS CENTER DFAS-CO/WEST ENTITLEMENT OPERATIONS P.O. BOX 182381 COLUMBUS, OH 43218-2381 | Code HQ0339 |
|--------------------------------------|------|--|----------------|

| | |
|---|--|
| 13. Authority For Using Other Than Full And Open Competition: <input type="checkbox"/> 10 U.S.C. 2304(c)() <input type="checkbox"/> 41 U.S.C. 253(c)() | 14. Accounting And Appropriation Data ACRN: AA 97 X4930AC9D 6D 26KB S20113 W56HZV |
|---|--|

| | | | | | |
|---|--|---------------|-----------|--|-------------|
| 15A. Item No. SEE SCHEDULE | 15B. Schedule Of Supplies/Services CONTRACT TYPE: Firm-Fixed-Price | 15C. Quantity | 15D. Unit | 15E. Unit Price | 15F. Amount |
| KIND OF CONTRACT: Supply Contracts and Priced Orders | | | | | |
| Contract Expiration Date: 2005JAN08 | | | | 15G. Total Amount Of Contract \$57,722.00 | |

| 16. Table Of Contents | | | | | | | |
|-----------------------|---------|---------------------------------------|---------|---|---------|---|---------|
| (X) | Section | Description | Page(s) | (X) | Section | Description | Page(s) |
| Part I - The Schedule | | | | Part II - Contract Clauses | | | |
| X | A | Solicitation/Contract Form | 1 | X | I | Contract Clauses | 22 |
| X | B | Supplies or Services and Prices/Costs | 5 | Part III - List Of Documents, Exhibits, And Other Attachments | | | |
| X | C | Description/Specs./Work Statement | 8 | X | J | List of Attachments | 29 |
| X | D | Packaging and Marking | 11 | Part IV - Representations And Instructions | | | |
| X | E | Inspection and Acceptance | 13 | | K | Representations, Certifications, and Other Statements of Offerors | |
| X | F | Deliveries or Performance | 18 | | L | Instrs., Conds., and Notices to Offerors | |
| X | G | Contract Administration Data | 20 | | M | Evaluation Factors for Award | |
| X | H | Special Contract Requirements | 21 | | | | |

| | |
|--|---|
| 17. <input type="checkbox"/> Contractor's Negotiated Agreement (Contractor is required to sign this document and return _____ copies to issuing office.) Contractor agrees to furnish and deliver all items or perform all the services set forth or otherwise identified above and on any continuation sheets for the consideration stated herein. The rights and obligations of the parties to this contract shall be subject to and governed by the following documents: (a) this award/contract, (b) the solicitation, if any, and (c) such provisions, representations, certifications, and specifications, as are attached or incorporated by reference herein. (Attachments are listed herein.) | 18. <input checked="" type="checkbox"/> Award (Contractor is not required to sign this document.) Your offer on Solicitation Number <u>W56HZV04R0840</u> including the additions or changes made by you which additions or changes are set forth in full above, is hereby accepted as to the items listed above and on any continuation sheets. This award consummates the contract which consists of the following documents: (a) the Government's solicitation and your offer, and (b) this award/contract. No further contractual document is necessary. |
|--|---|

| | |
|--|--|
| 19A. Name And Title Of Signer (Type Or Print) | 20A. Name Of Contracting Officer PAMELA L. GROZDON GROZDONP@TACOM.ARMY.MIL (586)574-8552 |
| 19B. Name of Contractor | 20B. United States Of America |
| By _____ (Signature of person authorized to sign) | By _____ /SIGNED/ (Signature of Contracting Officer) |
| 19c. Date Signed | 20C. Date Signed 2004SEP27 |

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 2 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

SECTION A - SUPPLEMENTAL INFORMATION

| <u>Regulatory Cite</u> | <u>Title</u> | <u>Date</u> |
|------------------------|--------------|-------------|
|------------------------|--------------|-------------|

| | | | |
|-----|------------------------|---------------------|----------|
| A-1 | 52.204-4850 (TACOM) | ACCEPTANCE APPENDIX | FEB/2002 |
|-----|------------------------|---------------------|----------|

(a) Contract Number W56HZV-04-C-0566 is awarded to Connectec. The Government accepts your proposal dated 28 May 04 in response to Solicitation Number: W56HZV-04-R-0840, signed by Russell Kavezade, Senior Vice President.

(b) The contractor, in it's proposal, provided the following data for the listed clauses in this contract:

Section E, 52.246-4025, HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT -- TACOM QUALITY SYSTEM REQUIREMENT:

Section E, 52.246-4028, INSPECTION POINT: Connectec Company Inc.
1701 Reynolds Avenue
Irvine, CA 92614

Shipping Characteristics:

(1) Unit Package:

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length_20" x Width_40" x Depth 18"_(expressed in inches)/Weight expressed in 35 pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, _20" x Width, 40" x Height,_18" (expressed in feet and inches)

(ii) Number of unit packages per shipping container _1 each

(iii) Gross weight of Shipping container and contents _35 Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [X] No []; describe: _____.

(ii) Number of Shipping containers per pallet/skid 4 each.

(iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials 35 Lbs

(iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Length, 36" x Width, 40" x Height,_44"_____ (expressed in feet and inches)

(v) Gross Weight of Unit Load _150_ Lbs;

(c) Any attachments not included with this document will be provided by TACOM-Warren directly to the administrative contracting officer (ACO) via e-mail. A hard copy of the award will be sent to those ACOs not EDW (Electronic Document Workflow) capable. Technical data packages will be mailed by TACOM-Warren to the ACO on CD-ROM. Within one week of this award, any office not able to obtain these attachments from TACOM's website (<http://contracting.tacom.army.mil/>) and still requiring a copy, can request it by sending an e-mail message to the buyer listed on the front page of this contract.

(d) The following Amendment(s) to the solicitation are incorporated into this contract: None

| | | |
|---|---|----------------------------|
| CONTINUATION SHEET | Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0566 MOD/AMD | Page 3 of 29 |
| Name of Offeror or Contractor: CONNECTEC COMPANY INC | | |

[End of Clause]

A-2 52.204-4016 TACOM-WARREN ELECTRONIC CONTRACTING JUL/2003
(TACOM)

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

A-3 52.214-4003 ALL OR NONE MAR/1998
(TACOM)

Offers in response to this solicitation must be submitted for the total quantity of the items identified in the solicitation.

- (1) ONLY ONE AWARD WILL BE MADE AS A RESULT OF THIS SOLICITATION.
- (2) OFFERS SUBMITTED FOR LESS THAN THE TOTAL QUANTITIES OF ALL THE ITEMS IN THIS SOLICITATION WILL BE DEEMED NONRESPONSIVE.

[End of Clause]

A-4 52.215-4854 PAPERLESS ELECTRONIC RESPONSES REQUIRED IN RESPONSE TO THIS JUL/2002
(TACOM) SOLICITATION/REQUEST

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

[End of Clause]

| | | |
|---|--|----------------------------|
| CONTINUATION SHEET | Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0566 MOD/AMD | Page 4 of 29 |
| Name of Offeror or Contractor: CONNECTEC COMPANY INC | | |

Clin 0002AA has been deleted from this solicitation and replaced with Clin 0003AA.

Clin 0003AA is for an unexercised option quantity of 200% to be exercised within a 360 day period.

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0566 MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

| ITEM NO | SUPPLIES/SERVICES | QUANTITY | UNIT | UNIT PRICE | AMOUNT | | | | | | | | | | | | | | | | | | |
|-------------------|--|-------------------------|-----------------|-----------------|---------------|-----------------|--------------|-----|----------------|--------|---|--|---|-------------------|-----------------|-------------------------|-----|-----|------|-----|----|--------------|--------------|
| 0001 | SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 2540-00-407-2611 FSCM: 19207 PART NR: 11608781 SECURITY CLASS: Unclassified | | | | | | | | | | | | | | | | | | | | | | |
| 0001AA | <p><u>PRODUCTION QUANTITY</u></p> <p>CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: SEAT,VEHICULAR PRON: EH4Y7089EH PRON AMD: 01 ACRN: AA AMS CD: 060011</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: 11608781 DATE: 13-APR-2004</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE LOCATION OF PACKAGING/PACKING/SPECS: ADDENDA: 1 LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <table border="0"> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u></td> <td><u>TP CD</u></td> </tr> <tr> <td>001</td> <td>W56HZV4098T841</td> <td>W25G1U</td> <td>J</td> <td></td> <td>3</td> </tr> </table> <table border="0"> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DAYS AFTER AWARD</u></td> </tr> <tr> <td>001</td> <td>155</td> <td>0090</td> </tr> </table> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</p> </p> | <u>REL CD</u> | <u>MILSTRIP</u> | <u>ADDR</u> | <u>SIG CD</u> | <u>MARK FOR</u> | <u>TP CD</u> | 001 | W56HZV4098T841 | W25G1U | J | | 3 | <u>DEL REL CD</u> | <u>QUANTITY</u> | <u>DAYS AFTER AWARD</u> | 001 | 155 | 0090 | 155 | EA | \$ 372.40000 | \$ 57,722.00 |
| <u>REL CD</u> | <u>MILSTRIP</u> | <u>ADDR</u> | <u>SIG CD</u> | <u>MARK FOR</u> | <u>TP CD</u> | | | | | | | | | | | | | | | | | | |
| 001 | W56HZV4098T841 | W25G1U | J | | 3 | | | | | | | | | | | | | | | | | | |
| <u>DEL REL CD</u> | <u>QUANTITY</u> | <u>DAYS AFTER AWARD</u> | | | | | | | | | | | | | | | | | | | | | |
| 001 | 155 | 0090 | | | | | | | | | | | | | | | | | | | | | |

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0566 MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

| ITEM NO | SUPPLIES/SERVICES | QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|---------|---|----------|------|--------------|---------------|
| 0003 | FSCM: 19207 PART NR: 11608781 SECURITY CLASS: Unclassified The unexercised option quantity is for 200% within 360 days. (End of narrative A001) | | | | |
| 0003AA | <p><u>UNEXERCISED OPTION QUANTITY</u></p> <p>OPTION QUANTITY, PURSUANT TO SECTION H OR I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY--- SEPARATELY PRICED LINE ITEM</p> <p>The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.</p> <p>The failure of the offeror to insert a unit price applicable to the option quantity shall mean that the offeror will supply all or any part of the option, if exercised by the Government, at the basic contract unit price, and the offer will be evaluated for award accordingly.</p> <p>(End of narrative B001)</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 11608781 DATE: 13-APR-2004</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 <u>DEL REL CD QUANTITY DEL DATE</u> 001 310 UNDEFINITIZED</p> | 310 | EA | \$ 361.80000 | \$ 112,158.00 |

CONTINUATION SHEET

Reference No. of Document Being Continued
PIIN/SIIN W56HZV-04-C-0566 MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

| ITEM NO | SUPPLIES/SERVICES | QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|---------|---|----------|------|------------|--------|
| | <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00001) SHIPPING INSTRUCTIONS ARE CONTAINED IN CLAUSES E11, E12 AND E13</p> | | | | |

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 8 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

| <u>Regulatory Cite</u> | <u>Title</u> | <u>Date</u> |
|------------------------|--------------|-------------|
|------------------------|--------------|-------------|

| | | |
|-----|--|----------|
| C-1 | 52.211-4015 CONFIGURATION CONTROL - ENGINEERING CHANGES (TACOM) | APR/2004 |
|-----|--|----------|

(a) DEFINITIONS:

(1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.

(2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.

(3) Value Engineering Change Proposal (VECP). A proposal that --

(i) Requires a change to the instant contract; and

(ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --

(A) In deliverable end item quantities only;

(B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or

(C) To the contract type only.

(4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.

(b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.

(c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.

(1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is NL.

(2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

| | | |
|---------------------------|--|---------------------|
| CONTINUATION SHEET | Reference No. of Document Being Continued | Page 9 of 29 |
| | PIIN/SIIN W56HZV-04-C-0566 | MOD/AMD |

Name of Offeror or Contractor: CONNECTEC COMPANY INC

- (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
- (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPS, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECPS and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

| | | | |
|-----|-------------|--|----------|
| C-2 | 52.211-4053 | REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING | MAR/2000 |
| | (TACOM) | SUBSTANCES (CIODS) | |

(a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: A-A-52094, FED-STD-191, MIL-DTL-53072, V-T-285.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

| | | |
|---|--|----------------------|
| CONTINUATION SHEET | Reference No. of Document Being Continued | Page 10 of 29 |
| | PIIN/SIIN W56HZV-04-C-0566 MOD/AMD | |
| Name of Offeror or Contractor: CONNECTEC COMPANY INC | | |

C-3 52.211-4008 DRAWING LIMITATIONS NOV/2002
 (TACOM)

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

C-4 52.211-4021 WELDING SYMBOLS - CLARIFICATION OF GROOVE WELDING SYMBOL APR/1995
 (TACOM)

You must interpret welding symbols in accordance with AWS A2.4, except in the case of groove welds. In the case of groove welds, if the drawing doesn't specify an effective throat and/or weld size, interpret the dimension to the left of the groove welding symbol to mean both depth of preparation and effective throat/weld size.

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 11 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

SECTION D - PACKAGING AND MARKING

| | <u>Regulatory Cite</u> | <u>Title</u> | <u>Date</u> |
|-----|------------------------|---|-------------|
| D-1 | 52.211-4516 (TACOM) | PACKAGING REQUIREMENTS (SELECTIVE GROUP PACKAGING REQUIREMENTS) | JUN/2004 |

(a) Military preservation, packing, and marking for this contract shall be accomplished in accordance with the specific requirements identified below and all the applicable requirements of MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 including Notice 1, Dated 10 May 2002.

- (1) LEVEL OF PRESERVATION: Military
- (2) LEVEL OF PACKING: A
- (3) QUANTITY PER UNIT PACKAGE: 001

(b) MIL-STD-2073-1, Appendix J establishes and defines codes used in describing military packaging methods and materials. The following codes from Appendix J apply:

- (1) Preservation Method Code: 10 (Table j.i. and j.ia.)
- (2) Cleaning Procedure Code: 1 (Table j.ii)
- (3) Preservative Material Code: 00 (Table j.iii)
- (4) Wrapping Material Code: 00 (Table j.iv)
- (5) Cushioning and Dunnage Code: AD (Table j.v)
- (6) Thickness of Cushioning or Dunnage Code: X (Table j.vi)
- (7) Unit Container Code: F7 (Table j.vii)
- (8) Intermediate Container Code: 00 (Table j.vii)
- (9) Quantity per Intermediate Container Code: AAA (Appendix J.4.11)
- (10) Packing Code: F (Table j.IX and J.IXa)
- (11) Special Marking Code: 00 (Table j.x)

(c) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(d) Marking:

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). . Packing lists are required in accordance with the Standard, see paragraph 5.3

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 12 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: <http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm> This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<<http://milpac.com/>>) and Easysoft Corporation (<<http://easysoftcorp.com/>>). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(f) These packaging requirements are intended to provide protection against environmentally induced corrosion and deterioration, physical and mechanical damage, and other forms of degradation during storage, multiple handling, and shipment associated with the military distribution system. The Government encourages contractors to submit requests for changes that will result in savings or improve the packaging. Please submit request for changes in accordance with the RFD clause of the contract. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing at contractors expense.

(g) Hazardous Materials(as applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations
International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(h) SUPPLEMENTAL INSTRUCTIONS: WEIGHT AND CUBE DATA ARE ESTIMATED.

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 13 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNEXTEC COMPANY INC

SECTION E - INSPECTION AND ACCEPTANCE

| | <u>Regulatory Cite</u> | <u>Title</u> | <u>Date</u> |
|-----|------------------------|--------------------------------------|-------------|
| E-1 | 52.246-2 | INSPECTION OF SUPPLIES--FIXED-PRICE | AUG/1996 |
| E-2 | 52.246-16 | RESPONSIBILITY FOR SUPPLIES | APR/1984 |
| E-3 | 52.242-4008 (TACOM) | ROUTING OF SPECIAL PROCESS APPROVALS | AUG/1994 |

(a) Specification MIL-STD-1261, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

| | | | |
|-----|------------------------|---|----------|
| E-4 | 52.211-4030 (TACOM) | BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS (CARC) ON METALLIC SURFACES | JAN/2003 |
|-----|------------------------|---|----------|

(a) Scope: The requirements contained herein apply whenever any or all of the following specifications are cited in the contract: MIL-C-46168, MIL-C-53039, MIL-PRF-22750, or MIL-DTL-64159.

(b) CARC Primers: The preferred CARC primer for all applications is cathodic, epoxy electrocoat per MIL-C-53084. This primer can be directly substituted whenever MIL-P-53022 or MIL-P-53030 is specified on a drawing or specification. The dry film thickness table below contains mandatory minimum and maximum dry film thickness requirements. Failure of production painted hardware to comply with these ranges will dramatically impact the corrosion resistance and/or chip resistance of the CARC coating system. If the contractor does not possess the personnel or equipment to meet these mandatory thickness requirements, then cathodic epoxy electrocoat must be used. Any part that has rust, heat treat or mill scale must be abrasive blasted prior to the application of any coating. Select powder coat primers which have 0.0 VOCs and 0.0 HAPS can also be used as a direct replacement for MIL-P-53022 and MIL-P-53030 primers. These powder coat primers, however, can only be applied by TACOM-approved applicators. The qualification and application of these primers is controlled by "Performance Standard for Combat Grade Powder Coat Paint - U.S. Army - TACOM" and is available at <http://contracting.tacom.army.mil/engr/eng.htm>

(c) CARC Application: The dip application of any coating listed in the table below (with the exception of epoxy electrocoat which is specifically designed for dip application) is prohibited.

(d) End-Item Inspection. After the complete paint finish has been applied and cured* (See note below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in Table I herein. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 14 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in Table I herein.

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees F. for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F. minimum.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(a) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(b) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(c) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(d) Wait ten seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

NOTE: The above two tests are not a substitute for corrosion test such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(f) Acceptance Criteria:

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

DRY FILM THICKNESS TABLE

| SPECIFICATION | DRY FILM THICKNESS (Mils) | |
|----------------------|---------------------------|--|
| | (MANDATORY RANGE) | |
| DOD-P-15328* | 0.3 - 0.5 | |
| MIL-PRF-23377 | 1.0 - 1.5 | |
| MIL-P-53022, Type I | 1.0 - 2.5 | |
| MIL-P-53022, Type II | 1.5 - 2.5 | |
| MIL-P-53030 | 1.5 - 2.5 | |
| MIL-P-53084 | 0.8 - 1.5 | |
| MIL-C-22750 | 1.3 - 2.5 | |
| MIL-C-46168 | 1.8 MINIMUM | |
| MIL-C-53039 | 1.8 MINIMUM | |
| MIL-DTL-64159 | 1.0 MINIMUM | |

* May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

NOTICE: The scribe tape test is designed to detect any major deficiency in the paint application process that would affect the

Name of Offeror or Contractor: CONNECTEC COMPANY INC

durability of the CARC finish. Typical causes of failure are:

- (a) Inadequate cleaning of the substrate.
- (b) Contamination of the surface between coatings.
- (c) Excessive paint film thickness in a single coating application.
- (d) Application of a coating over a previous coating which has not been adequately cured.

[End of clause]

E-5 52.211-4069 WELDING INSPECTION REQUIREMENTS MAR/2001
(TACOM)

(a) INSPECTION: As the contractor, during performance of this contract you will verify weld quality and workmanship using qualified inspectors trained to perform these inspection functions. Acceptable qualification of your inspectors may be based on:

- (1) current or previous certification as an AWS Certified Welding Inspector; or
- (2) current or previous certification by the Canadian Welding Bureau (CWB); or

(3) inspection performed by an engineer or technician who is competent in the use of weld inspection techniques and equipment, on the basis of (i) formal training or (ii) experience, or both, in metals fabrication, inspection, and testing.

(b) NON BALLISTIC VISUAL INSPECTION. You will perform all non-ballistic visual inspections of weld quality and workmanship for structural steel in accordance with Section 6 of AWS D1.1-96. For structural aluminum, you may perform non-ballistic visual inspections of weld quality and workmanship using the guidelines given in MIL-STD-370A, dated 21 Sep 93.

(c) BALLISTIC VISUAL INSPECTION. You will perform all ballistic visual inspections in accordance with section 6 of the UDLP/TACOM Ground Combat Vehicle Code--Aluminum, dated July 1996. Copies of this document can be obtained by written request to:

Commander, US Army Tank-automotive and Armaments Command
ATTN: AMSTA-TR-E/Materials
Warren, MI 48397-5000

[End of Clause]

E-6 52.246-4019 VISUAL INSPECTION CRITERIA FOR STEEL WELDMENTS MAR/2001
(TACOM)

(a) Application: MIL-STD-1261

(b) Scope:

(1) These criteria supplement paragraph 4.3 of MIL-STD-1261 and supersede paragraph 6.3.1.5 of MIL-W-46086 and paragraph 5.9.1.5 of MIL-STD-1941. AWS A3.0 shall be used to define all other welding terms not defined herein.

(2) The limits established below represent the maximum discontinuities allowable for visual inspection of workmanship specimens and production steel weldments. (Note: Workmanship specimens which require cross-sectioning must also be evaluated for subsurface quality; these criteria are not contained herein.) Any discontinuity exceeding this limit is classified as defective and must be reworked or repaired dependent upon the nature and extent of the discontinuity. Weldments requiring subsurface weld inspection should be evaluated in accordance with the acceptance standard specified on the drawing in addition to these requirements.

(c) Discontinuities:

(1) Cracks - A weld crack is defined as a linear rupture resulting from excessive localized stress. Cracks can occur in the weld metal, fusion zone or heat affected zone.

No cracks are allowed

(2) Porosity - Porosity is defined as a rounded cavity free of solid material resulting from gas entrapment during solidification.

Name of Offeror or Contractor: CONNECTEC COMPANY INC

(i) Maximum pore size shall be 1/16 inch.

(ii) There shall be no more than six pores for any twelve inch length of weld. For small weldments with continuous welds less than twelve inches in length, they shall have proportionately fewer pores allowed (example: three pores maximum for six inch length of weld).

(3) Overlap - Overlap is defined as a protrusion of weld metal beyond the bond at the toe of the weld.

(i) A radiused tie-in must exist with the parent metal.

(ii) The overlap condition must not exceed 10% of the total weld length.

(4) Slag Inclusion - Slag inclusion is defined as a non-metallic solid material entrapped in or on the weld metal or between the weld metal and base metal. This discontinuity is applicable to SMA and FCAW processes.

No slag inclusions are allowed.

(5) Undercut - Undercut is defined as a groove melted into the base material adjacent to the toe of the weld and left unfilled by weld metal.

(i) For base materials .25 inch and less in thickness, no undercutting is permitted.

(ii) For base materials greater than .25 inch thickness:

(A) The maximum depth of undercut shall be 1/32 inch.

(B) The undercut must have a width not less than twice the depth.

(C) The length of undercut shall not exceed two inches cumulative in any continuous 24 inch length of weld. For continuous welds less than 24 inches in length, the maximum cumulative length shall be in direct proportion to this limit or one inch, whichever is greater.
(For example: for an eight inch continuous length of weld, maximum cumulative allowable undercut length is one inch).

(d) Weld Size:

(1) Fillet Welds:

(i) Fillet welds shall be measured using fillet weld gages.

(ii) For welds one-fourth inch and less, the weld size is the minimum as specified on the drawing symbol.

(iii) For fillet welds larger than one-fourth inch, the weld may be undersize by 1/16 inch for a maximum length of 10% of the continuous weld length.

(2) Groove Welds:

No underfill is allowed.

[End of Clause]

E-7 52.246-4028 INSPECTION POINT: ORIGIN
(TACOM)

FEB/1994

We will inspect the supplies as described elsewhere in this solicitation/contract before acceptance. Fill-in the location, contractor's or subcontractor's plant, where origin inspection will occur.

CONTRACTOR'S PLANT: Connectec Company Inc.
(Name)

1701 Reynolds Avenue, Irvine, CA 92614
(Address) (City) (State) (Zip)

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 17 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

[End of Clause]

E-8

52.246-4029
(TACOM)

ACCEPTANCE POINT: ORIGIN

OCT/2002

We will accept these supplies at the address or addresses designated in the Section E clause entitled INSPECTION POINT.

[End of Clause]

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

SECTION F - DELIVERIES OR PERFORMANCE

| | <u>Regulatory Cite</u> | <u>Title</u> | <u>Date</u> |
|-----|------------------------|--|-------------|
| F-1 | 52.242-17 | GOVERNMENT DELAY OF WORK | APR/1984 |
| F-2 | 52.247-34 | F.O.B. DESTINATION | NOV/1991 |
| F-3 | 52.247-48 | F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION) | FEB/1999 |
| F-4 | 52.211-16 | VARIATION IN QUANTITY | APR/1984 |

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

- ZERO percent increase; and
- ZERO percent decrease.

(c) This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

| | | | |
|-----|------------------------|--|----------|
| F-5 | 52.247-4017 (TACOM) | DEPOT ADDRESS FOR THE APPLICABLE MODE OF SHIPMENTS: IN-THE-CLEAR ADDRESSES | MAY/2004 |
|-----|------------------------|--|----------|

| Rail/ Motor <u>SPLC*</u> | MILSTRIP Address <u>Code</u> | Rail <u>Ship To:</u> | Motor <u>Ship To:</u> | Parcel Post <u>Mail To:</u> |
|--------------------------------|------------------------------------|---|---|--|
| 206721/ 209405 | W25G1U | Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA | Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA | Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA 17070-5001 |

NOTE: All deliveries to New Cumberland MUST be scheduled at least 10 days prior to the delivery date. The carrier or contractor must call the New Cumberland DDSP customer service number, 800-307-8496 and provide the following information: contract number, item name, National Stock Number, total weight and cube, and vendor. All shipments to this MILSTRIP address code (W25G1U) are for mission stock and they will need to know that as well, but if you have instructions from the Contracting Officer to use MILSTRIP address code W25N14 instead, you must inform the appointment-taker that the delivery is for Consolidation and Containerization Point (CCP) stock. Appointments for FOB Origin shipments should be coordinated with DCMA Transportation.

| | | | | |
|-------------------|--------|--|--|--|
| 875670/ 875675 | W62G2T | Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000 | Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000 | Transportation Officer Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130 |
| 471995/ 471996 | W31G1Z | Transportation Officer Anniston Army Depot, Bynum, AL | Transportation Officer Anniston Army Depot, Bynum, AL | Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021 |
| 209741/ 209770 | W25G1R | Transportation Officer Letterkenny Army Depot, Culbertson, PA | Transportation Officer Letterkenny Army Depot, Chambersburg, PA | Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150 |
| 661136/ 661157 | W45G19 | Transportation Officer Red River Army Depot, Defense, TX | Transportation Officer Red River Army Depot, Texarkana, TX | Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000 |

| | | |
|---------------------------|--|----------------------|
| CONTINUATION SHEET | Reference No. of Document Being Continued | Page 19 of 29 |
| | PIIN/SIIN W56HZV-04-C-0566 | MOD/AMD |

Name of Offeror or Contractor: CONNECTEC COMPANY INC

| | | | | |
|---------|--------|----------------------------------|----------------------------------|---|
| 764538/ | W67G23 | Transportation Officer | Transportation Officer | Transportation Officer |
| 764535 | | Tooele Army Depot, Warner, UT | Tooele Army Depot, Tooele, UT | Tooele Army Depot, Tooele, UT 84074-5003 |

***SPLC indicates Standard Point Locator Code.

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

- New Cumberland Army Depot
- Red River Army Depot
- Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

[End of Clause]

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 20 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

SECTION G - CONTRACT ADMINISTRATION DATA

| LINE | PRON/ AMS CD/ <u>ITEM</u> | <u>ACRN</u> | <u>STAT</u> | <u>ACCOUNTING CLASSIFICATION</u> | JOB ORDER <u>NUMBER</u> | <u>ACCOUNTING STATION</u> | <u>OBLIGATED AMOUNT</u> |
|--------|---------------------------------|-------------|-------------|----------------------------------|-------------------------------|---------------------------|-------------------------|
| 0001AA | EH4Y7089EH 060011 | AA | 2 | 97 X4930AC9D 6D | 26KB S20113 | W56HZV \$ | 57,722.00 |
| TOTAL | | | | | | | \$ 57,722.00 |

| <u>SERVICE NAME</u> | <u>TOTAL BY ACRN</u> | <u>ACCOUNTING CLASSIFICATION</u> | <u>ACCOUNTING STATION</u> | <u>OBLIGATED AMOUNT</u> |
|---------------------|----------------------|----------------------------------|---------------------------|-------------------------|
| Army | AA | 97 X4930AC9D 6D | 26KB S20113 | W56HZV \$ 57,722.00 |
| TOTAL | | | | \$ 57,722.00 |

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 21 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

SECTION H - SPECIAL CONTRACT REQUIREMENTS

| | <u>Regulatory Cite</u> | <u>Title</u> | <u>Date</u> |
|-----|------------------------|--|-------------|
| H-1 | 52.232-16 | PROGRESS PAYMENTS (ALTERNATE I dated Mar 2000) | APR/2003 |
| H-2 | 252.225-7001 | BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM | APR/2003 |
| H-3 | 252.225-7002 | QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS | APR/2003 |
| H-4 | 252.225-7013 | DUTY-FREE ENTRY | JAN/2004 |
| H-5 | 252.231-7000 | SUPPLEMENTAL COST PRINCIPLES | DEC/1991 |
| H-6 | 252.246-7000 | MATERIAL INSPECTION AND RECEIVING REPORT | MAR/2003 |
| H-7 | 52.217-4001 (TACOM) | SEPARATELY PRICED OPTION FOR INCREASED QUANTITY | APR/1997 |

(a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 310 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 360 days after AWARD. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.

(b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.

(c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

| | | | |
|-----|------------------------|--|----------|
| H-8 | 52.204-4005 | REQUIRED USE OF ELECTRONIC CONTRACTING | JUN/2004 |
| H-9 | 52.246-4026 (TACOM) | LOCAL ADDRESSES FOR DD FORM 250 | JAN/2002 |

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-5527 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 22 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

SECTION I - CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <http://farsite.hill.af.mil/>

[End of Clause]

| | <u>Regulatory Cite</u> | <u>Title</u> | <u>Date</u> |
|------|------------------------|--|-------------|
| I-1 | 52.202-1 | DEFINITIONS | JUL/2004 |
| I-2 | 52.203-3 | GRATUITIES | APR/1984 |
| I-3 | 52.203-5 | COVENANT AGAINST CONTINGENT FEES | APR/1984 |
| I-4 | 52.203-6 | RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT | JUL/1995 |
| I-5 | 52.203-7 | ANTI-KICKBACK PROCEDURES | JUL/1995 |
| I-6 | 52.203-8 | CANCELLATION, RESCISSION AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY | JAN/1997 |
| I-7 | 52.203-10 | PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY | JAN/1997 |
| I-8 | 52.203-12 | LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS | JUN/2003 |
| I-9 | 52.204-4 | PRINTING/COPYING DOUBLE-SIDED ON RECYCLED PAPER | AUG/2000 |
| I-10 | 52.209-6 | PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT | JUL/1995 |
| I-11 | 52.211-5 | MATERIAL REQUIREMENTS | AUG/2000 |
| I-12 | 52.215-2 | AUDIT AND RECORDS - NEGOTIATIONS | JUN/1999 |
| I-13 | 52.215-8 | ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT | OCT/1997 |
| I-14 | 52.215-11 | PRICE REDUCTION FOR DEFECTIVE COST OR PRICING DATA--MODIFICATIONS | OCT/1997 |
| I-15 | 52.215-14 | INTEGRITY OF UNIT PRICES | OCT/1997 |
| I-16 | 52.219-6 | NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE | JUN/2003 |
| I-17 | 52.219-8 | UTILIZATION OF SMALL BUSINESS CONCERNS | MAY/2004 |
| I-18 | 52.222-1 | NOTICE TO THE GOVERNMENT OF LABOR DISPUTES | FEB/1997 |
| I-19 | 52.222-4 | CONTRACT WORK HOURS AND SAFETY STANDARDS ACT--OVERTIME COMPENSATION | SEP/2000 |
| I-20 | 52.222-19 | CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES | JUN/2004 |
| I-21 | 52.222-20 | WALSH-HEALEY PUBLIC CONTRACTS ACT | DEC/1996 |
| I-22 | 52.222-21 | PROHIBITION OF SEGREGATED FACILITIES | FEB/1999 |
| I-23 | 52.222-26 | EQUAL OPPORTUNITY | APR/2002 |
| I-24 | 52.222-35 | AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VIETNAM ERA | DEC/2001 |
| I-25 | 52.222-36 | AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES | JUN/1998 |
| I-26 | 52.222-37 | EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS | DEC/2001 |
| I-27 | 52.223-6 | DRUG FREE WORKPLACE | MAY/2001 |
| I-28 | 52.223-14 | TOXIC CHEMICAL RELEASE REPORTING | AUG/2003 |
| I-29 | 52.225-13 | RESTRICTIONS ON CERTAIN FOREIGN PURCHASES | JAN/2004 |
| I-30 | 52.227-1 | AUTHORIZATION AND CONSENT | JUL/1995 |
| I-31 | 52.227-2 | NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT | AUG/1996 |
| I-32 | 52.229-3 | FEDERAL, STATE, AND LOCAL TAXES | APR/2003 |
| I-33 | 52.232-1 | PAYMENTS | APR/1984 |
| I-34 | 52.232-8 | DISCOUNTS FOR PROMPT PAYMENT | FEB/2002 |
| I-35 | 52.232-11 | EXTRAS | APR/1984 |
| I-36 | 52.232-17 | INTEREST | JUN/1996 |
| I-37 | 52.232-23 | ASSIGNMENT OF CLAIMS | JAN/1986 |
| I-38 | 52.232-25 | PROMPT PAYMENT | OCT/2003 |
| I-39 | 52.232-33 | PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION | OCT/2003 |
| I-40 | 52.233-1 | DISPUTES | JUL/2002 |
| I-41 | 52.233-3 | PROTEST AFTER AWARD | AUG/1996 |
| I-42 | 52.242-12 | REPORT OF SHIPMENT (REPSHIP) | JUN/2003 |
| I-43 | 52.242-13 | BANKRUPTCY | JUL/1995 |
| I-44 | 52.243-1 | CHANGES--FIXED-PRICE | AUG/1987 |
| I-45 | 52.246-23 | LIMITATION OF LIABILITY | FEB/1997 |
| I-46 | 52.248-1 | VALUE ENGINEERING | FEB/2000 |
| I-47 | 52.249-2 | TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) | MAY/2004 |
| I-48 | 52.249-8 | DEFAULT (FIXED-PRICE SUPPLY AND SERVICE) | APR/1984 |
| I-49 | 52.253-1 | COMPUTER GENERATED FORMS | JAN/1991 |
| I-50 | 252.203-7001 | PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE CONTRACT-RELATED FELONIES | MAR/1999 |

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 23 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

| | <u>Regulatory Cite</u> | <u>Title</u> | <u>Date</u> |
|------|------------------------|--|-------------|
| I-51 | 252.204-7003 | CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT | APR/1992 |
| I-52 | 252.209-7000 | ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY | NOV/1995 |
| I-53 | 252.209-7004 | SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal Register 27 Mar 98 | MAR/1998 |
| I-54 | 252.211-7005 | SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS | FEB/2003 |
| I-55 | 252.215-7000 | PRICING ADJUSTMENTS | DEC/1991 |
| I-56 | 252.225-7012 | PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES | JUN/2004 |
| I-57 | 252.225-7014 | PREFERENCE FOR DOMESTIC SPECIALTY METALS (ALT 1) | APR/2003 |
| I-58 | 252.225-7016 | RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS | MAY/2004 |
| I-59 | 252.225-7025 | RESTRICTION ON ACQUISITION OF FORGINGS | APR/2003 |
| I-60 | 252.225-7031 | SECONDARY ARAB BOYCOTT OF ISRAEL | APR/2003 |
| I-61 | 252.226-7001 | UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES | SEP/2001 |
| I-62 | 252.227-7025 | LIMITATIONS ON THE USE OR DISCLOSURE OF GOVERNMENT-FURNISHED INFORMATION MARKED WITH RESTRICTIVE LEGENDS | JUN/1995 |
| I-63 | 252.243-7001 | PRICING OF CONTRACT MODIFICATIONS | DEC/1991 |
| I-64 | 252.243-7002 | REQUESTS FOR EQUITABLE ADJUSTMENT | MAR/1998 |
| I-65 | 252.244-7000 | SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DoD CONTRACTS) | MAR/2000 |
| I-66 | 52.209-1 | QUALIFICATION REQUIREMENTS | FEB/1995 |

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)
(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name _____
 Manufacturer's Name _____
 Source's Name _____
 Item Name _____
 Service _____
 Identification _____ Test Number _____ (to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 24 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

I-67 52.223-11 OZONE-DEPLETING SUBSTANCES

MAY/2001

(a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as--

- (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
- (2) Class II, including but not limited to, hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) _____ * _____, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

[End of Clause]

I-68 52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS

JUL/2004

(a) Definitions. As used in this clause--

(1) "Commercial item" has the meaning contained in Federal Acquisition Regulation 2.101, Definitions.

(2) "Subcontract," as used in this clause, includes a transfer of commercial items between divisions, subsidiaries, or affiliates of the Contractor or subcontractor at any tier.

(b) To the maximum extent practicable, the Contractor shall incorporate, and require its subcontractors at all tiers to incorporate, commercial items or nondevelopmental items as components of items to be supplied under this contract.

(c)

(1) The contractor shall insert the following clauses in subcontracts for commercial items:

(i) 52.219-8, Utilization of Small Business Concerns (May 2004)(15U.S.C. 637(d)(2) and (3)), in all subcontracts that offer subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$500,000 (\$1,000,000 for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(ii) 52.222-26, Equal Opportunity (APR 2002)(E.O. 11246);

(iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (Dec 2001) (38 U.S.C. 4212(a));

(iv) 52.222-36, Affirmative Action for Workers with Disabilities (JUN 1998)(29 U.S.C. 793);

(v) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (APR 2003) (46 U.S.C. Appx 1241 and 10 U.S.C. 2631) (flow down required in accordance with paragraph (d) of FAR clause 52.247-64).

(2) While not required, the Contractor may flow down to subcontracts for commercial items a minimum number of additional clauses necessary to satisfy its contractual obligations.

(d) The Contractor shall include the terms of this clause, including this paragraph (d), in subcontracts awarded under this contract.

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 25 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

[End of Clause]

I-69 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

I-70 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)

(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.

(2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-

(i) This contract is a construction contract; or

(ii) The supplies being transported are-

(A) Noncommercial items; or

(B) Commercial items that-

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 26 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

- (1) U.S.-flag vessels are not available for timely shipment;
- (2) The freight charges are inordinately excessive or unreasonable; or
- (3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

- (1) Type, weight, and cube of cargo;
- (2) Required shipping date;
- (3) Special handling and discharge requirements;
- (4) Loading and discharge points;
- (5) Name of shipper and consignee;
- (6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

- (1) Prime contract number;
- (2) Name of vessel;
- (3) Vessel flag of registry;
- (4) Date of loading;
- (5) Port of loading;
- (6) Port of final discharge;
- (7) Description of commodity;
- (8) Gross weight in pounds and cubic feet if available;
- (9) Total ocean freight in U.S. dollars; and
- (10) Name of the steamship company.

(f) The Contractor shall provide with its final invoice under this contract a representation that to the best of its knowledge and belief--

- (1) No ocean transportation was used in the performance of this contract;
- (2) Ocean transportation was used and only U.S.-flag vessels were used for all ocean shipments under the contract;

| | | |
|---|--|----------------------|
| CONTINUATION SHEET | Reference No. of Document Being Continued | Page 27 of 29 |
| | PIIN/SIIN W56HZV-04-C-0566 | MOD/AMD |
| Name of Offeror or Contractor: CONNECTEC COMPANY INC | | |

(3) Ocean transportation was used, and the Contractor had the written consent of the Contracting Officer for all non-U.S.-flag ocean transportation; or

(4) Ocean transportation was used and some or all of the shipments were made on non-U.S.-flag vessels without the written consent of the Contracting Officer. The Contractor shall describe these shipments in the following format:

| ITEM DESCRIPTION | CONTRACT LINE ITEMS | QUANTITY | TOTAL |
|---------------------|------------------------|----------|-------|
|---------------------|------------------------|----------|-------|

(g) If the final invoice does not include the required representation, the Government will reject and return it to the Contractor as an improper invoice for the purposes of the Prompt Payment clause of this contract. In the event there has been unauthorized use of non-U.S.-flag vessels in the performance of this contract, the Contracting Officer is entitled to equitably adjust the contract, based on the unauthorized use.

(h) In the award of subcontracts for the types of supplies described in paragraph (b)(2) of this clause, the Contractor shall flow down the requirements of this clause as follows:

(1) The Contractor shall insert the substance of this clause, including this paragraph (h) in all subcontracts that exceed the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

(2) The Contractor shall insert the substance of paragraphs (a) through (e) of this clause, and this paragraph (h), in subcontracts that are at or below the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

[End of Clause]

| | | | |
|------|-------------|--|----------|
| I-71 | 52.204-4009 | MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION | JUN/1999 |
| | (TACOM) | | |

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

| | | | |
|------|-------------|---|----------|
| I-72 | 52.247-4458 | GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION | SEP/2000 |
| | (TACOM) | | |

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 28 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length_20" x Width_40" x Depth 18"_(expressed in inches)/Weight expressed in 35 pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, _20" x Width, 40" x Height,_18" (expressed in feet and inches)

(ii) Number of unit packages per shipping container _1 each

(iii) Gross weight of Shipping container and contents _35 Lbs.

(3) Unitized Loads:

(i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [X] No []; describe: _____.

(ii) Number of Shipping containers per pallet/skid 4 each.

(iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials 35 Lbs

(iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Length, 36" x Width, 40" x Height,_44"_____ (expressed in feet and inches)

(v) Gross Weight of Unit Load _150_ Lbs;

[End of Clause]

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 29 of 29

PIIN/SIIN W56HZV-04-C-0566

MOD/AMD

Name of Offeror or Contractor: CONNECTEC COMPANY INC

SECTION J - LIST OF ATTACHMENTS

| <u>List of</u> <u>Addenda</u> | <u>Title</u> | <u>Date</u> | <u>Number</u> <u>of Pages</u> | <u>Transmitted By</u> |
|----------------------------------|---------------------------------------|-------------|----------------------------------|-----------------------|
| Exhibit A | TDP 11608781 IS ON THE TACOM WEB PAGE | 13-APR-2004 | | |