

AWARD/CONTRACT	1. This Contract Is A Rated Order Under DPAS (15 CFR 700)	Rating DOA4	Page 1 Of 42
-----------------------	---	-------------	--------------

2. Contract (Proc. Inst. Ident) No. W56HZV-04-C-0608	3. Effective Date 2004OCT06	4. Requisition/Purchase Request/Project No. SEE SCHEDULE
---	--------------------------------	---

5. Issued By TACOM WARREN AMSTA-AQ-AHPA MARLENE SCHEELE (586)574-7161 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL e-mail address: SCHEELEM@TACOM.ARMY.MIL	Code	W56HZV	6. Administered By (If Other Than Item 5) DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAE-GJD WARREN, MI 48397-5000	Code	S2305A
			SCD B PAS NONE	ADP PT HQ0337	

7. Name And Address Of Contractor (No. Street, City, County, State, And Zip Code) LOC PERFORMANCE PRODUCTS INC 13505 HAGGERTY ROAD PLYMOUTH, MI. 48170 TYPE BUSINESS: Other Small Business Performing in U.S.	8. Delivery <input checked="" type="checkbox"/> FOB Origin <input type="checkbox"/> Other (See Below)
9. Discount For Prompt Payment Net 30 Days	
10. Submit Invoices (4 Copies Unless Otherwise Specified)	
To The Address Shown In: Item 12	
Code 1V513	Facility Code

11. Ship To/Mark For SEE SCHEDULE	Code	12. Payment Will Be Made By DFAS - COLUMBUS CENTER DFAS-CO/NORTH ENTITLEMENT OPERATION P.O. BOX 182266 COLUMBUS OH 43218-2266	Code	HQ0337
--------------------------------------	------	---	------	--------

13. Authority For Using Other Than Full And Open Competition: <input type="checkbox"/> 10 U.S.C. 2304(c)() <input type="checkbox"/> 41 U.S.C. 253(c)()	14. Accounting And Appropriation Data ACRN: AA 97 X4930AC9D 6D 26FB S20113 W56HZV
---	--

15A. Item No. SEE SCHEDULE	15B. Schedule Of Supplies/Services CONTRACT TYPE: Firm-Fixed-Price	15C. Quantity	15D. Unit	15E. Unit Price	15F. Amount
KIND OF CONTRACT: Supply Contracts and Priced Orders					
FMS REQUIREMENT					
15G. Total Amount Of Contract					\$361,836.00

16. Table Of Contents							
(X)	Section	Description	Page(s)	(X)	Section	Description	Page(s)
Part I - The Schedule				Part II - Contract Clauses			
X	A	Solicitation/Contract Form	1	X	I	Contract Clauses	33
X	B	Supplies or Services and Prices/Costs	4	Part III - List Of Documents, Exhibits, And Other Attachments			
X	C	Description/Specs./Work Statement	11	J	List of Attachments		
X	D	Packaging and Marking	14	Part IV - Representations And Instructions			
X	E	Inspection and Acceptance	16	K	Representations, Certifications, and Other Statements of Offerors		
X	F	Deliveries or Performance	24	L	Instrs., Conds., and Notices to Offerors		
X	G	Contract Administration Data	30	M	Evaluation Factors for Award		
X	H	Special Contract Requirements	31				

17. <input type="checkbox"/> Contractor's Negotiated Agreement (Contractor is required to sign this document and return _____ copies to issuing office.) Contractor agrees to furnish and deliver all items or perform all the services set forth or otherwise identified above and on any continuation sheets for the consideration stated herein. The rights and obligations of the parties to this contract shall be subject to and governed by the following documents: (a) this award/contract, (b) the solicitation, if any, and (c) such provisions, representations, certifications, and specifications, as are attached or incorporated by reference herein. (Attachments are listed herein.)	18. <input checked="" type="checkbox"/> Award (Contractor is not required to sign this document.) Your offer on Solicitation Number <u>W56HZV04R0741</u> including the additions or changes made by you which additions or changes are set forth in full above, is hereby accepted as to the items listed above and on any continuation sheets. This award consummates the contract which consists of the following documents: (a) the Government's solicitation and your offer, and (b) this award/contract. No further contractual document is necessary.
--	---

19A. Name And Title Of Signer (Type Or Print)	20A. Name Of Contracting Officer RONALD KRAUS KRAUSR@TACOM.ARMY.MIL (586)574-7158
19B. Name of Contractor	20B. United States Of America
19c. Date Signed	20C. Date Signed 2004OCT06
By _____ (Signature of person authorized to sign)	By _____ /SIGNED/ (Signature of Contracting Officer)

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 2 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION A - SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
--	------------------------	--------------	-------------

A-1	52.204-4850 (TACOM)	ACCEPTANCE APPENDIX	FEB/2002
-----	------------------------	---------------------	----------

(a) Contract Number W56HZV-04-C-0608 is awarded to Loc Performance Products Inc. The Government accepts your proposal dated June 14, 2004 in response to Solicitation Number W56HZV-04-R-0741, signed by Mr. Rodger Vojcek, Vice President, of your company.

(b) The contractor, in it's proposal, provided the following data for the listed clauses in this contract:

Section E, 52.246-4025, HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT -- TACOM QUALITY SYSTEM REQUIREMENT: MIL-I-45208 and ISO 9002

Section E, 52.246-4028, INSPECTION POINT: Loc Performance Products, Inc., 13505 Haggerty Road, Plymouth, MI 48170

Shipping Characteristics: Loc will package in full accordance with the specified packaging instructions as required in the solicitation. The unit container is the shipping container. Description: 36" Diameter x 33.6" High metal container (25.2 cu ft); weighing 810 lbs. Approximately (54) containers per truck (50' closed van) - limited by weight.

FOB POINT: Loc Performance, Plymouth, MI

FIRST ARTICLE TEST REQUIREMENT (FATR): The first article test has been waived for Loc Performance for this procurement. This FAT waiver is based on Loc Performance successfully completing the FAT required under Contract W56HZV-04-C-0239.

(c) Any attachments not included with this document will be provided by TACOM-Warren directly to the administrative contracting officer (ACO) via e-mail. A hard copy of the award will be sent to those ACOs not EDW (Electronic Document Workflow) capable. Technical data packages will be mailed by TACOM-Warren to the ACO on CD-ROM. Within one week of this award, any office not able to obtain these attachments from TACOM's website (<http://contracting.tacom.army.mil/>) and still requiring a copy, can request it by sending an e-mail message to the buyer listed on the front page of this contract.

(d) The following Amendment(s) to the solicitation are incorporated into this contract: Amendment 0001 to the solicitation was issued to correct the date of the technical data package (TDP) from 25 Mar 03 to 25 Mar 04.

[End of Clause]

A-2	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	SEP/2004
-----	------------------------	-------------------------------------	----------

(a) All TACOM solicitations and awards are distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. Please go to the following webpage for detailed information about submitting your offer electronically: <http://contracting.tacom.army.mil/ebidnotice.htm>

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 3 of 42**

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. For technical assistance in doing business with the Government, and doing business electronically, please visit the Procurement Technical Assistance Center Website at <http://www.sellingtothegovernment.net/index.asp> to find a location near you.

[End of Clause]

A-3 52.204-4232 PUBLIC ACTIVITY INVOLVEMENT DEC/2002
(TACOM)

Subcontract opportunities under this solicitation and any resulting contracts are open to competition between Department of Defense activities and private firms. In addition, Army Industrial Facilities are available to sell manufactured articles or to perform work at such Facilities on behalf of Offerors, in certain circumstances and as permitted by law. Rock Island Arsenal, Watervliet Arsenal, Anniston Army Depot, Sierra Army Depot, and Red River Army Depot have expressed interest in securing subcontracting opportunities under this RFP. For information related to the capabilities of these facilities, and Points of Contact, see www.gsie.army.mil

[End of Notice]

A-4 52.214-4003 ALL OR NONE MAR/1998
(TACOM)

Offers in response to this solicitation must be submitted for the total quantity of the items identified in the solicitation.

- (1) ONLY ONE AWARD WILL BE MADE AS A RESULT OF THIS SOLICITATION.
- (2) OFFERS SUBMITTED FOR LESS THAN THE TOTAL QUANTITIES OF ALL THE ITEMS IN THIS SOLICITATION WILL BE DEEMED NONRESPONSIVE.

[End of Clause]

A-5 52.215-4854 PAPERLESS ELECTRONIC RESPONSES REQUIRED IN RESPONSE TO THIS JUL/2002
(TACOM) SOLICITATION/REQUEST

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

[End of Clause]

*** END OF NARRATIVE A 001 ***

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0608 MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																														
0001	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 2520-01-494-3527 FSCM: 19207 PART NR: 57K4220 SECURITY CLASS: Unclassified																																		
0001AA	<p><u>PRODUCTION QUANTITY</u></p> <p>NOUN: FINAL DRIVE WITH CONTAINER PRON: EH4Y8108EH PRON AMD: 02 ACRN: AA AMS CD: 060011 FMS CASE IDENTIFIER: JO-B-BEE</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 57K4220 DATE: 25-MAR-2004</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 1 LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <table border="0"> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u></td> <td><u>TP CD</u></td> </tr> <tr> <td>001</td> <td>BJOA9N40296237</td> <td>BXXBEE</td> <td>L</td> <td>BJOA00</td> <td>2</td> </tr> <tr> <td></td> <td><u>PROJ CD</u></td> <td><u>BRK BLK PT</u></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>BJOA00</td> <td></td> <td></td> <td></td> </tr> </table> <table border="0"> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DEL DATE</u></td> </tr> <tr> <td>001</td> <td>1</td> <td>10-MAY-2005</td> </tr> </table> <p>FOB POINT: Origin</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207</p> <p>MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207</p> <p>DOC SUPPL</p> </p>	<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>	001	BJOA9N40296237	BXXBEE	L	BJOA00	2		<u>PROJ CD</u>	<u>BRK BLK PT</u>						BJOA00				<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>	001	1	10-MAY-2005	10	EA	\$ 5,244.00000	\$ 52,440.00
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>																														
001	BJOA9N40296237	BXXBEE	L	BJOA00	2																														
	<u>PROJ CD</u>	<u>BRK BLK PT</u>																																	
		BJOA00																																	
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>																																	
001	1	10-MAY-2005																																	

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0608 MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
REL CD 002	<u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> BJOA9N40296238 BXXBEE L BJOA00 2 <u>PROJ CD</u> <u>BRK BLK PT</u> BJOA00				
DEL REL CD 001	<u>QUANTITY</u> <u>DEL DATE</u> 1 10-MAY-2005				
FOB POINT: Origin					
SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207					
MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207					
DOC REL CD 003	SUPPL <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> BJOA9N40296239 BXXBEE L BJOA00 2 <u>PROJ CD</u> <u>BRK BLK PT</u> BJOA00				
DEL REL CD 001	<u>QUANTITY</u> <u>DEL DATE</u> 1 10-MAY-2005				
FOB POINT: Origin					
SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207					
MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207					
DOC REL CD 004	SUPPL <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> BJOA9N40296240 BXXBEE L BJOA00 2 <u>PROJ CD</u> <u>BRK BLK PT</u> BJOA00				
DEL REL CD 001	<u>QUANTITY</u> <u>DEL DATE</u> 1 10-MAY-2005				
FOB POINT: Origin					
SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207					

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0608 MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207 DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 005 BJOA9N40296241 BXXBEE L BJOA00 2 <u>PROJ CD</u> <u>BRK BLK PT</u> BJOA00 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DEL DATE</u> 001 1 10-MAY-2005 FOB POINT: Origin SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207 MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207 DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 006 BJOA9N40296242 BXXBEE L BJOA00 2 <u>PROJ CD</u> <u>BRK BLK PT</u> BJOA00 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DEL DATE</u> 001 1 10-MAY-2005 FOB POINT: Origin SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207 MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207 DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 007 BJOA9N40296243 BXXBEE L BJOA00 2 <u>PROJ CD</u> <u>BRK BLK PT</u> BJOA00 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DEL DATE</u> 001 1 10-MAY-2005				

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0608 MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																														
	FOB POINT: Origin SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207 MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207 DOC SUPPL <table border="0"> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u></td> <td><u>TP CD</u></td> </tr> <tr> <td>008</td> <td>BJOA9N40296244</td> <td>BXXBEE</td> <td>L</td> <td>BJOA00</td> <td>2</td> </tr> <tr> <td></td> <td><u>PROJ CD</u></td> <td><u>BRK</u></td> <td><u>BLK</u></td> <td><u>PT</u></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>BJOA00</td> <td></td> </tr> </table> <table border="0"> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DEL DATE</u></td> </tr> <tr> <td>001</td> <td>1</td> <td>10-MAY-2005</td> </tr> </table>	<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>	008	BJOA9N40296244	BXXBEE	L	BJOA00	2		<u>PROJ CD</u>	<u>BRK</u>	<u>BLK</u>	<u>PT</u>						BJOA00		<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>	001	1	10-MAY-2005				
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>																														
008	BJOA9N40296244	BXXBEE	L	BJOA00	2																														
	<u>PROJ CD</u>	<u>BRK</u>	<u>BLK</u>	<u>PT</u>																															
				BJOA00																															
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>																																	
001	1	10-MAY-2005																																	
	FOB POINT: Origin SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207 MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207 DOC SUPPL <table border="0"> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u></td> <td><u>TP CD</u></td> </tr> <tr> <td>009</td> <td>BJOA9N40296245</td> <td>BXXBEE</td> <td>L</td> <td>BJOA00</td> <td>2</td> </tr> <tr> <td></td> <td><u>PROJ CD</u></td> <td><u>BRK</u></td> <td><u>BLK</u></td> <td><u>PT</u></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>BJOA00</td> <td></td> </tr> </table> <table border="0"> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DEL DATE</u></td> </tr> <tr> <td>001</td> <td>1</td> <td>10-MAY-2005</td> </tr> </table>	<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>	009	BJOA9N40296245	BXXBEE	L	BJOA00	2		<u>PROJ CD</u>	<u>BRK</u>	<u>BLK</u>	<u>PT</u>						BJOA00		<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>	001	1	10-MAY-2005				
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>																														
009	BJOA9N40296245	BXXBEE	L	BJOA00	2																														
	<u>PROJ CD</u>	<u>BRK</u>	<u>BLK</u>	<u>PT</u>																															
				BJOA00																															
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>																																	
001	1	10-MAY-2005																																	
	FOB POINT: Origin SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207 MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207																																		

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0608 MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	APO AE 09892-0207 DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 010 BJOA9N40296246 BXXBEE L BJOA00 2 <u>PROJ CD</u> <u>BRK BLK PT</u> BJOA00 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DEL DATE</u> 001 1 10-MAY-2005 FOB POINT: Origin SHIP TO: <u>FREIGHT ADDRESS</u> (BJOA00) MILITARY ASSISTANCE PROGRAM AMMAN JORDAN UNIT 70207 APO AE 09892-0207 MARK FOR: MILITARY ASSISTANCE PROGRAM US EMBASSY ROYAL MAINTENANCE CORPS JORDANIAN ARMY AMMAN UNIT 70207 APO AE 09892-0207				

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0608 MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																					
0001AB	<p><u>PRODUCTION QUANTITY</u></p> <p>NOUN: FINAL DRIVE WITH CONTAINER PRON: EH4Y8108EH PRON AMD: 02 ACRN: AA AMS CD: 060011</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 57K4220 DATE: 25-MAR-2004</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 1 LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <table border="1"> <thead> <tr> <th>REL CD</th> <th>MILSTRIP</th> <th>ADDR</th> <th>SIG CD</th> <th>MARK FOR</th> <th>TP CD</th> </tr> </thead> <tbody> <tr> <td>011</td> <td>W56HZV4071T773</td> <td>W25G1U</td> <td>J</td> <td></td> <td>2</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>DEL REL CD</th> <th>QUANTITY</th> <th>DEL DATE</th> </tr> </thead> <tbody> <tr> <td>001</td> <td>40</td> <td>10-MAY-2005</td> </tr> <tr> <td>002</td> <td>19</td> <td>10-JUN-2005</td> </tr> </tbody> </table> <p>FOB POINT: Origin</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</p> </p>	REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD	011	W56HZV4071T773	W25G1U	J		2	DEL REL CD	QUANTITY	DEL DATE	001	40	10-MAY-2005	002	19	10-JUN-2005	59	EA	\$ 5,244.00000	\$ 309,396.00
REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD																					
011	W56HZV4071T773	W25G1U	J		2																					
DEL REL CD	QUANTITY	DEL DATE																								
001	40	10-MAY-2005																								
002	19	10-JUN-2005																								

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-C-0608 MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	FSCM: 19207 PART NR: 57K4220 SECURITY CLASS: Unclassified				
0002AA	<p data-bbox="269 495 435 516"><u>Option Quantity</u></p> <p data-bbox="269 600 776 672">OPTION QUANTITY, PURSUANT TO SECTION H CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY--- SEPARATELY PRICED LINE ITEM</p> <p data-bbox="269 705 766 856">The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.</p> <p data-bbox="444 940 698 961">(End of narrative B001)</p> <p data-bbox="269 1050 634 1121"><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 57K4220 DATE: 25-MAR-2004</p> <p data-bbox="269 1180 691 1335"><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 1 LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p data-bbox="269 1394 724 1440"><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p data-bbox="269 1499 847 1654"><u>Deliveries or Performance</u> DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 DEL REL CD QUANTITY DEL DATE 001 69 UNDEFINITIZED</p> <p data-bbox="269 1713 457 1734">FOB POINT: Origin</p> <p data-bbox="269 1768 782 1915">SHIP TO: <u>PARCEL POST ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p>	69	EA	\$ 5,183.00000	\$ 357,627.00

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 11 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
------------------------	--------------	-------------

C-1	52.211-4015 CONFIGURATION CONTROL - ENGINEERING CHANGES (TACOM)	APR/2004
-----	--	----------

(a) DEFINITIONS:

(1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.

(2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.

(3) Value Engineering Change Proposal (VECP). A proposal that --

(i) Requires a change to the instant contract; and

(ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --

(A) In deliverable end item quantities only;

(B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or

(C) To the contract type only.

(4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.

(b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.

(c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.

(1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is (KF).

(2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 12 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer (khatiwk@tacom.army.mil) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECPs and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

C-2 52.211-4053 REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING MAR/2000
(TACOM) SUBSTANCES (CIODS)

(a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: MIL-DTL-53072.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 13 of 42
	PIIN/SIIN W56HZV-04-C-0608 MOD/AMD	
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

C-3 52.211-4008 DRAWING LIMITATIONS NOV/2002
 (TACOM)

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

C-4 52.211-4010 ACQUISITION OF MANUFACTURER'S PART NUMBER: COMPONENTS FEB/1998
 (TACOM)

One or more of the drawings for part of the contract item set forth in the Schedule and in the Technical Data Package specify manufacturer's part numbers. Since complete Government technical data for such part or parts are not available, it is understood that the Contractor, by accepting this contract, agrees to furnish only the listed manufacturer's part number(s) for those components of the contract item, except as provided in the provision entitled NOTICE REGARDING "SOURCE-CONTROLLED" COMPONENTS. (See Section L.) It is further understood and agreed that references to manufacturer's part numbers herein shall be deemed to include all changes or revisions thereto which the approved manufacturer has made effective as of the first date of delivery of any of the items under this contract; provided, that no change or revision that affects the interchangeability (ability to be interchanged with previous parts and to match with all mating parts when assembled) of the listed manufacturer's part shall be incorporated into the contract item without the prior written approval of the Procuring Contracting Officer.

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 14 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION D - PACKAGING AND MARKING

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
D-1	52.211-4515 (TACOM)	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	JUN/2004

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

- (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: A
 - (3) QUANTITY PER UNIT PACKAGE: 001
 - (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK14943527
- (a) REVISION as listed in the TDPL
- (b) DATE OF REVISION as listed in the TDPL

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). . Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: <http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm> This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<<http://milpac.com/>>) and Easysoft Corporation (<<http://easysoftcorp.com/>>). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 15 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(e) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations
International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: None

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-C-0608 MOD/AMD	Page 16 of 42
---------------------------	---	----------------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION E - INSPECTION AND ACCEPTANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
E-1	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
E-2	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
E-3	52.209-3	FIRST ARTICLE APPROVAL--CONTRACTOR TESTING (ALTERNATE I (JAN 1997) AND ALTERNATE II (SEP 1989))	SEP/1989

(a) The Contractor shall test two (2) units of Contract Line Item 0001AA as specified in this contract. At least 20 calendar days before the beginning of first article tests, the Contractor shall notify the Contracting Officer, in writing, of the time and location of the testing so that the Government may witness the tests.

(b) The Contractor shall submit the first article test report within 240 calendar days from the date of this contract or as otherwise proposed by the contractor and accepted by the Government, to:

The Procuring Contracting Officer (PCO)

Marked FIRST ARTICLE TEST REPORT: Contract No. _____; Contract Line Item Number _____.

Within 30 calendar days after the Government receives the test report, the Contracting Officer shall notify the Contractor, in writing, of the conditional approval, approval, or disapproval of the first article. The notice of conditional approval or approval shall not relieve the Contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval shall state any further action required of the Contractor. A notice of disapproval shall cite reasons for the disapproval.

(c) If the first article is disapproved, the Contractor, upon Government request, shall repeat any or all first article tests. After each request for additional tests, the Contractor shall make any necessary changes, modifications, or repairs to the first article or select another first article for testing. All costs related to these tests are to be borne by the Contractor, including any and all costs for additional tests following a disapproval. The Contractor shall then conduct the tests and deliver another report to the Government under the terms and conditions and within the time specified by the Government. The Government shall take action on this report within the time specified in paragraph (b) above. The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule, or for any additional costs to the Government related to these tests.

(d) If the Contractor fails to deliver any first article report on time, or the Contracting Officer disapproves any first article, the Contractor shall be deemed to have failed to make delivery within the meaning of the DEFAULT clause of this contract.

(e) Unless otherwise provided in the contract, and if the approved first article is not consumed or destroyed in testing, the Contractor may deliver the approved first article as part of the contract quantity if it meets all contract requirements for acceptance.

(f) If the Government does not act within the time specified in paragraph (b) or (c) above, the Contracting Officer shall, upon timely written request from the Contractor, equitably adjust under the CHANGES clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.

(g) Before first article approval, the Contracting Officer may, by written authorization, authorize the Contractor to acquire specific materials or components or to commence production to the extent essential to meet the delivery schedules. Until first article approval is granted, only costs for the first article and costs incurred under this authorization are allocable to this contract for (1) progress payments, or (2) termination settlements if the contract is terminated for the convenience of the Government. If first article tests reveal deviations from contract requirements, the Contractor shall, at the location designated by the Government, make the required changes or replace all items produced under this contract at no change in the contract price.

(h) The Government may waive the requirement for first article approval test where supplies identical or similar to those called for in the schedule have been previously furnished by the offeror/contractor and have been accepted by the Government. The offeror/contractor may request a waive.

(i) The Contractor shall produce both the first article and the production quantity at the same facility.

[End of Clause]

TACOM ADDENDUM:

For purposes of this contract, interpret Paragraph (g) above to mean that the PCO hereby authorizes you to purchase all material and components necessary to produce the production quantity.

[End of Addendum]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 17 of 42
	PIIN/SIIN W56HZV-04-C-0608 MOD/AMD	
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

E-4 52.209-4000 NOTICE REGARDING FIRST ARTICLE TEST SAMPLE MAR/2000
(TACOM)

(a) The approved first article items, as described elsewhere in this contract, consist of a quantity of one (1) that will be consumed or destroyed in testing. Any items consumed or destroyed in testing shall not be delivered as part of the contractually required quantity as set forth in the schedule. The cost of any items that are consumed or destroyed shall be included in the overall offer or contract price. A quantity of one (1) that successfully passes all specified tests, less the destructive tests, if any, shall serve as a manufacturing standard for the remainder of the contract.

(b) A manufacturing standard is an item, which conforms to all technical performance requirements. A manufacturing standard will serve as 1) an aid in identifying configuration changes not controlled by the contractual design. 2) as an aid in identifying any process changes, or 3) as the approved workmanship sample, when required, unless alternate samples are submitted for specific characteristics by the Contractor and approved by the Government.

(c) The manufacturing standard will only be used to supplement contractual acceptance/rejection criteria for those process characteristics that require approved workmanship samples. For other characteristics, if configuration or process changes are identified in production units, the contractor will notify the contracting officer for disposition. Manufacturing items that serve as a manufacturing standard may be delivered as part of the contractual quantity with the last shipment made under this contract provided it meets all contractual requirements existing at time of delivery.

[End of Clause]

E-5 52.242-4008 ROUTING OF SPECIAL PROCESS APPROVALS AUG/1994
(TACOM)

(a) Specification TTC 490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

E-6 52.209-4012 NOTICE REGARDING FIRST ARTICLE APR/2000
(TACOM)

(a) Notwithstanding the provisions for waiver of first article, an additional first article sample (or portion thereof) may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of one year, or (iii) whenever a change occurs in place of performance, manufacturing process, material used, drawing, specification or source of supply.

(b) When any of the conditions above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for the additional first article sample (or portion thereof), and instructions can be provided concerning the submission, inspection, and notification of results.

(c) Costs of any additional testing and inspection resulting from conditions specified above shall be borne by the Contractor, unless the change was directed by the Government. Further, any production delays caused by additional testing and inspection will not be the basis for an excusable delay as defined in the default clause of this contract. Such delays shall not form the basis for adjustment in contract price or delivery schedule.

[End of Clause]

E-7 52.211-4016 CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS, GALVANIZED AND AUG/2003

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ALUMINUM SURFACES

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1 microcrystalline zinc phosphate system per TT-C-490E. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490E. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in compliance with the (pretreatment chemicals) manufacturers instructions. Process control tests for this or alternative systems must ensure that the process remains in control and must be documented per ISO 9000 series and approved by TACOM. Testing (corrosion resistance and adhesion) must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours (ASTM B117). All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any TT-C-490E (Type I) inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg per square foot to minimize chipping of the CARC system. All TT-C-490E (Type I) zinc phosphate pretreatment systems must be documented per ISO 9000 series and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490E shall be submitted to the procuring activity no less than 45 days prior to start of work. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of zinc phosphate or any proposed alternate pretreatment system must be demonstrated and approved by the procuring activity. Prior to production, a Letter of Approval shall be provided by the Contracting Officer. Requalification of the process shall be required if the process is changed outside the limits defined in the TACOM letter of system acceptance (Letter of Approval) provided to the application facility.

Note: Zinc phosphate systems for galvanized surfaces require separate qualification. Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed prior to pretreatment for the coating system to pass these performance tests. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. The test coupons must duplicate the production painting process as closely as possible.

(b) Qualification of pretreatment systems for zinc galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with pretreatment and primer only shall be cured for seven days, and then scribed through the primer to the substrate. After 40 cycles of test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, both parallel and perpendicular to the scribe between 24 and 168 hours after removal from the cyclic salt spray chamber for coupon evaluation. There shall be no more than 3 mm of red rust creep, blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with none greater than 1 mm diameter. This test shall be performed at two month intervals (two test coupons) to ensure that the process remains in control.

(c) Aluminum substrates require a chromate conversion coating per MIL-C-5541E (or alternate, see note below), after appropriate cleaning per TT-C-490E. If any other alternate pretreatment is considered, it must pass 120 cycles of GM9540P, as a scribed Q-panel when coated with the production primer. After completion of the cyclic salt environment exposure, the panels shall be scraped as described above, and shall have no more than 0.5 mm paint loss (creep-back) from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm diameter. After completion of the 120 cycle corrosion resistance test evaluation, each test panel will be subjected to cross hatch tape test (ASTM D3359, minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 lines x 4 lines scribed to the metallic layer at 2mm intervals (approximate) and shall be done no closer than 12 mm from any panel edge or the scribe. Multiple head cutters may be used. The removal of two or more complete squares of primer shall constitute failure. Any alternate system must demonstrate its ability to pass both corrosion and adhesion tests on 5 consecutive days of production to be considered acceptable. All process steps shall be documented IAW ISO 9000 series standards and approved by the procuring activity.

Note: The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.

(d) The use of TT-C-490E Type III: Vinyl Wash Primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level. The Army is committed to minimizing the use of HAPs and hazardous materials.

[End of Clause]

E-8 52.211-4029 INTERCHANGEABILITY OF COMPONENTS
(TACOM)

MAY/1994

(a) DESIGN CHANGES TO ITEMS NOT UNDER GOV'T DESIGN CONTROL. Once the Government accepts the first production test item, or accepts the first end item you deliver, (whichever comes first) you must not make design changes to any item or part that is not under Government design control.

(b) WHEN THE POLICY CAN BE WAIVED. The Procuring Contracting Officer (PCO) will consider waiving this policy at your request. If

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 19 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

your request reaches the CO after the first production item test has been performed, then we may conduct another first production test at your expense.

(c) PRODUCTION OR DELIVERY DELAYS. Any production or delivery delays caused by this retesting will not be the basis for:

- (1) an "excusable delay" as defined in the DEFAULT clause of this contract.
- (2) be the basis for an increase in contract price or delivery schedule extension.

[End of Clause]

E-9	52.211-4030	BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT	JAN/2003
	(TACOM)	RESISTANT COATINGS (CARC) ON METALLIC SURFACES	

(a) Scope: The requirements contained herein apply whenever any or all of the following specifications are cited in the contract: MIL-C-46168, MIL-C-53039, MIL-PRF-22750, or MIL-DTL-64159.

(b) CARC Primers: The preferred CARC primer for all applications is cathodic, epoxy electrocoat per MIL-C-53084. This primer can be directly substituted whenever MIL-P-53022 or MIL-P-53030 is specified on a drawing or specification. The dry film thickness table below contains mandatory minimum and maximum dry film thickness requirements. Failure of production painted hardware to comply with these ranges will dramatically impact the corrosion resistance and/or chip resistance of the CARC coating system. If the contractor does not possess the personnel or equipment to meet these mandatory thickness requirements, then cathodic epoxy electrocoat must be used. Any part that has rust, heat treat or mill scale must be abrasive blasted prior to the application of any coating. Select powder coat primers which have 0.0 VOCs and 0.0 HAPS can also be used as a direct replacement for MIL-P-53022 and MIL-P-53030 primers. These powder coat primers, however, can only be applied by TACOM-approved applicators. The qualification and application of these primers is controlled by "Performance Standard for Combat Grade Powder Coat Paint - U.S. Army - TACOM" and is available at <http://contracting.tacom.army.mil/engr/eng.htm>

(c) CARC Application: The dip application of any coating listed in the table below (with the exception of epoxy electrocoat which is specifically designed for dip application) is prohibited.

(d) End-Item Inspection. After the complete paint finish has been applied and cured* (See note below), the Contractor shall test and inspect two units per lot for (i)workmanship, (ii) total paint film thickness and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in Table I herein. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in Table I herein.

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees F. for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F. minimum.

(e) Test Methods:

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

(a) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.

(b) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(c) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(d) Wait ten seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

NOTE: The above two tests are not a substitute for corrosion test such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(f) Acceptance Criteria:

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

DRY FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)
	(MANDATORY RANGE)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022, Type I	1.0 - 2.5
MIL-P-53022, Type II	1.5 - 2.5
MIL-P-53030	1.5 - 2.5
MIL-P-53084	0.8 - 1.5
MIL-C-22750	1.3 - 2.5
MIL-C-46168	1.8 MINIMUM
MIL-C-53039	1.8 MINIMUM
MIL-DTL-64159	1.0 MINIMUM

* May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

NOTICE: The scribe tape test is designed to detect any major deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (a) Inadequate cleaning of the substrate.
- (b) Contamination of the surface between coatings.
- (c) Excessive paint film thickness in a single coating application.
- (d) Application of a coating over a previous coating which has not been adequately cured.

[End of clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 21 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INCE-10 52.211-4059 RADIOGRAPHIC INSPECTION
(TACOM)

MAR/2001

Radiographic inspection of production steel castings as required by applicable drawings and/or specifications shall be accomplished as follows:

- (1) Operators and radiographic equipment shall be qualified in accordance with NAS 410, prior to radiography of production castings.
- (2) The first casting shall be radiographed in all routine and random positions described on the position chart.
- (3) Subsequent castings shall be radiographed in those areas that were defective in the immediately preceding castings, until compliance with the required standard has been obtained. Objective evidence shall be provided by the producer that corrective action has been taken to eliminate the deficiency.
- (4) All rejectable areas may be repaired in accordance with an approved and qualified repair procedure (when required by applicable specification), and must meet the standard specified on applicable position chart. The producer retains the prerogative of repairing or scrapping defective material.
- (5) After above requirements have been accomplished, normal sampling shall be applied.
- (6) Normal sampling shall consist of radiographing one control casting selected by the Government Quality Assurance Representative, out of each thirty produced.
- (7) All routine and random positions shall be radiographed on each control casting except when the total exceeds the established number of radiographs that can be taken in a normal eight hour day. When the total number of positions to be radiographed on a control casting exceeds the maximum capability of facilities, random position shall be selected for radiography by the Government Quality Assurance Representative and rotated in such a manner that complete coverage is achieved within a cycle of five castings radiographed.
- (8) The occurrence of a rejectable defect in any area on a casting shall require the radiographic inspection of each subsequently poured casting in that area until the defective condition is corrected.
- (9) If the results of radiographic inspection on ten consecutive lots of material indicate that a satisfactory uniform product meeting the soundness requirements is being produced, the amount of radiographic testing may be reduced in accordance with a system established by the Contractor and approved by the Procuring Contracting Officer.
- (10) The occurrence of a rejectable defect in any area on a casting shall require return to normal sampling and the radiographic inspection of each subsequently poured casting in that area until the defective condition is corrected.

[End of Clause]

E-11 52.246-4024 SUBSTITUTING COMMERCIAL TEST RESULTS FOR REQUIRED CONTRACT TESTS APR/2000
(TACOM)

(a) GENERAL. At your request, we may delete all or some of the Government or contractor conducted tests required by this contract or order, under the following conditions:

- (1) You have (or your supplier has) previously supplied the identical item to us and we've accepted it, or:
- (2) You have commercial test reports, performance data, analytical data, or vendor reports demonstrating that the item you will be furnishing us meets the contract requirements.

(b) HOW TO SUBMIT A TEST-DELETION REQUEST.

(1) BEFORE CONTRACT AWARD - Submit your request along with your offer in response to our solicitation. Make sure that your offer includes an alternate price (that reflects how your offered price would change if we approve your request to delete the specified tests). If we approve your request to delete test requirements or substitute commercial testing procedures, we will evaluate your offer at the alternate price submitted with your request. If you don't submit an alternate price with your request, we'll evaluate your offer at the price you indicated in the Schedule. No adjustments will be made to the price after contract award.

(2) AFTER CONTRACT AWARD - Send your request to the buyer identified on the face page of the contract within 45 days after

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

contract award.

(3) ALL REQUESTS MUST -

- identify the test(s) you want deleted;
- state the basis for your request;
- include a list of configuration changes made;
- demonstrate that you meet the conditions in paragraph (a)(1) or (a)(2) of this clause; and
- include an alternate price per paragraph (b)(1) above, if you make your request prior to award; or
- include proposed amount of equitable adjustment, if you make your request after award.

(c) SUPPORTING DATA. If we agree to delete a test or tests, you must keep the data you used to support your request for four years from the day we approved your request. You must provide us with such data if we ask for a copy.

(d) CONTRACT ADJUSTMENT. If we agree to delete a test or tests after contract award, we may negotiate an equitable adjustment in the contract price. Any such negotiation will be conducted using the rules given in the CHANGES--FIXED PRICE clause, FAR 52.243-1.

[End of Clause]

E-12	52.246-4025	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM	OCT/1997
	(TACOM)	REQUIREMENT	

(a) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of contract performance.

(b) Your quality system may be based on (i) international quality standards such as the ISO 9000 series, or (ii) military, or (iii) commercial, or (iv) national quality standards. You represent that your performance under this contract will be in accordance with your quality system, which is in compliance with:

- [] ISO 9001
- [] ISO 9002
- [] QS 9000
- [] ANSI/ASQ Q9001
- [] ANSI/ASQ Q9002
- [] Other, specifically _____

(Note: if you check the "Other" block because you intend to use an in-house quality system, or one based on a commercial, national, or international system not identified above, then in addition to identifying your proposed system in the space above, to the right of the word "Other," you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive a contract award, your proposed system will be required by the contract.)

(c) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor, does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(d) At any point during contract performance, we have the right to review your quality system to assess its effectiveness in meeting contractual requirements.

[End of Clause]

E-13	52.246-4028	INSPECTION POINT: ORIGIN	FEB/1994
	(TACOM)		

We will inspect the supplies as described elsewhere in this solicitation/contract before acceptance. Fill-in the location, contractor's or subcontractor's plant, where origin inspection will occur.

CONTRACTOR'S PLANT: _____
 (Name)

 (Address) (City) (County) (State) (Zip)

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 23 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SUBCONTRACTOR'S PLANT:

(Name)

(Address) (City) (County) (State) (Zip)

[End of Clause]

E-14 52.246-4029 ACCEPTANCE POINT: ORIGIN
(TACOM)

OCT/2002

We will accept these supplies at the address or addresses designated in the Section E clause entitled INSPECTION POINT.

[End of Clause]

SECTION E

INSPECTION AND ACCEPTANCE
(QUALITY ASSURANCE REQUIREMENT)

In addition to inspection requirements specified in applicable drawings and/or specifications, the following provisions shall apply to this contract:

1. FIRST ARTICLE APPROVAL - CONTRACTOR TESTING: First Article Approval - Contractor Testing shall be performed in accordance with A-A-52462, MIL-I-26860 and SAE-AS8712.
2. For the purpose of clarification of this document, the terminology "First Article" shall replace "Initial Production Inspection" in all applicable specifications and/or drawings referenced herein.
3. The First Article Test Report (FATR) shall be compiled by the contractor to the contractor's own format. The FATR shall document the results of all inspections and tests (including supplier's and vendor's inspection records and certifications, when applicable). The FATR shall include actual inspections and test results to include all measurements, recorded test data, and certifications (if applicable) keyed to each drawing, specification and Quality Assurance Provision (QAP) requirement and identified by each individual QAP characteristic, drawing/specification characteristic and unlisted characteristic. The FATR shall contain sufficient narrative content, technical data, illustrations or photographic evidence, and an objective determination by the contractor to allow the designated Government representative to determine that the First Article Test was successfully completed.
4. First article testing required on Container 10926250 per Spec A-A-52462, Plug 8355883 per MIL-I-26860, and Valve 8376456 per SAE-AS8712. Pre-production inspection, initial production inspection, production quality control, radiographic inspection, magnetic particle inspection, and gear backlash inspections are all required per various QS documents. Contractor quality program required.

*** END OF NARRATIVE E 001 ***

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 24 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION F - DELIVERIES OR PERFORMANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
F-1	52.242-15	STOP-WORK ORDER	AUG/1989
F-2	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
F-3	52.247-29	F.O.B. ORIGIN	JUN/1988
F-4	52.247-52	CLEARANCE AND DOCUMENTATION REQUIREMENTS--SHIPMENTS TO DOD AIR OR WATER TERMINAL TRANSSHIPMENT POINTS	APR/1984
F-5	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
F-6	52.247-59	F.O.B. ORIGIN--CARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
F-7	52.242-4022 (TACOM)	DELIVERY SCHEDULE	MAY/2000

(a) DEFINITIONS:(1) CLIN means Contract Line Item Number, and refers to the contract items listed in Section B of this document.(2) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (QTY) of supplies.(3) DELIVERY is defined as follows:(i) FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual contract; or(ii) FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.

(b) The Government's proposed delivery schedule is:

CLIN	DAYS	QUANTITY
0001AA	390 days after award	10 each
0001AB	390 days after award	40 each
0001AB	420 days after award	19 each
0001AC	240 days after award	1 First Article Test Report

IF FAT IS WAIVED:

0001AA	150 days after award	10 each
0001AB	150 days after award	40 each
0001AB	180 days after award	19 each

(c) You can accelerate delivery: at no additional cost to the Government.

(d) Proposing an accelerated delivery schedule will not prejudice your offer. However, if you propose a delivery schedule longer than the schedule listed above, your offer may be determined unacceptable for award.

(e) CONTRACTOR'S PROPOSED SCHEDULE:

(1) I WILL START DELIVERIES _____ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, _____ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.

(2) I WILL DELIVER A QUANTITY OF _____ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF _____ UNITS EVERY 30 DAYS.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 25 of 42
	PIIN/SIIN W56HZV-04-C-0608	MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

F-8 52.211-16 VARIATION IN QUANTITY APR/1984

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

 ZERO percent increase; and
 ZERO percent decrease.

(c) This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

F-9 52.247-60 GUARANTEED SHIPPING CHARACTERISTICS DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

(1) To be completed by the offeror:

- (i) Type of "Outer" container: Wood Box _____, Fiber Box _____, Barrel _____, Reel _____, Drum _____, Other (Specify) _____
- (ii) Shipping configuration: Knocked-down _____, Set-up _____, Nested _____, Other (specify) _____;
- (iii) Size of outer container: _____ inches (Length), x _____ inches (Width), x _____ inches (Height) = _____ Cubic FT;
- (iv) Number of items per outer container _____ Each;
- (v) Gross weight of outer container and contents _____ LBS
- (vi) Palletized/skidded _____ Yes _____ No;
- (vii) Number of outer containers per pallet/skid _____;
- (viii) Weight of empty pallet bottom/skid and sides _____ LBS;
- (ix) Size of pallet/skid and contents _____ LBS Cube _____;
- (x) Number of outer containers or pallets/skids per railcar _____ * --
Size of railcar _____
Type of railcar _____
- (xi) Number of outer containers or pallets/skids per trailer _____ *--
Size of trailer _____
Type of trailer _____

*Number of complete units (contract line item) to be shipped in carrier's equipment.

(2) To be completed by the Government after evaluation but before contract award:

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 26 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

- (i) Rate used in evaluation _____;
- (ii) Tender/Tariff _____;
- (iii) Item _____;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of FAR Clause]

The following information is provided as guidance in filling out the above clause by paragraph. Note: Disregard asterisk (*) in the clause where it appears.

(a)(1)(i) Type of container (mandatory fill-in):

The type of container is defined as an overpack. This is an outer container usually made of steel, wood, or fiber designed to enclose and protect one or more less durable inner containers. When Other is selected you must also complete (a)(1)(ii) Shipping configuration.

(a)(1)(ii) Shipping configuration:

Complete this information when any one dimension of the item is reduced.

(a)(1)(iii) Size of container (mandatory fill-in):

Outer dimensions of the overpack or other described shipping configuration. Must be provided in inches. The cube shall be provided in cubic feet. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(iv) Number of items per container (mandatory fill-in):

The number of units of issue in the overpack or in the other described shipping configuration.

(a)(1)(v) Gross weight of container and contents (mandatory fill-in):

The combined mass of the overpack containing the packing material and the number of units of issue supplied in pounds.

(a)(1)(vi) Palletized/skidded:

Indicate Yes if overpack or other described shipping configuration is attached to pallet or skid to form a unit load for handling.

(a)(1)(vii) Number of containers per pallet/skid:

Only complete this if you answered Yes to (a)(1)(vi). Containers are the number of overpacks or other described shipping configurations attached to a pallet or skid base.

(a)(1)(viii) Weight of empty pallet bottom/skid and sides:

Only complete this if you answered Yes to (a)(1)(vi) or when the weight of the container and contents in (a)(1)(v) above does not include this weight.

(a)(1)(ix) Size of pallet/skid and contents:

Only complete this if you answered Yes to (a)(1)(vi). Indicate weight in pounds and cube in cubic feet of combined overpack or other described shipping configuration and attached pallet or skid. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(x) Number of containers or pallets/skids per railcar:

Only complete this if you have rail capability and the rail car may be fully utilized. Quantity of overpacks or other described shipping configurations that will fit in a fully utilized railcar. Specify length in feet and type (flat, box, gondola, etc.) of railcar.

(a)(1)(xi) Number of containers or pallets/skids per trailer (mandatory fill-in): Quantity of overpacks or other described shipping configurations that will fit in a fully utilized trailer. Specify length in feet and type (flatbed, van, etc.) of trailer. For import/export shipments in ISO/seavan containers indicate quantity of overpacks or other described shipping configurations fully utilizing the container. Specify length in feet of the ISO/seavan containers.

NOTE: Fully Utilized means filling to full visible capacity.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 27 of 42
	PIIN/SIIN W56HZV-04-C-0608 MOD/AMD	

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

F-10 52.247-65 F.O.B. ORIGIN--PREPAID FREIGHT--SMALL PACKAGE SHIPMENTS JAN/1991

(a) When authorized by the Contracting Officer, f.o.b. origin freight shipments which do not have a security classification shall move on prepaid commercial bills of lading or other shipping documents to domestic destinations, including air and water terminals. Weight of individual shipments shall be governed by carrier restrictions but shall not exceed 150 pounds by any form of commercial air or 1,000 pounds by other commercial carriers. The Government will reimburse the Contractor for reasonable freight charges.

(b) The Contractor shall annotate the commercial bill of lading as required by the clause of this contract entitled Commercial Bill of Lading Notations.

(c) The Contractor shall consolidate prepaid shipments in accordance with procedures established by the cognizant transportation office. The Contractor is authorized to combine Government prepaid shipments with the Contractor's commercial shipments for delivery to one or more consignees and the Government will reimburse its pro rata share of the total freight costs. The Contractor shall provide a copy of the commercial bill of lading promptly to each consignee. Quantities shall not be divided into mailable lots for the purpose of avoiding movement by other modes of transportation.

(d) Transportation charges will be billed as a separate item on the invoice for each shipment made. A copy of the pertinent bill of lading, shipment receipt, or freight bill shall accompany the invoice unless otherwise specified in the contract.

(e) Loss and damage claims will be processed by the Government.

[End of Clause]

F-11 52.225-4000 VERIFICATION OF FOREIGN MILITARY SALES (FMS) ADDRESSES APR/2000
(TACOM)

At least 10 days prior to the first shipment of supplies under this contract, the Contractor shall submit an email request to the cognizant Transportation Office via the Administrative Contracting Officer (ACO) for verification of the FMS "ship-to" address(es) contained in this contract.

[End of Clause]

F-12 52.242-4009 ACCELERATED DELIVERY--NOTICE OF SHIPMENT FEB/1998
(TACOM)

(a) You must send a notice of shipment in accordance with FAR 52.242-12 REPORT OF SHIPMENT when:

-- You accelerate delivery, and

-- The accelerated delivery increment exceeds 20% of this contract's total delivery quantity.

(b) This clause doesn't relieve you of any other obligations or requirements of FAR 52.242-12, or of this contract. See the specific delivery schedule clause in the Schedule of this contract (which may also be given elsewhere in this Section F) to determine if acceleration is acceptable and under what conditions.

[End of Clause]

F-13 52.247-4005 SHIPMENT OF SUPPLIES AND DETENTION OF CARRIERS EQUIPMENT AUG/2003
(TACOM)

(a) Unless otherwise directed, shipment items under this contract in following order of priority:

(1) Government/Commercial Bill(s) of Lading or US Postal Services;

(2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or

(3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.

(b) The Contractor will request:

(1) Government Bills of Lading and

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 29 of 42****PIIN/SIIN** W56HZV-04-C-0608**MOD/AMD**

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

New Cumberland Army Depot
Red River Army Depot
Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

[End of Clause]

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 30 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION G - CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/ <u>ITEM</u>	<u>ACRN</u>	<u>STAT</u>	<u>ACCOUNTING CLASSIFICATION</u>	JOB ORDER <u>NUMBER</u>	<u>ACCOUNTING STATION</u>	<u>OBLIGATED AMOUNT</u>	
0001AA	EH4Y8108EH 060011	AA	2	97 X4930AC9D 6D	26FB S20113	W56HZV \$	52,440.00	
0001AB	EH4Y8108EH 060011	AA	2	97 X4930AC9D 6D	26FB S20113	W56HZV \$	309,396.00	
TOTAL							\$	361,836.00

<u>SERVICE NAME</u>	<u>TOTAL BY ACRN</u>	<u>ACCOUNTING CLASSIFICATION</u>	<u>ACCOUNTING STATION</u>	<u>OBLIGATED AMOUNT</u>
Army	AA	97 X4930AC9D 6D	26FB S20113	W56HZV \$ 361,836.00
TOTAL				\$ 361,836.00

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 31 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION H - SPECIAL CONTRACT REQUIREMENTS

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
H-1	52.232-16	PROGRESS PAYMENTS (ALTERNATE I dated Mar 2000)	APR/2003
H-2	252.205-7000	PROVISION OF INFORMATION TO COOPERATIVE AGREEMENT HOLDERS	DEC/1991
H-3	252.217-7000	EXERCISE OF OPTION TO FULFILL FOREIGN MILITARY SALES COMMITMENTS ALTERNATE I	DEC/1991
H-4	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
H-5	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003
H-6	252.225-7004	REPORTING OF CONTRACT PERFORMANCE OUTSIDE THE UNITED STATES	APR/2003
H-7	252.225-7005	IDENTIFICATION OF EXPENDITURES IN THE UNITED STATES	APR/2002
H-8	252.225-7013	DUTY-FREE ENTRY	JAN/2004
H-9	252.225-7028	EXCLUSIONARY POLICIES AND PRACTICES OF FOREIGN GOVERNMENTS	APR/2003
H-10	252.227-7036	DECLARATION OF TECHNICAL DATA CONFORMITY	JAN/1997
H-11	252.227-7037	VALIDATION OF RESTRICTIVE MARKINGS ON TECHNICAL DATA	SEP/1999
H-12	252.231-7000	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
H-13	252.232-7002	PROGRESS PAYMENTS FOR FOREIGN MILITARY SALES ACQUISITIONS	DEC/1991
H-14	252.232-7004	DOD PROGRESS PAYMENT RATES	OCT/2001
H-15	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
H-16	252.246-7001	WARRANTY OF DATA	DEC/1991
H-17	252.225-7027	RESTRICTION ON CONTINGENT FEES FOR FOREIGN MILITARY SALES	APR/2003

a) Except as provided in paragraph (b) of this clause, contingent fees, as defined in the Covenant Against Contingent Fees clause of this contract, are generally an allowable cost, provided the fees are paid to--

(1) A bona fide employee of the Contractor; or

(2) A bona fide established commercial or selling agency maintained by the Contractor for the purpose of securing business.

(b) For foreign military sales, unless the contingent fees have been identified and payment approved in writing by the foreign customer before contract award, the following contingent fees are unallowable under this contract:

(1) For sales to the Government(s) of Jordan, contingent fees in any amount.

(2) For sales to Governments not listed in paragraph (b)(1) of this clause, contingent fees exceeding \$50,000 per foreign military sale case.

[End of Clause]

H-18	52.217-4001 (TACOM)	SEPARATELY PRICED OPTION FOR INCREASED QUANTITY	APR/1997
------	------------------------	---	----------

(a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 69 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 180 days after first article test (FAT) approval, or if the FAT is waived, award. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.

(b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.

(c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

H-19	252.225-7003	REPORT OF INTENDED PERFORMANCE OUTSIDE THE UNITED STATES	APR/2003
------	--------------	--	----------

(a) The offeror shall submit a Report of Contract Performance Outside the United States, with its offer, if-

(1) The offer exceeds \$10 million in value; and

(2) The offeror is aware that the offeror or a first-tier subcontractor intends to perform any part of the contract outside the United States and Canada that-

(i) Exceeds \$500,000 in value; and

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 32 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

- (ii) Could be performed inside the United States or Canada.
- (b) Information to be reported includes that for-
- (1) Subcontracts;
 - (2) Purchases; and
 - (3) Intracompany transfers when transfers originate in a foreign location.
- (c) The offeror shall submit the report using-
- (1) DD Form 2139, Report of Contract Performance Outside the United States; or
 - (2) A computer-generated report that contains all information required by DD Form 2139.
- (d) The offeror may obtain a copy of DD Form 2139 from the Contracting Officer.
- (End of provision)

H-20 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING SEP/2004

H-21 52.246-4026 LOCAL ADDRESSES FOR DD FORM 250 JAN/2002
(TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

(1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-5527 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://web1.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 33 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION I - CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <http://farsite.hill.af.mil/>

[End of Clause]

	Regulatory Cite	Title	Date
I-1	52.202-1	DEFINITIONS	JUL/2004
I-2	52.203-3	GRATUITIES	APR/1984
I-3	52.203-5	COVENANT AGAINST CONTINGENT FEES	APR/1984
I-4	52.203-6	RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT	JUL/1995
I-5	52.203-7	ANTI-KICKBACK PROCEDURES	JUL/1995
I-6	52.203-8	CANCELLATION, RESCISSION AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-7	52.203-10	PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-8	52.203-12	LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS	JUN/2003
I-9	52.204-4	PRINTING/COPYING DOUBLE-SIDED ON RECYCLED PAPER	AUG/2000
I-10	52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	JUL/1995
I-11	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
I-12	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
I-13	52.215-2	AUDIT AND RECORDS - NEGOTIATIONS	JUN/1999
I-14	52.215-8	ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT	OCT/1997
I-15	52.215-11	PRICE REDUCTION FOR DEFECTIVE COST OR PRICING DATA--MODIFICATIONS	OCT/1997
I-16	52.215-13	SUBCONTRACTOR COST OR PRICING DATA -- MODIFICATIONS	OCT/1997
I-17	52.215-14	INTEGRITY OF UNIT PRICES	OCT/1997
I-18	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
I-19	52.219-8	UTILIZATION OF SMALL BUSINESS CONCERNS	MAY/2004
I-20	52.219-14	LIMITATIONS ON SUBCONTRACTING	DEC/1996
I-21	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
I-22	52.222-19	CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES	JUN/2004
I-23	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
I-24	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
I-25	52.222-26	EQUAL OPPORTUNITY	APR/2002
I-26	52.222-35	AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VIETNAM ERA	DEC/2001
I-27	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
I-28	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	DEC/2001
I-29	52.223-6	DRUG FREE WORKPLACE	MAY/2001
I-30	52.223-14	TOXIC CHEMICAL RELEASE REPORTING	AUG/2003
I-31	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JAN/2004
I-32	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
I-33	52.227-2	NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT	AUG/1996
I-34	52.229-3	FEDERAL, STATE, AND LOCAL TAXES	APR/2003
I-35	52.232-1	PAYMENTS	APR/1984
I-36	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
I-37	52.232-11	EXTRAS	APR/1984
I-38	52.232-17	INTEREST	JUN/1996
I-39	52.232-23	ASSIGNMENT OF CLAIMS	JAN/1986
I-40	52.232-25	PROMPT PAYMENT	OCT/2003
I-41	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
I-42	52.233-1	DISPUTES	JUL/2002
I-43	52.233-3	PROTEST AFTER AWARD	AUG/1996
I-44	52.242-10	F.O.B. ORIGIN--GOVERNMENT BILLS OF LADING OR PREPAID POSTAGE	APR/1984
I-45	52.242-12	REPORT OF SHIPMENT (REPSHIP)	JUN/2003
I-46	52.242-13	BANKRUPTCY	JUL/1995
I-47	52.243-1	CHANGES--FIXED-PRICE	AUG/1987
I-48	52.246-23	LIMITATION OF LIABILITY	FEB/1997
I-49	52.247-1	COMMERCIAL BILL OF LADING NOTATIONS the notation set forth in paragraph (a) of the clause applies in this contract. The agency name in line one of the notation shall read:US ARMY TANK-AUTOMOTIVE &	APR/1984

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
		ARMAMENTS COMMAND	
I-50	52.248-1	VALUE ENGINEERING	FEB/2000
I-51	52.249-2	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)	MAY/2004
I-52	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)	APR/1984
I-53	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
I-54	252.203-7001	PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE CONTRACT-RELATED FELONIES	MAR/1999
I-55	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
I-56	252.209-7000	ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY	NOV/1995
I-57	252.209-7004	SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal Register 27 Mar 98	MAR/1998
I-58	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
I-59	252.215-7000	PRICING ADJUSTMENTS	DEC/1991
I-60	252.225-7012	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES	JUN/2004
I-61	252.225-7014	PREFERENCE FOR DOMESTIC SPECIALTY METALS (ALT 1)	APR/2003
I-62	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	MAY/2004
I-63	252.225-7025	RESTRICTION ON ACQUISITION OF FORGINGS	APR/2003
I-64	252.225-7031	SECONDARY ARAB BOYCOTT OF ISRAEL	APR/2003
I-65	252.226-7001	UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES	SEP/2001
I-66	252.227-7013	RIGHTS IN TECHNICAL DATA --NONCOMMERCIAL ITEMS	NOV/1995
I-67	252.227-7016	RIGHTS IN BID OR PROPOSAL INFORMATION	JUN/1995
I-68	252.227-7017	IDENTIFICATION AND ASSERTION OF USE, RELEASE, OR DISCLOSURE RESTRICTIONS	JUN/1995
I-69	252.227-7030	TECHNICAL DATA--WITHHOLDING OF PAYMENT	MAR/2000
I-70	252.227-7036	DECLARATION OF TECHNICAL DATA CONFORMITY	JAN/1997
I-71	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
I-72	252.243-7002	REQUESTS FOR EQUITABLE ADJUSTMENT	MAR/1998
I-73	252.244-7000	SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DoD CONTRACTS)	MAR/2000
I-74	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)
 (Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name _____
 Manufacturer's Name _____
 Source's Name _____
 Item Name _____
 Service _____
 Identification _____ Test Number _____ (to the extent known)

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 35 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

I-75 52.219-4 NOTICE OF PRICE EVALUATION FOR HUBZONE SMALL BUSINESS CONCERNS JAN/1999

(a) Definition. HUBZone small business concern, as used in this clause, means a small business concern that appears on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration.

(b) Evaluation preference.

(1) Offers will be evaluated by adding a factor of 10 percent to the price of all offers, except-

(i) Offers from HUBZone small business concerns that have not waived the evaluation preference;

(ii) Otherwise successful offers from small business concerns;

(iii) Otherwise successful offers of eligible products under the Trade Agreements Act when the dollar threshold for application of the Act is exceeded (see 25.402 of the Federal Acquisition Regulation (FAR)); and

(iv) Otherwise successful offers where application of the factor would be inconsistent with a Memorandum of Understanding or other international agreement with a foreign government.

(2) The factor of 10 percent shall be applied on a line item basis or to any group of items on which award may be made. Other evaluation factors described in the solicitation shall be applied before application of the factor.

(3) A concern that is both a HUBZone small business concern and a small disadvantaged business concern will receive the benefit of both the HUBZone small business price evaluation preference and the small disadvantaged business price evaluation adjustment (see FAR clause 52.219-23). Each applicable price evaluation preference or adjustment shall be calculated independently against an offeror's base offer. These individual preference amounts shall be added together to arrive at the total evaluated price for that offer.

(c) Waiver of evaluation preference. A HUBZone small business concern may elect to waive the evaluation preference, in which case the factor will be added to its offer for evaluation purposes. The agreements in paragraph (d) of this clause do not apply if the offeror has waived the evaluation preference.

[] Offer elects to waive the evaluation preference.

(d) Agreement. A HUBZone small business concern agrees that in the performance of the contract, in the case of a contract for

(1) Services (except construction), at least 50 percent of the cost of personnel for contract performance will be spent for employees of the concern or employees of other HUBZone small business concerns;

(2) Supplies (other than procurement from a nonmanufacturer of such supplies), at least 50 percent of the cost of manufacturing, excluding the cost of materials, will be performed by the concern or other HUBZone small business concerns;

(3) General construction, at least 15 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns; or

(4) Construction by special trade contractors, at least 25 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns.

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(e) A HUBZone joint venture agrees that in the performance of the contract, the applicable percentage specified in paragraph (d) of this clause will be performed by the HUBZone small business participant or participants;

(f) A HUBZone small business concern nonmanufacturer agrees to furnish in performing this contract only end items manufactured or produced by HUBZone small business manufacturer concerns. This paragraph does not apply in connection with construction or service contracts.

[End of Clause]

I-76 52.223-3 HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA JAN/1997

(a) Hazardous material, as used in this clause, includes any material defined as hazardous under the latest version of Federal Standard No. 313 (including revisions adopted during the term of the contract). (b) The offeror must list any hazardous material, as defined in paragraph (a) of this clause, to be delivered under this contract. The hazardous material shall be properly identified and include any applicable identification number, such as National Stock Number or Special Item Number. This information shall also be included on the Material Safety Data Sheet submitted under this contract.

Material Identification No.
(If none, insert None)

Table with 2 columns: Material, Identification No. Three rows of empty lines for data entry.

(c) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.

(d) The apparently successful offeror agrees to submit, for each item as required prior to award, a Material Safety Data Sheet, meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all hazardous material identified in paragraph (b) of this clause. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.

(e) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, which renders incomplete or inaccurate the data submitted under paragraph (d) of this clause, the Contractor shall promptly notify the Contracting Officer and resubmit the data.

(f) Neither the requirements of this clause nor any act or failure to act by the Government shall relieve the Contractor of any responsibility or liability for the safety of Government, Contractor, or subcontractor personnel or property.

(g) Nothing contained in this clause shall relieve the Contractor from complying with applicable Federal, State, and local laws, codes, ordinances, and regulations (including the obtaining of licenses and permits) in connection with hazardous material.

(h) The Governments rights in data furnished under this contract with respect to hazardous material are as follows;

(1) To use, duplicate and disclose any data to which this clause is applicable. The purposes of this right are to--

(i) Apprise personnel of the hazards to which they may be exposed in using, handling, packaging, transporting, or disposing of hazardous materials;

(ii) Obtain medical treatment for those affected by the material; and

(iii) Have others use, duplicate, and disclose the data for the Government for these purposes.

(2) To use, duplicate, and disclose data furnished under this clause, in accordance with subparagraph (h)(1) of this clause, in precedence over any other clause of this contract providing for rights in data.

(3) The Government is not precluded from using similar or identical data acquired from other sources.

(End of clause)

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 37 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as--

(1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or

(2) Class II, including but not limited to, hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) _____ * _____, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

[End of Clause]

I-78 52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS JUL/2004

(a) Definitions. As used in this clause--

(1) "Commercial item" has the meaning contained in Federal Acquisition Regulation 2.101, Definitions.

(2) "Subcontract," as used in this clause, includes a transfer of commercial items between divisions, subsidiaries, or affiliates of the Contractor or subcontractor at any tier.

(b) To the maximum extent practicable, the Contractor shall incorporate, and require its subcontractors at all tiers to incorporate, commercial items or nondevelopmental items as components of items to be supplied under this contract.

(c)

(1) The contractor shall insert the following clauses in subcontracts for commercial items:

(i) 52.219-8, Utilization of Small Business Concerns (May 2004)(15U.S.C. 637(d)(2) and (3)), in all subcontracts that offer subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$500,000 (\$1,000,000 for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(ii) 52.222-26, Equal Opportunity (APR 2002)(E.O. 11246);

(iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (Dec 2001) (38 U.S.C. 4212(a));

(iv) 52.222-36, Affirmative Action for Workers with Disabilities (JUN 1998)(29 U.S.C. 793);

(v) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (APR 2003) (46 U.S.C. Appx 1241 and 10 U.S.C. 2631) (flow down required in accordance with paragraph (d) of FAR clause 52.247-64).

(2) While not required, the Contractor may flow down to subcontracts for commercial items a minimum number of additional clauses necessary to satisfy its contractual obligations.

(d) The Contractor shall include the terms of this clause, including this paragraph (d), in subcontracts awarded under this contract.

[End of Clause]

I-79 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 38 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

I-80 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA

MAY/2002

(a) Definitions. As used in this clause--

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)

(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.

(2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-

(i) This contract is a construction contract; or

(ii) The supplies being transported are-

(A) Noncommercial items; or

(B) Commercial items that-

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

(1) U.S.-flag vessels are not available for timely shipment;

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 39 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(2) The freight charges are inordinately excessive or unreasonable; or

(3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

(1) Type, weight, and cube of cargo;

(2) Required shipping date;

(3) Special handling and discharge requirements;

(4) Loading and discharge points;

(5) Name of shipper and consignee;

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

(1) Prime contract number;

(2) Name of vessel;

(3) Vessel flag of registry;

(4) Date of loading;

(5) Port of loading;

(6) Port of final discharge;

(7) Description of commodity;

(8) Gross weight in pounds and cubic feet if available;

(9) Total ocean freight in U.S. dollars; and

(10) Name of the steamship company.

(f) The Contractor shall provide with its final invoice under this contract a representation that to the best of its knowledge and belief--

(1) No ocean transportation was used in the performance of this contract;

(2) Ocean transportation was used and only U.S.-flag vessels were used for all ocean shipments under the contract;

(3) Ocean transportation was used, and the Contractor had the written consent of the Contracting Officer for all non-U.S.-flag ocean transportation; or

(4) Ocean transportation was used and some or all of the shipments were made on non-U.S.-flag vessels without the written consent of the Contracting Officer. The Contractor shall describe these shipments in the following format:

ITEM DESCRIPTION	CONTRACT LINE ITEMS	QUANTITY	TOTAL
---------------------	------------------------	----------	-------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(g) If the final invoice does not include the required representation, the Government will reject and return it to the Contractor as an improper invoice for the purposes of the Prompt Payment clause of this contract. In the event there has been unauthorized use of non-U.S.-flag vessels in the performance of this contract, the Contracting Officer is entitled to equitably adjust the contract, based on the unauthorized use.

(h) In the award of subcontracts for the types of supplies described in paragraph (b)(2) of this clause, the Contractor shall flow down the requirements of this clause as follows:

(1) The Contractor shall insert the substance of this clause, including this paragraph (h) in all subcontracts that exceed the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

(2) The Contractor shall insert the substance of paragraphs (a) through (e) of this clause, and this paragraph (h), in subcontracts that are at or below the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

[End of Clause]

I-81 252.247-7024 NOTIFICATION OF TRANSPORTATION OF SUPPLIES BY SEA MAR/2000

(a) The Contractor has indicated by the response to the solicitation provision, Representation of Extent of Transportation by Sea, that it did not anticipate transporting by sea any supplies. If however, after the award of this contract, the Contractor learns that supplies, as defined in the Transportation of Supplies by Sea clause of this contract, will be transported by sea, the Contractor--

(1) Shall notify the Contracting Officer of that fact; and

(2) Hereby agrees to comply with all the terms and conditions of the Transportation of Supplies by Sea clause of this contract.

(b) The Contractor shall include this clause, including this paragraph (b), revised as necessary to reflect the relationship of the contracting parties

(1) In all subcontracts hereunder, if this contract is a construction contract; or

(2) If this contract is not a construction contract, in all subcontracts under this contract that are for--

(i) Noncommercial items; or

(ii) Commercial items that--

(A) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(B) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(C) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

[End of Clause]

I-82 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 42 of 42

PIIN/SIIN W56HZV-04-C-0608

MOD/AMD

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

[End of Provision]

I-84

52.247-4011

FOB POINT

SEP/1978

Delivery on F.O.B. origin offers will be F.O.B. Carrier's equipment, wharf, or freight station, at the Government's option, at or near:

(1) Contractor's Plant: _____
(City) (State) (ZIP) (County)

(2) Subcontractor's Plant: _____
(City) (State) (ZIP) (County)

[End of Provision]