

REQUEST FOR QUOTATION (This is NOT an Order)		This RFQ <input type="checkbox"/> is <input checked="" type="checkbox"/> is not a small business set-aside		Page 1 Of 7
1. Request No. W56HZV-04-Q-0772	2. Date Issued 2004MAR19	3. Requisition/Purchase Request No. See Schedule	4. Cert For Nat Def. Under BDSA Reg. 2 and/or DMS Reg. 1	Rating DXA4
5A. Issued By TACOM WARREN BLDG 231 AMSTA-AQ-AHPB WARREN, MICHIGAN 48397-5000			6. Deliver by (Date) See Schedule	
5B. For Information Call: (Name and telephone no.) (No collect calls) DEBORAH ROTH (586) 574-8055 EMAIL: ROTH@TACOM.ARMY.MIL			7. Delivery <input type="checkbox"/> FOB Destination <input checked="" type="checkbox"/> Other	
8. To: Name and Address, Including Zip Code			9. Destination (Consignee and address, including Zip Code) See Schedule	

10. Please Furnish Quotations to the Issuing Office in Block 5A On or Before Close of Business (Date) 2004APR19	IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please indicate on this form and return it to the address in Block 5B. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any interpretations and/or certifications attached to this Request for Quotation must be completed by the quoter.
---	--

11. Schedule (Include applicable Federal, State, and local taxes)

Item Number (a)	Supplies/Services (b)	Quantity (c)	Unit (d)	Unit Price (e)	Amount (f)
	(See Schedule)				

12. Discount For Prompt Payment	a. 10 Calendar Days	b. 20 Calendar Days	c. 30 Calendar Days	d. Calendar Days	
	%	%	%	Number	Percentage

NOTE: Additional provisions and representations are are not attached.

13. Name and Address of Quoter (Street, City, County, State and Zip Code)	14. Signature of Person Authorized to Sign Quotation	15. Date of Quotation
	16. Signer	
	a. Name (Type or Print)	b. Telephone
	c. Title (Type or Print)	Area Code Number

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-04-Q-0772 MOD/AMD

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																								
0001	SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 2920-01-464-2782 FSCM: 01417 PART NR: 98GD056 SECURITY CLASS: Unclassified																												
0001AA	<p><u>PRODUCTION QUANTITY</u></p> <p>5</p> <p>NOUN: END BELL,ELECTRICAL PRON: EH492741EH PRON AMD: 01 AMS CD: 060011</p> <p>This item is being restricted to the approved source, GDLS, or an authorized distributor.</p> <p>(End of narrative C001)</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE 52.211-4517 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <table border="0"> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u></td> <td><u>TP CD</u></td> </tr> <tr> <td>001</td> <td>W56HZV33643005</td> <td>W90454</td> <td>J</td> <td></td> <td>2</td> </tr> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DAYS AFTER AWARD</u></td> <td colspan="3"></td> </tr> <tr> <td>001</td> <td>5</td> <td>0180</td> <td colspan="3"></td> </tr> </table> <p>FOB POINT: Origin</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W90454) XR W4GG HQ US ARMY TACOM TEAM ABRAMS PARTNERSHIP FACILITY WHSE BLDG 88037 LOGISTICS LANE FT HOOD TX 76544-5060</p> </p>	<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>	001	W56HZV33643005	W90454	J		2	<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DAYS AFTER AWARD</u>				001	5	0180				5	EA	\$ _____	\$ _____
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>																								
001	W56HZV33643005	W90454	J		2																								
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DAYS AFTER AWARD</u>																											
001	5	0180																											

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 3 of 7

PIIN/SIIN W56HZV-04-Q-0772

MOD/AMD

Name of Offeror or Contractor:

CONTRACT CLAUSES

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-4006 (TACOM)	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	MAY/2000

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

(b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>

(c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.

(d) We hereby specify that the required F.O.B. point for this acquisition is origin.

(e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

2	52.211-4517 (TACOM)	PACKAGING REQUIREMENTS (COMMERCIAL)	SEP/2003
---	------------------------	-------------------------------------	----------

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

(1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.

(2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

(3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

(4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

(b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

(d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:

- (1) The quantity is over one (1) gross of the same national stock number,
- (2) Use enhances handling and inventorying,

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 4 of 7
	PIIN/SIIN W56HZV-04-Q-0772	MOD/AMD

Name of Offeror or Contractor:

- (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
- (4) The unit pack is less than 64 cubic inches,
- (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

(1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

(2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

(f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(g) Marking:

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Military Shipping Label: Military Shipment Labels (MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <http://www.easysoftcorp.com/products/Software/MSL.html>. Insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(h) Hazardous Materials (As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 5 of 7

PIIN/SIIN W56HZV-04-Q-0772

MOD/AMD

Name of Offeror or Contractor:

P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

(4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

(k) SUPPLEMENTAL INSTRUCTIONS: CONTRACTOR IS REQUIRED TO PROVIDE THE TACOM PACKAGING OFFICE WITH THE PROPOSED UNIT PACK WEIGHT(lbs),UNIT PACK CUBE(cubic feet), UNIT PACK SIZE(lenght x width x depth inches). E-MAIL TO: PACKAGING@TACOM.ARMY.NIL

[End of Clause]

3

52.247-60

GUARANTEED SHIPPING CHARACTERISTICS

DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

(1) To be completed by the offeror:

- (i) Type of "Outer" container: Wood Box [], Fiber Box [], Barrel [], Reel [], Drum [], Other (Specify) _____
- (ii) Shipping configuration: Knocked-down [], Set-up [], Nested [], Other (specify) _____;
- (iii) Size of outer container: _____ inches (Length), x _____ inches (Width), x _____ inches (Height) = _____ Cubic FT;
- (iv) Number of items per outer container _____ Each;
- (v) Gross weight of outer container and contents _____ LBS
- (vi) Palletized/skidded [] Yes [] No;
- (vii) Number of outer containers per pallet/skid _____;
- (viii) Weight of empty pallet bottom/skid and sides _____ LBS;
- (ix) Size of pallet/skid and contents _____ LBS Cube _____;
- (x) Number of outer containers or pallets/skids per railcar _____ * --
Size of railcar _____
Type of railcar _____

Name of Offeror or Contractor:

(xi) Number of outer containers or pallets/skids per trailer _____ *--

Size of trailer _____

Type of trailer _____

*Number of complete units (contract line item) to be shipped in carrier's equipment.

(2) To be completed by the Government after evaluation but before contract award:

(i) Rate used in evaluation _____;

(ii) Tender/Tariff _____;

(iii) Item _____;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of Clause]

4 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING
(TACOM)

DEC/2002

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/>. (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm
Rock Island: <http://aaais.ria.army.mil/AAIS/AWDINFO/index.htm>
Picatinny: <http://procnet.pica.army.mil/Contracts/Index.htm>
Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>
Anniston Army Depot: <http://www.anadprocnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm>. If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:

