

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 2 of 4**

PIIN/SIIN W56HZV-04-Q-1067

MOD/AMD 0001

Name of Offeror or Contractor:

SUPPLEMENTAL INFORMATION

1. THE PURPOSE OF THIS AMENDMENT 0001 IS TO MAKE THE FOLLOWING CHANGE TO SOLICITATION W56HZV-04-Q-1067:

A. CLAUSE 15 ENTITLED "PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS)", PAGE 11 OF 27 OF THE SOLICITATION IS CHANGED UNDER SUBPARAGRAPH (4) SPECIFICATION/STANDARD

FROM: MIL-STD-2073-1D METHOD 55

TO: MIL-STD-2073-1D METHOD 53

B. THE REMAINDER OF THIS CLAUSE REMAINS UNCHANGED. CONTRACTORS ARE REQUESTED TO PROVIDE UNIT PACK WEIGHT, CUBE AND SIZE AS DIRECTED IN PARAGRAPH (g).

2. SOLICITATION CLOSING DATE REMAINS 26 MAY 2004.

3. ALL OTHER TERMS AND CONDITIONS OF THE SOLICITATION REMAIN UNCHANGED.

*** END OF NARRATIVE A 002 ***

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 3 of 4**

PIIN/SIIN W56HZV-04-Q-1067

MOD/AMD 0001

Name of Offeror or Contractor:

CONTRACT CLAUSES

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1 CHANGED	52.211-4514 (TACOM)	PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS)	MAR/2004

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the requirements in the specification/standard defined below.

(b) The following requirements shall apply:

- (1) LEVEL OF PRESERVATION: MILITARY
- (2) LEVEL OF PACKING: B
- (3) QUANTITY PER UNIT PACKAGE: 001
- (4) SPECIFICATION/STANDARD: MIL-STD-2073-1D METHOD 53

(c) The specification/standard cited is intended to give a clear and accurate description of the technical packaging requirements for the item being procured, including the procedure by which it can be determined that the requirements have been met. Specific instructions and/or tailoring of the specification/standard is detailed in the supplemental instructions below. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing and without affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO with copies to the ACO. The government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing.

(d) Marking:

(1) In addition to any special markings called out by the specification/standard above, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: <http://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm> This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (<<http://milpac.com/>>) and Easysoft Corporation (<<http://easysoftcorp.com/>>). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

(e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 4 of 4
	PIIN/SIIN W56HZV-04-Q-1067	MOD/AMD 0001

Name of Offeror or Contractor:

manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(f) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) When applicable, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations
International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(g) SUPPLEMENTAL INSTRUCTIONS: REQUEST CONTRACTOR TO PROVIDE ACTUAL UNIT PACK WEIGHT, CUBE AND SIZE TO THE FOLLOWING ADDRESS:
PACKAGING@TACOM.ARMY.MIL

[End of Clause]