Attachment 0046 (SOWC-4269)
Incoming Transaction Format
01 JUN 2014

DRAFT

Distribution Statement A – Approved for Public Release; distribution unlimited

INCOMING TRANSACTION FORMAT

Transactions must be submitted in an ASCII delimited text format using commas as delimiters. Quotation marks may be used as text qualifiers but are not required. All text must be upper case. The data provided shall apply to a single item.

FIELD	POSITION	LENGTH
NATIONAL STOCK NUMBER	1-13	13
PACKAGING INDICATOR CODE	14-16	3
TRANSACTION TYPE	17	1
LOP A TYPE STORAGE CODE	18	1
LOP B TYPE STORAGE CODE	19	1
LOP C TYPE STORAGE CODE	20	1
LOP A PACK LEVEL REFERENCE INDICATOR	21	1
LOP B PACK LEVEL REFERENCE INDICATOR	22	1
LOP C PACK LEVEL REFERENCE INDICATOR	23	1
LOCAL CONTROL	24-26	3
DOCUMENT REVISION	27-28	2
DOCUMENT DATE	29-34	6
NUMBER OF SHEETS (leave blank)	35-37	3
TD/CMS (leave blank)	38	1
SHELF LIFE	39	1
PACKAGING REFERENCE	40-49	10
ITEM NAME	50-58	9
ITEM WEIGHT	59-63	5
ITEM LENGTH	64-67	4
ITEM WIDTH	68-71	4
ITEM DEPTH	72-75	4
PACKAGING CATEGORY	76-79	4
SPECIAL MARKING	80-81	2
QUANTITY PER UNIT PACK	82-84	3
INTERMEDIATE CONTAINER QUANTITY	85-87	3
CAGE	88-92	5
PART NUMBER	93-113	21
PART INDICATOR	114	1
HAZARDOUS MATERIALS CODE	115	1
PRESERVATION METHOD	116-117	2
CLEANING AND DRYING	118	1
PRESERVATIVE MATERIAL	119-120	2
WRAP MATERIAL	121-122	2
CUSHIONING AND DUNNAGE	123-124	2
CUSHIONING THICKNESS	125	1
UNIT CONTAINER	126-127	2
INTERMEDIATE CONTAINER	128-129	2
UNIT CONTAINER LEVEL	130	1
LEVEL A PACKING CODE	131	1
LEVEL B PACKING CODE	132	1

DRAFT

LEVEL C PACKING CODE	133	1
UNIT PACK WEIGHT	134-138	5
UNIT PACK LENGTH	139-142	4
UNIT PACK WIDTH	143-146	4
UNIT PACK DEPTH	147-150	4
UNIT PACK CUBE	151-157	7
OPTIONAL PROCEDURE INDICATOR (left blank)	158	1
LEVEL A SUPPLEMENTAL INSTRUCTIONS	159-208	50
SPI REVISION	209	1
SPI DATE	210-214	5
CONTAINER NATIONAL STOCK NUMBER	215-227	13
LEVEL B SUPPLEMENTAL INSTRUCTIONS	228-277	50
LEVEL C SUPPLEMENTAL INSTRUCTIONS	278-327	50
APPROVAL	328-336	9
COMMENTS	337-386	50
STATUS	387-394	8
TRANSACTION DATE	395-400	6

DRAFT