

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. Contract ID Code
Firm-Fixed-Price

Page 1 Of 9

2. Amendment/Modification No. 0002	3. Effective Date 2012JUL20	4. Requisition/Purchase Req No. SEE SCHEDULE	5. Project No. (If applicable)
---------------------------------------	--------------------------------	---	--------------------------------

6. Issued By U.S. ARMY CONTRACTING COMMAND CCTA-ATB-B JEFFREY YEAGER (586)282-3513 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL EMAIL: JEFFREY.B.YEAGER@US.ARMY.MIL	Code W56HZV	7. Administered By (If other than Item 6)	Code
--	----------------	---	------

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)	<input checked="" type="checkbox"/>	9A. Amendment Of Solicitation No. W56HZV-12-R-0089
		9B. Dated (See Item 11) 2012JUN05
	<input type="checkbox"/>	10A. Modification Of Contract/Order No.
		10B. Dated (See Item 13)

Code Facility Code

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers

is extended, is not extended. 2012JUL31 01:00pm

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:
(a) By completing items 8 and 15, and returning 2 signed copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

**13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS
It Modifies The Contract/Order No. As Described In Item 14.**

<input type="checkbox"/>	A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10A.	The Changes Set Forth In Item 14 Are Made In
<input type="checkbox"/>	B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).	
<input type="checkbox"/>	C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:	
<input type="checkbox"/>	D. Other (Specify type of modification and authority)	

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)	16A. Name And Title Of Contracting Officer (Type or print)		
15B. Contractor/Offendor	15C. Date Signed	16B. United States Of America	16C. Date Signed
(Signature of person authorized to sign)		By _____ /SIGNED/ (Signature of Contracting Officer)	

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 2 of 9

PIIN/SIIN W56HZV-12-R-0089

MOD/AMD 0002

Name of Offeror or Contractor:

SECTION A - SUPPLEMENTAL INFORMATION

1. **PURPOSE:** The purpose of Amendment 0002, IAW FAR 15.206, Amending the Solicitation, is for the following:

2. Revise Section E-3(b), TACOM 52.246-4025:

FROM: Your quality system under this contract shall be in accordance with the quality system indicated by an X below:

- ISO 9001:2008 (tailored: delete paragraph 7.3) or comparable quality system
- ISO 9001:2008 (untailored) or comparable quality system
- ISO/TS16949:2009

TO: Your quality system under this contract shall be in accordance with the quality system indicated by an X below:

- ISO 9001:2008 (tailored: delete paragraph 7.3) or comparable quality system
- ISO 9001:2008 (untailored) or comparable quality system
- ISO/TS16949:2009

3. Revise Section J, Exhibit A, CDRL A021, Block 16, "REMARKS":

FROM: Submit in accordance with paragraph D.2.5

TO: Submit in accordance with paragraph D.2.1.1

4. Revise Section D.2.2:

FROM: The contractor shall provide 20-foot double end ISO containers (NSN 8150-01-527-3063) for this effort and shall load four (4) ea armor crates and four (4) ea FTFS crates of the same type (four)(4) 58-gallon or four (4) 78 gallon kits) following acceptance into the 20-foot ISO containers (see Attachment 7 for layout). One Time Use ISO containers are allowable as long as they adhere to the ISO inspection criteria included in Attachment 5. Containers shall include proper blocking and bracing to immobilize items within the container to eliminate crush damage.

TO: The contractor shall provide 20-foot double end ISO containers (NSN 8150-01-463-8553) and/or One Time Use ISO containers (NSN 8150-01-463-3177) for this effort and shall load four (4) ea armor crates and four (4) ea FTFS crates of the same type (four)(4) 58-gallon or four (4) 78 gallon kits) following acceptance into the 20-foot ISO containers (see Attachment 7 for layout). One Time Use ISO containers are allowable as long as they adhere to the ISO inspection criteria included in Attachment 5. Containers shall include proper blocking and bracing to immobilize items within the container to eliminate crush damage

5. Revise Section C.1.1.1:

FROM: The contractor shall provide an ISO container (NSN 8150-01-527-3063) packaged with four (4) ea B-Kits. The ISO container with four (4) ea B-Kits can come in two variations: a 58 gallon B-Kit NSN 2540-01-602-9659, P/N 57K6420-001; OR a 78 gallon B-Kit NSN 2540-01-602-9660, P/N 57K6420-002. Section D contains preservation, packing and marking instructions. Any kits assembled/produced by the contractor prior to successful passing (with documentation from the Procuring Contracting Officer (PCO)) of the Government Testing in Section E.2, to include packaging, shall be done at the risk of the contractor.

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 3 of 9**

PIIN/SIIN W56HZV-12-R-0089

MOD/AMD 0002

Name of Offeror or Contractor:

TO: The contractor shall provide an ISO container (NSN 8150-01-463-8553) and/or One-Time Use ISO containers (NSN 8150-01-463-3177) packaged with four (4) ea B-Kits. The ISO container with four (4) ea B-Kits can come in two variations: a 58 gallon B-Kit NSN 2540-01-602-9659, P/N 57K6420-001; OR a 78 gallon B-Kit NSN 2540-01-602-9660, P/N 57K6420-002. Section D contains preservation, packing and marking instructions. Any kits assembled/produced by the contractor prior to successful passing (with documentation from the Procuring Contracting Officer (PCO)) of the Government Testing in Section E.2, to include packaging, shall be done at the risk of the contractor

6. This action extends the Solicitation proposal due date to 31 July 2012 at 1:00 p.m. local Warren Michigan time.

7. Per the solicitation, TACOM 52.204-4016 (e), Warren Electronic Contracting, your attention is called to the solicitation closing date and time as stated on the cover page of this solicitation, local time for the TACOM Contracting Center, Warren, Michigan. In accordance with FAR 15.208(a), offerors are responsible for submitting proposals, and any revisions, and modifications, so as to be received by the Government office designated in the solicitation by the time specified.

8. Except as stated herein, all other contract terms and conditions remain the same and in full force and effect.

*** END OF NARRATIVE A0003 ***

Name of Offeror or Contractor:

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

C.1. General. The contractor, acting as an independent contractor and not as an agent of the Government, and within the schedule and the contract constraints set forth herein, shall provide the necessary supplies and services which meet all the requirements set forth in this contract.

C.1.1. Objective. The contractor shall produce FMTV B-Kits. A B-Kit consists of two crates, one that contains four pieces of transparent armor and 16 pieces of opaque armor panels, ballistic washers, bolts, and miscellaneous parts, and one with a Fuel Tank Fire Suppression Kit (FTFS), either 58 gallon FTFS (58 gallon B-Kit) or 78 gallon FTFS (78 gallon B-Kit).

C.1.1.1 The contractor shall provide an ISO container (NSN 8150-01-463-8553) and/or One-Time Use ISO containers (NSN 8150-01-463-3177) packaged with four (4) ea B-Kits. The ISO container with four (4) ea B-Kits can come in two variations: a 58 gallon B-Kit NSN 2540-01-602-9659, P/N 57K6420-001; OR a 78 gallon B-Kit NSN 2540-01-602-9660, P/N 57K6420-002. Section D contains preservation, packing and marking instructions. Any kits assembled/produced by the contractor prior to successful passing (with documentation from the Procuring Contracting Officer (PCO)) of the Government Testing in Section E.2, to include packaging, shall be done at the risk of the contractor.

C.1.1.2 The contractor shall produce the B-Kits IAW the CD/DVD containing the Technical Data Packages (TDP) (Attachment 1). The contractor shall begin production of the B-Kits following successful completion of testing called out in E.2.

C.1.1.3 Information Requests

a. To request the TDP (Attachment 1), Installation Instructions (Attachment 3), and Special Packaging Instructions (Attachment 4) for this solicitation, send an email to Tomasz Sadowicz at tomasz.j.sadowicz.civ@mail.mil with the following information:

Company Name

Company Contact Name

Company Address

Company Phone Number

Company Cage Code

TDP will be sent FedEx; NO P.O. BOXES will be accepted.

b. Requirements for requesting the classified Transparent Armor specifications are found in H.5.

C.1.2 Production Configuration. The drawing package provided at Attachment 1 is the official production configuration. The Contractor shall not implement any changes to the production hardware configuration without prior written approval by the PCO.

Engineering changes made after contract award will be made in accordance with Section C.6.

C.2 Data Management. The contractor shall prepare technical data and reports as specified in the applicable Data Item Descriptions (DIDs), DD Forms 1664. The data must provide all the specified information, in accordance with the quantities and schedules set forth in the Contract Data Requirements List (CDRL), Exhibit A. Standard DIDs may be found at [*HYPERLINK "https://assist.daps.dla.mil/online/start/"https://assist.daps.dla.mil/online/start/](https://assist.daps.dla.mil/online/start/).

C.2.1 Electronic Data Delivery. All data and information delivered under this contract shall be submitted in electronic format and in English language unless otherwise specified in the CDRL. The file format and delivery method will be dependent upon the file type and size. Data shall be submitted in electronic format compatible with Microsoft programs (such as Word, Access, Excel, Power Point, etc.) or Adobe in an editable format, unless otherwise specified. Available methods of delivery are: electronic mail, file transfer protocol, or CD/DVD ROM.

C.2.2 Access to Tactical Vehicle Product Management System (TVPDMS). The contractor shall obtain a public trust clearance and one of the following DOD approved Public Key Infrastructure (PKI) for each person who needs to access TVPDMS and submit required data:

- a. PKI certificates on a CAC
- b. Department of Defense (DoD) External Certificate Authorities (ECA)
- c. PKI certificates cross certified by Federal Bridge Certificate Authority (FBCA)

NOTE: The contractor may contact the Product Manager, Medium Tactical Vehicles (PM MTV) Configuration Management representative as listed on the CDRL list (Exhibit A) for further assistance.

C.2.3 Information Assurance. All information or data under this contract belongs to and is the property of the U.S. Government and shall be marked and handled as For Official Use Only (FOUO) or SECRET, as applicable, and marked with the appropriate Distribution Statement. The TDP (attachment 1), Install Instructions (attachment 3), and Special Packaging Instructions (attachment 4) are classified as Distribution D and shall be handled as such. The Contractor shall allow personnel to access the data as necessary for performance of the contract and successful delivery of hardware. The data provided is export controlled. All regulations and requirements implemented by the Department of State for export controlled data and hardware are applicable. The contractor shall take necessary steps to ensure

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 5 of 9
	PIIN/SIIN W56HZV-12-R-0089	MOD/AMD 0002

Name of Offeror or Contractor:

subcontractors comply with requirements for working with export controlled data per Department of State requirements. All data transmitted electronically via email shall be encrypted. The contractor shall not release any information or data to third parties without express written approval of the PCO.

C.2.4. The contractor shall conform to all security requirements as specified in this contract and as detailed in the Form DD 254, reference Section J, Attachment 9.

C.3. Start of Work Meeting. The Contractor shall conduct a Start of Work Meeting at the Contractors facility no later than 30 calendar days after contract award. The actual date and content of the meeting will be coordinated between the Contractor and the PCO. The Contractor shall provide written minutes of the Start of Work Meeting in accordance with CDRL A001.

C.4 Paint. The contractor shall apply Chemical Agent Resistant Coating (CARC) to production B-Kits. The paint color shall be TAN 686A (chip #33446 in accordance with FED-STD-595). The color of the FTFS kits shall be TAN 686A.

C.5 Installation Instructions. Along with the parts necessary to complete the kits, the Contractor shall include one (1) set of Installation Instructions in each armor crate and one (1) set of Installation Instructions shall be included in each FTFS crate. Installation instructions shall be provided in hard copy, packaged in a sealed waterproof bag. The armor and FTFS kit installation instructions are contained on the Government furnished CDs/DVDs (Attachment 3).

C.6 Configuration Management.

a. Configuration Management (CM) Standards. The contractor shall use DoD MIL- HDBK-61A (SE), Configuration Management Guidance, as a reference for CM.

b. The Government is the Original Design Activity for all products and data developed under this contract and, as the Current Document Change Authority (CDCA), is the only entity with decision authority over the items configuration and respective design data.

c. Editable Government forms are available for preparation of change documents. If the contractor wishes to use these in lieu of contractor format, contact the Government Configuration Manager.

C.6.1 Engineering Changes to the approved Product Baseline. The Contractor shall propose changes to the item configuration product baseline via the submission of Engineering Change Proposals (ECPs), Value Engineering Change Proposals (VECPs), or Requests for Deviations (RFDs) in accordance with the below requirements. Each ECP, VECP, RFD shall be submitted as a single .pdf package to the Governments TVPDMS website as detailed in applicable CDRLS. Each change request package shall contain supporting data to evaluate each proposed change. The Government will provide training at the contractors location to aid the Contractor in the loading of metadata and change package files to the TVPDMS system. Time and schedule for TVPDMS training will be discussed and determined at the start of work meeting. Training will occur after contractor personnel have obtained user names and database access. For each change package, metadata describing the change package, contract modification, and proposed/actual hardware effectivity will be loaded to the TVPDMS system. The Contractor shall email requests for ECP Numbers to the Government Configuration Data Management representative (CDRL A002 and CDRL A004).

C.6.1.1 Engineering Change Proposal (ECP) - Contractor Requested

a. Requirement for Submittal. For all changes to the approved production configuration (as provided in Attachment 1), regardless of classification, the Contractor shall submit an ECP. This includes changes required to correct deficiencies discovered during Government inspections and subsequent changes identified throughout the production contract. The Contractor shall submit ECPs in accordance with CDRL A002, immediately upon determination of a need for such changes. All proposed changes shall be described on a Notice of Revision (NOR) for each affected drawing in the ECP in accordance with CDRL A003. A copy of the applicable drawings with proposed changes clearly marked shall be part of the change package. Revisions are to be identified in a red marking. Industry standards ASME Y14.100, ASME Y14.24, ASME Y14.34M and ASME Y14.34M shall be used for depicting proposed drawing revisions. Each ECP submittal shall include an impact statement addressing all Integrated Logistics Support (ILS), MANPRINT, safety, cost, and transportability requirements.

b. Government Review and Approval. The Government may require the Contractor to perform additional tests prior to Government approval to verify acceptability of any changes the Contractor proposes. The Government will determine the extent of testing up to and including a complete FAI (E.2.4). The Contractor shall perform the tests at no additional cost to the Government. The Government Configuration Control Board (CCB) will review the proposed changes and provide concurrence/nonconcurrency in the TVPDMS system. The Contractor shall review and respond to all nonconcurrency notifications and questions prior to the Government CCB providing its final decision. The Government may disapprove changes that will have an adverse effect on performance, reliability, maintainability or repair. The PCO will notify the Contractor of the Governments approval/disapproval and issue a modification to the contract to incorporate the changes.

c. Responsibility for Failure Due to Changes. The Governments approval of the Contractors requested ECP does not relieve the Contractor of its responsibility to furnish conforming parts. The Contractor shall accept responsibility for any failure that renders the kits Non Mission Capable.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 6 of 9
	PIIN/SIIN W56HZV-12-R-0089	MOD/AMD 0002

Name of Offeror or Contractor:

d. Responsibility for Cost of Changes:

1) The Government will not be responsible for additional costs to the kits, which result from a Contractor requested, Government approved ECP unless approval is granted by the PCO and modified into the contract.

2) When a change results in reduced costs to the Contractor, the Government may obtain an equitable reduction in contract price. The Contractor must certify cost impacts and the Government may conduct post-changes approval audits.

3) The Government will not be liable for any cost the Contractor incurs, due to delay in contract performance, as a result of any of the Contractor requests for change.

C.6.1.2 Government Directed ECP. If the Government changes the B-Kit configuration, the PCO will direct the contractor to submit an ECP and price proposal (with certified cost and pricing data when required) covering the configuration change(s).

C.6.1.3 Value Engineering Change Proposals (VECPs). The Contractor shall prepare VECPs in the same manner as Class I ECPs (see MIL-HDBK-61A (SE) for details) in accordance with CDRL A002.

C.6.2 Requests for Deviations (RFDs). If the Contractor needs to temporarily deviate from TDP requirements, they shall submit an RFD, prepared in accordance CDRL A004. Deviations affecting a change to the product baseline documentation may be rejected by the Government and returned for resubmission as a Class I ECP (see MIL- HDBK-61A (SE) for details). All RFD packages shall contain drawings with the proposed deviation clearly defined.

C.6.3 Change Effectivity.

a. ECPs/VECPs: Changes resulting from any Government Approved ECP/VECP shall be incorporated into the production line through contract modification only. The contractor shall maintain information as to the date of ECP cut-in, contract modification number, applicable part numbers, and kit number. This information shall be submitted to TVPMS in accordance with CDRL A002.

b. RFDs: If approved, the Contractor shall maintain information regarding the date of RFD cut-in, contract modification number, applicable part numbers, and the number of kits affected by the deviation.

c. Effectivity information shall be entered into the TVDPMS system within 3 calendar days of contract modification action, and within 3 calendar days of production hardware cut-in.

*** END OF NARRATIVE C0001 ***

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 7 of 9
	PIIN/SIIN W56HZV-12-R-0089	MOD/AMD 0002

Name of Offeror or Contractor:

SECTION D - PACKAGING AND MARKING

D.1 Preservation, Packing and Marking. The contractor shall provide all labor, supervision, tools, equipment, technical assistance, and materials to complete the kit packaging and preparation for shipping.

D.2 Packaging. Preservation and Packing shall be in accordance with MIL-STD-2073 and the Special Packaging Instructions (SPI) - Attachment 0004. The SPI for the B-Kit with 58 gallon FTFS is No. AK15527805, Revision J, and the SPI for the B-Kit with 78 gallon FTFS is No. AK15763447, Revision J. B-Kit components shall be free of dirt and other contaminants. Hardcopies of Installation Instructions shall be included and packaged as per C.5.

D.2.1 If Special Packaging Instructions do not currently exist for the FTFS, then the Contractor shall develop and provide Level A preservation and packaging requirements as well as Special Packaging Instructions in accordance with MIL-STD 2073. The crate shall be capable of being stacked four (4) crates high. The overall dimensions of four (4) crates stacked shall be able to fit into an ISO container along with four (4) ea B-Kit armor crates. The usable space envelope remaining in the ISO container after four (4) ea B-Kit armor crates are packed is 86.0 in (wide) x 22.8 in (depth) x 73.6 in (height).

D.2.1.1 If the contractor is submitting Special Packaging Instructions in accordance with Section D.2.1 above, then the Contractor shall submit packaging data with item drawings and notes sufficient for reviewing the packaging designs. The Government shall have the capability to view, identify, make corrections, and add comments to the packaging data (CDRL A021).

Distribution Statement: All packaging data shall be marked with Distribution A Statements.

D.2.2 The contractor shall provide 20-foot double end ISO containers (NSN 8150-01-463-8553) and/or One-Time Use ISO containers (NSN 8150-01-463-3177) for this effort and shall load four (4) ea armor crates and four (4) ea FTFS crates of the same type (four (4) 58-gallon or four (4) 78 gallon kits) following acceptance into the 20-foot ISO containers (see Attachment 7 for layout). One Time Use ISO containers are allowable as long as they adhere to the ISO inspection criteria included in Attachment 5. Containers shall include proper blocking and bracing to immobilize items within the container to eliminate crush damage.

D.3 Marking. The contractor shall be responsible for application of the following special markings: Shelf-Life, hazardous material, structural, and special handling markings. One LTAS sticker shall be stapled on to the side of each armor crate and each FTFS kit crate. LTAS stickers shall be provided to the contractor as Government Furnished Material.

D.3.1 ISO Markings. The outside of the 20-foot ISO container shall be marked with an Item unique identification (IUID) tag IAW MIL-STD-130N. The IUID tag shall state either 4 ea B-Kits and 4 ea 58 Gal FTFS and NSN 2540-01-602-9659; OR 4 ea B-Kits and 4 ea 78 Gal FTFS and NSN 2540-01-602-9660. The contractor shall affix these tags to an outside door on each side of each ISO container.

D.3.2 Armor Crate Markings. The contractor shall mark Armor crates in accordance with MIL-STD-129 and the SPIs in Attachment 0004.

D.3.3 FTFS Crate Markings. The contractor shall mark FTFS crates in accordance with MIL-STD-129 and the SPIs in Attachment 0004. Marking for newly developed packaging shall include the part number, the box number (i.e., Box 2 of 2) and shall identify which size FTFS kit is included.

*** END OF NARRATIVE D0001 ***

Name of Offeror or Contractor:

SECTION E - INSPECTION AND ACCEPTANCE

Status	Regulatory Cite	Title	Date
E-1 CHANGED (TACOM)	52.246-4025	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM REQUIREMENT	JAN/2009

(a) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of contract performance.

(b) Your quality system under this contract shall be in accordance with the quality system indicated by an X below:

- [] ISO 9001:2008 (tailored: delete paragraph 7.3) or comparable quality system
- [X] ISO 9001:2008 (untailored) or comparable quality system
- [X] ISO/TS16949:2009

If you intend to use a system comparable to ISO/TS16949:2009, please identify your quality system below. You may use an in-house quality system, or one based on a commercial, military, national, or international system.

In addition to identifying your proposed system in the space above, you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive a contract award, your proposed system will be required by the contract.)

(c) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(d) At any point during contract performance, we have the right to review your quality system to assess its effectiveness in meeting contractual requirements.

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 9 of 9****PIIN/SIIN** W56HZV-12-R-0089**MOD/AMD** 0002**Name of Offeror or Contractor:**

SECTION J - LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 0012	EXHIBIT A	19-JUL-2012	022	DATA

EXHIBIT A
CONTRACT DATA REQUIREMENTS LIST (CDRL)
19 July 2012

1. PCO: Tim Nichols timothy.a.nichols1.civ@mail.mil
2. ACO:
3. APM: Tom Svisco Thomas.svisco.civ@mail.mil
 4. PM Engineering Robert Brnjac robert.brnjac.civ@mail.mil
 5. PM Logistics: Jason Decoster jason.m.decoaster.civ@mail.mil
6. PM Quality: Nora Iverson nora.e.iverson.civ@mail.mil
7. PM Test:
 8. PM Configuration Management: John Wenner *HYPERLINK "mailto:john.r.wenner.civ@mail.mil"john.r.wenner.civ@mail.mil
9. TACTICAL VEHICLE PRODUCT MANAGEMENT SYSTEM (TVPDMS)
*HYPERLINK "https://tvpdms.army.mil/"https://tvpdms.army.mil/

CONTRACT DATA REQUIREMENTS LIST

Form Approval OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 40 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.: B. EXHIBIT: A C. CATEGORY: Other
 D. SYSTEM/ITEM: FMTV B-Kits
 E. CONTRACT/PR NO.: F. CONTRACTOR:

1. DATA ITEM NO. A002
 2. TITLE OF DATA ITEM: Engineering Change Proposal
 3. SUBTITLE: Configuration Management
 4. AUTHORITY: DI-CMAN-80639C 5. CONTRACT REFERENCE: C.6.1, C.6.1.1,
 6. REQUIRING OFFICE: SFAE-CSS-TV-M C.6.1.3, C.6.3
 7. DD 250 REQ: LT 8. APP CODE: A 9. DIST. STATEMENT
 REQUIRED: See Blk 16
 10. FREQUENCY: As Required 11. AS OF DATE: As Required
 12. DATE OF FIRST SUBMISSION: As Required 13. DATE OF SUBS. As Required

14. DISTRIBUTION/ A. ADDRESSEE B. COPIES DRAFT / FINAL

TVPDMS		1	1
	15. TOTAL:	1	1

16. REMARKS

The contractor shall submit an Engineering Change Proposal (ECP) for any change to the production TDP configurations of the FMTV B-Kit. The ECPs shall be prepared in contractors format for the Engineering Change Proposal (ECP), Request for Deviation (RFD), and Notice Of Revision (NOR) forms, with corresponding Data Delivery Descriptions (DDD)s. ECPs shall include copy of the affected drawings with the proposed changes identified in a clear legible manner. The ECP shall be submitted as a single pdf file to the Governments TVPDMS system for review and decision.

G. PREPARED BY: Tim Brown I. APPROVED BY:
 H. DATE: 24 April 2012 J. DATE:

CONTRACT DATA REQUIREMENTS LIST

Form Approval OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 40 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.: B. EXHIBIT: A C. CATEGORY: Other
 D. SYSTEM/ITEM: FMTV B-Kits
 E. CONTRACT/PR NO.: F. CONTRACTOR:

1. DATA ITEM NO. A003
 2. TITLE OF DATA ITEM: Notice Of Revision (NOR)
 3. SUBTITLE: Configuration Management
 4. AUTHORITY: DI-CMAN-80642C 5. CONTRACT REFERENCE: C.6.1.1
 6. REQUIRING OFFICE: SFAE-CSS-TV-M
 7. DD 250 REQ: LT 8. APP CODE: 9. DIST. STATEMENT REQUIRED:
 See Blk 16
 10. FREQUENCY: As Required 11. AS OF DATE: As Required
 12. DATE OF FIRST SUBMISSION: As Required 13. DATE OF SUBS. As Required

14. DISTRIBUTION/ A. ADDRESSEE B. COPIES DRAFT / FINAL

TVPDMS 1 1

15. TOTAL: 1 1

16. REMARKS

The contractor shall submit a Notice Of Revision (NOR) with the Engineering Change Proposal (ECP) for each affected drawing in the ECP to the production TDP configurations of the FMTV B-Kit. Reports shall be prepared in contractors format or the ECP, RFD, and NOR forms, with corresponding Data Delivery Descriptions (DDDs). A marked print of each drawing with proposed changes clearly and legibly marked shall accompany each NOR and be submitted as part of the ECP package.

G. PREPARED BY: Tim Brown I. APPROVED BY:
 H. DATE: 24 April 2012 J. DATE:

DD FORM 1423-E,

suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.: B. EXHIBIT: A C. CATEGORY: Other
D. SYSTEM/ITEM: FMTV B-Kits
E. CONTRACT/PR NO.: CONTRACT# F. CONTRACTOR:

1. DATA ITEM NO. A006
2. TITLE OF DATA ITEM: Quality Manual
3. SUBTITLE:
4. AUTHORITY:
5. CONTRACT REFERENCE: E.1
6. REQUIRING OFFICE: SFAE-CSS-TV-M
7. DD 250 REQ: LT 8. APP CODE: 9. DIST. STATEMENT REQUIRED:
See Blk 16
10. FREQUENCY: Once 11. AS OF DATE: As Required
12. DATE OF FIRST SUBMISSION: Start of Work Meeting 13. DATE OF SUBS.

14. DISTRIBUTION/ A. ADDRESSEE B. COPIES DRAFT FINAL

PCO 0 1

15. TOTAL: 0 1

16. REMARKS

Submit in accordance with paragraph E.1 as part of the Offeror Proposal Package.

Quality Manual shall be submitted as a single pdf file.

G. PREPARED BY: Tim Brown I. APPROVED BY:
H. DATE: 24 April 2012 J. DATE:

DD FORM 1423-E,

reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.: B. EXHIBIT: A C. CATEGORY: Other
 D. SYSTEM/ITEM: FMTV B-Kits
 E. CONTRACT/PR NO.: F. CONTRACTOR:

1. DATA ITEM NO. A015
 2. TITLE OF DATA ITEM: Pre-Production Inspection Discrepancy Report
 3. SUBTITLE: PPKIDR
 4. AUTHORITY: 5. CONTRACT REFERENCE: E.2.4.4
 6. REQUIRING OFFICE: SFAE-CSS-TV-M
 7. DD 250 REQ: LT 8. APP CODE: A 9. DIST. STATEMENT REQUIRED:
 See Blk 16
 10. FREQUENCY: ONE/R 11. AS OF DATE: As Required
 12. DATE OF FIRST SUBMISSION: As Required 13. DATE OF SUBS. As Required

14. DISTRIBUTION/ A. ADDRESSEE	B. COPIES	DRAFT	/ FINAL
TVPDMS	1	1	
	15. TOTAL:	1	1

16. REMARKS

The contractor shall document and report the results and any corrective action taken during the First Article Inspection (FAI). The report shall be submitted to the Government 5 days after FAI completion. The PCO has 15 days after receipt of this CDRL submittal to approve or disapprove with reasons for disapproval.

Reports shall be submitted to TVPDMS as a pdf file.

G. PREPARED BY: Tim Brown I. APPROVED BY:
 H. DATE: 24 April 2012 J. DATE:

DD FORM 1423-E,

A. CONTRACT LINE ITEM NO.: B. EXHIBIT: A C. CATEGORY: Other
D. SYSTEM/ITEM: FMTV B-Kits
E. CONTRACT/PR NO.: F. CONTRACTOR:

1. DATA ITEM NO. A018
2. TITLE OF DATA ITEM: Error Proofing
3. SUBTITLE:
4. AUTHORITY: 5. CONTRACT REFERENCE: E.8
6. REQUIRING OFFICE: SFAE-CSS-TV-M
7. DD 250 REQ: LT 8. APP CODE: A 9. DIST. STATEMENT REQUIRED:
See Blk 16
10. FREQUENCY: ONE/R 11. AS OF DATE: As Required
12. DATE OF FIRST SUBMISSION: As Required 13. DATE OF SUBS. As Required

14. DISTRIBUTION/ A. ADDRESSEE	B. COPIES	DRAFT / FINAL
TVPDMS	1	1
15. TOTAL: 1 1		

16. REMARKS

The contractor shall submit Error Proofing in accordance with paragraph E.8.
Electronic Submittal is required to TVPDMS within 90 days after contract award.

G. PREPARED BY: Tim Brown I. APPROVED BY:
H. DATE: 24 April 2012 J. DATE:

DD FORM 1423-E,

CONTRACT DATA REQUIREMENTS LIST

Form Approval OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 40 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.: B. EXHIBIT: A C. CATEGORY: Other
D. SYSTEM/ITEM: FMTV B-Kits
E. CONTRACT/PR NO.: F. CONTRACTOR:

1. DATA ITEM NO. A019
2. TITLE OF DATA ITEM: Certification/Data Report
3. SUBTITLE: Transparent Armor Non Ballistic Test Results
4. AUTHORITY: DI-MISC-80678 5. CONTRACT REFERENCE: E.2.2.2
6. REQUIRING OFFICE: SFAE-CSS-TV-M
7. DD 250 REQ: LT 8. APP CODE: 9. DIST. STATEMENT REQUIRED:
See Blk 16
10. FREQUENCY: As Required 11. AS OF DATE: As Required
12. DATE OF FIRST SUBMISSION: As Required 13. DATE OF SUBS. As Required

14. DISTRIBUTION/ A. ADDRESSEE	B. COPIES	DRAFT / FINAL
For unclassified certifications, submit to: TVPDMS	1	1

For classified certifications, contact the PCO:

0 0

15. TOTAL: 1 1

16. REMARKS: Reports shall be submitted detailing the results of non-ballistic testing and examinations done IAW paragraphs 4.2.6, De-icing, 4.3, Environmental and 4.4, Optical of ATPD-2352R.
Reports shall be submitted to TVPDMS as a single pdf file containing only unclassified information.

G. PREPARED BY: Tim Brown
H. DATE: 24 April 2012

I. APPROVED BY:
J. DATE:

DD FORM 1423-E,

CONTRACT DATA REQUIREMENTS LIST

Form Approval OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 40 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.: B. EXHIBIT: A C. CATEGORY: Other
 D. SYSTEM/ITEM: FMTV B-Kits
 E. CONTRACT/PR NO.: F. CONTRACTOR:

1. DATA ITEM NO. A020
 2. TITLE OF DATA ITEM: Opaque Armor Material Test Report
 3. SUBTITLE: Material Test Report
 4. AUTHORITY: DI-MISC-80073 5. CONTRACT REFERENCE: E.2.2.2
 6. REQUIRING OFFICE: SFAE-CSS-TV-M
 7. DD 250 REQ: LT 8. APP CODE: 9. DIST. STATEMENT REQUIRED:
 See Blk 16
 10. FREQUENCY: As Required 11. AS OF DATE: As Required
 12. DATE OF FIRST SUBMISSION: As Required 13. DATE OF SUBS. As Required

14. DISTRIBUTION/ A. ADDRESSEE B. COPIES DRAFT / FINAL
 For unclassified certifications, submit to:
 TVPDMS 1 1

For classified certifications, contact the PCO:
 0 0
 15. TOTAL: 1 1

16. REMARKS: Reports shall be submitted detailing the results of non-ballistic testing and examinations done IAW paragraphs 4.7 and 4.8 of MIL-DTL-12560, 4.6 and 4.7 of MIL-DTL-32262, 4.6 and 4.7 of MIL-DTL-46027, and 4.7 and 4.8 of MIL-DTL-46100. Reports shall be submitted to TVPDMS as a single pdf file containing only unclassified information.

G. PREPARED BY: Tim Brown I. APPROVED BY:
 H. DATE: 24 April 2012 J. DATE:

DD FORM 1423-E,

CONTRACT DATA REQUIREMENTS LIST

Form Approval OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 440 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations

