

**AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT**

1. Contract ID Code  
Firm Fixed Price

Page 1 Of 5

2. Amendment/Modification No. 01	3. Effective Date 2013AUG27	4. Requisition/Purchase Req No. SEE SCHEDULE	5. Project No. (If applicable)
-------------------------------------	--------------------------------	---	--------------------------------

6. Issued By U.S. ARMY CONTRACTING COMMAND STEPHANIE THOM WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL  EMAIL: STEPHANIE.N.THOM@US.ARMY.MIL	Code W56HZV	7. Administered By (If other than Item 6) DCMA DAYTON AREA C, BUILDING 30 1725 VAN PATTON DRIVE WRIGHT-PATTERSON AFB, OH 45433-5302	Code S3605A
--	----------------	---	----------------

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)  GUILD ASSOCIATES, INC. 5750 SHIER-RINGS RD DUBLIN, OH 43016-1234	<input type="checkbox"/>	9A. Amendment Of Solicitation No.
	<input type="checkbox"/>	9B. Dated (See Item 11)
	<input checked="" type="checkbox"/>	10A. Modification Of Contract/Order No. W52H09-08-D-0367/BR02
	<input type="checkbox"/>	10B. Dated (See Item 13) 2013JUL31
Code 4X630	Facility Code	

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers

is extended,  is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning \_\_\_\_\_ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required) Payment will be made by Electronic Funds Transfer  
NO CHANGE TO OBLIGATION DATA

**13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS  
It Modifies The Contract/Order No. As Described In Item 14.**

<input type="checkbox"/>	A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10A.	The Changes Set Forth In Item 14 Are Made In
<input type="checkbox"/>	B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).	
<input checked="" type="checkbox"/>	C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:	
<input type="checkbox"/>	D. Other (Specify type of modification and authority)	

E. IMPORTANT: Contractor  is not,  is required to sign this document and return \_\_\_\_\_ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)	16A. Name And Title Of Contracting Officer (Type or print) MAJ ERIC F. HEIL ERIC.HEIL@US.ARMY.MIL (586)282-8109		
15B. Contractor/Offeror  (Signature of person authorized to sign)	15C. Date Signed	16B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)	16C. Date Signed 2013AUG27

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>	<b>Page 2 of 5</b>
	PIIN/SIIN W52H09-08-D-0367/BR02      MOD/AMD 01	

**Name of Offeror or Contractor:** GUILD ASSOCIATES, INC.

SECTION A - SUPPLEMENTAL INFORMATION

Buyer Name: STEPHANIE THOM  
 Buyer Office Symbol/Telephone Number: CCTA-ADT-C/(586)282-7405  
 Type of Contract: Firm Fixed Price  
 Kind of Contract: Supply Contracts and Priced Orders  
 Type of Business: Other Small Business Performing in U.S.  
 Surveillance Criticality Designator: C  
 Weapon System: Decontaminating Equipment

\*\*\* End of Narrative A0000 \*\*\*

Contract Number: W52H09-08-D-0367  
 Delivery Order.: BR02  
 Modification...: 01  
 Contract for...: M100 Sorbent Decontamination System

PREVIOUS OBLIGATED CONTRACT AMOUNT: \$10,188,224.75  
 OBLIGATED AMOUNT OF THIS ACTION...: \$ 0.00  
 TOTAL OBLIGATED CONTRACT AMOUNT...: \$10,188,224.75

1. The purpose of this bilateral no-cost Modification 01 is to:

a. Incorporate approved Request for Deviation (RFD) 265-D019 into this delivery order.

All deliveries under this order, BR02, shall incorporate the use of Guild's CRB2632 sorbent powder decontaminant. The A200-SiC-1005S decontaminant shall not be used in M100 production quantities to fill this delivery order.

See attachment 0003 APPROVED REQUEST FOR DEVIATION (RFD) 265-D019.

b. Incorporate Technical Requirements into Section C of this delivery order.

A First Article Test (FAT) is required for this delivery order as a term for the approval of RFD 265-D019.

See attachment 0001 FIRST ARTICLE REQUIREMENTS.

2. The Contract is modified as follows:

<u>SECTION</u>	<u>DESCRIPTION</u>
C	Incorporate Technical Requirements
J	Added Attachment 0001 FIRST ARTICLE TEST REQUIREMENTS
J	Added Attachment 0002 SORBENT POWDER TEST METHODS
J	Added Attachment 0003 REQUEST FOR DEVIATION (RFD) 265-D019

3. All other terms and conditions of Contract W52H09-08-D-0367, except those addressed by this Modification 01 remain unchanged and in full force and effect.

\*\*\* END OF NARRATIVE A0002 \*\*\*

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>	<b>Page 3 of 5</b>
	PIIN/SIIN W52H09-08-D-0367/BR02      MOD/AMD 01	
<b>Name of Offeror or Contractor:</b> GUILD ASSOCIATES, INC.		

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

Technical Requirements for M100 Delivery Order BR02

1. In accordance with clause, First Article Test (Contractor Testing) 52.209-4512(f), an additional First Article Test is required based on a change in material (different sorbent powder used- reference RFD 265-D019). The cost of first article shall be borne by the contractor.

2. A First Article Test is required for this delivery order. First Article Requirements are detailed in Attachment 0001.

3. Based on the change in sorbent powder, off-gassing testing (EA-D-2166, 3.2.2, 4.7.2; 3.4.1, 4.9.1) in accordance with Attachment 0001 will be required, and will be done comparatively.

a. For each test condition detailed in attachment 0001, comparison will be made with a sample of A200-SiC-1005S, provided by the Government.

b. The proposed sorbent must meet or exceed the performance of the A200-SiC-1005S sample for all test conditions detailed in attachment 0001.

4. Simulant Reactivity Testing

a. Shall be conducted during the performance of all First Article Tests detailed in Attachment 0001, arising from EA-D-2166, that require simulant reactivity, however, the results of this testing will not be used in the evaluation of compliance with the requirements of EA-D-2166.

b. The results obtained from conduct of 4.a above will be averaged, and an amount of twice the standard deviation of the averaged results shall be subtracted from the average.

c. This value calculated in 4.b above will act as the minimum required simulant reactivity for application to all First Article Tests detailed in Attachment 0001, arising from EA-D-2163, that require simulant reactivity.

5. The manufacturer is authorized to propose alternate particle size (EA-D-2166, 3.3.3.2, 4.8.3.2) distributions with the following requirements:

a. Should the manufacturer decline to propose an alternate particle size distribution, all terms of Attachment 0001 will remain in effect.

b. Should the manufacturer elect to propose an alternate particle size distribution:

i. The distribution shall be established in accordance with EA-D-2166, using the bin sizes detailed in EA-D-2166, paragraph 3.3.3.2, to include mean particle size, prior to production of the full First Article sample submitted for laboratory testing.

ii. The particle size requirements of EA-D-2166, paragraph 3.3.3.2, specifically related to the percentage of particles in each bin size, shall be waived for this first article test, with the exception that no greater than 4% of particles may be less than 5 microns in size and no greater than 30% of particles may be more than 50 microns in size.

iii. The manufacturer may propose alternate bin sizes, but final approval of any alternate particle size distributions resides with the Government.

iv. Once the particle size distribution has been established by the manufacturer and approved by the government, all terms of Attachment 0001 will remain in effect.

v. All first article samples must comply with the newly established and government approved particle size distribution.

6. Manufacturers certification of transportability in accordance with EA-D-2166D, Section 4.9.2, Transportability, shall be required. Approval of this certification is at the discretion of the Government.

7. The safety and environmental reviews will be conducted by the Edgewood Chemical Biological Center (ECBC). In support of these reviews, the manufacturer will provide all Material Safety Data Sheets, certifications required for other verifications as required in Attachment 0001, and any other information regarding the CRB2632 sorbent powder requested by ECBC to support the reviews. Determination of compliance with applicable safety and environmental requirements, as captured in the review, will be at the discretion of the

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>	<b>Page 4 of 5</b>
	PIIN/SIIN W52H09-08-D-0367/BR02      MOD/AMD 01	

**Name of Offeror or Contractor:** GUILD ASSOCIATES, INC.

Government.

a. The proposed sorbent shall not increase the safety, environmental or health hazards associated with the M100 beyond those hazards inherent to the A200-SiC-1005S sorbent formulation. Assessments of compliance with this requirement are solely at the discretion of the Government.

b. The cost of the safety and environmental reviews will be borne by the contractor. The contracting specialist may be contacted for a cost estimate to conduct the reviews.

8. A Toxicity Clearance and Health Hazard Assessment Report, issued by the US Army Public Health Command (PHC) will be required, and shall form part of the Safety Review as detailed in item 7 above. The cost of the Toxicity Clearance and Health Hazard Assessment will be borne by the contractor, and will be included in the cost of the Safety Review.

9. An analysis of adherence to the disposal requirement of EA-D-2166, paragraph 3.4.3.2 shall be required, and shall form part of the Safety Review as detailed in item 7 above. The cost of the disposal analysis will be borne by the contractor, and will be included in the cost of the Safety Review.

10. A new formula identification shall be assigned for the CRB2632 sorbent. This formula identification will be annotated on the sorbent pack as required by EA-D-2163, paragraph 3.6.3.2.

11. Detectors and Monitors Replace procedure found in EA-D-2166, section 4.8.1 with the procedure found in Attachment 0002.

a. Note that the requirement to test against the M43A1 has been removed.

b. Verification against the Joint Chemical Agent Detector (JCAD) shall be added as a requirement for this test. The manufacturer shall submit a test procedure for verification against the JCAD for Government review and approval prior to test conduct. The procedure shall include the following:

i. Performance of an operational check to ensure the JCAD is functioning properly at the beginning of the test using confidence check simulants provided with the JCAD.

ii. Performance of an operational check to ensure the JCAD is functioning properly at the beginning of the test using GD, VX, and HD as applicable.

iii. Monitoring of the sorbent. Negative detection results shall be considered passing.

iv. Monitoring of the sorbent and agent in direct proximity. Positive detection results shall be considered passing.

v. Repeat of the operation check from 11.b.ii above using GD, VX, and HD as applicable. Negative detection results shall be considered passing.

12. At the conclusion of First Article Testing, the contractor shall submit a First Article Test Report to the Government in accordance with the terms of contract W52H09-08-D-0367.

13. Lot Acceptance Testing - All terms of lot acceptance testing remain unchanged, with the exception that the minimum simulant reactivity value established in item 4 above shall supersede the previous minimum simulant reactivity of 30% in all instances.

14. EA-D-2166D with Amendment 1 and EA-D-2163G with Amendment 2 supersede previous versions of these specifications for this delivery order.

15. Prior to the use of CRB2632 sorbent in any production quantities, the contractor shall receive explicit written notification from the Government Contracting Officer of their approved FAT Report, in accordance with the provisions above.

\*\*\* END OF NARRATIVE C0001 \*\*\*

**CONTINUATION SHEET****Reference No. of Document Being Continued****Page 5 of 5****PIIN/SIIN** W52H09-08-D-0367/BR02**MOD/AMD** 01**Name of Offeror or Contractor:** GUILD ASSOCIATES, INC.

## SECTION J - LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 0001	FIRST ARTICLE TEST REQUIREMENTS		003	EMAIL
Attachment 0002	SORBENT POWDER TEST METHODS		005	EMAIL
Attachment 0003	REQUEST FOR DEVIATION (RFD) 265-D019	31-JUL-2013	003	EMAIL