

**AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT**

1. Contract ID Code  
Firm Fixed Price

Page 1 Of 8

2. Amendment/Modification No.

P00002

3. Effective Date

4. Requisition/Purchase Req No.

SEE SCHEDULE

5. Project No. (If applicable)

6. Issued By

Code

W56HZV

7. Administered By (If other than Item 6)

Code

S1103A

U.S. ARMY CONTRACTING COMMAND  
COLETTE JOHNSON  
WARREN, MICHIGAN 48397-5000  
HTTP://CONTRACTING.TACOM.ARMY.MIL

DCMA ATLANTA  
2300 LAKE PARK DRIVE, SUITE 300  
SMYRNA GA 30080

EMAIL: COLETTE.JOHNSON1@US.ARMY.MIL

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)

KIPPER TOOL COMPANY  
2375 MURPHY BLVD  
GAINESVILLE, GA 30504-6001

9A. Amendment Of Solicitation No.

9B. Dated (See Item 11)

10A. Modification Of Contract/Order No.

W56HZV-13-C-0141

10B. Dated (See Item 13)

2013JUL24

Code 00NS2

Facility Code

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers

is extended,  is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:  
(a) By completing items 8 and 15, and returning \_\_\_\_\_ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

NO CHANGE TO OBLIGATION DATA

**13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS**

It Modifies The Contract/Order No. As Described In Item 14.

- A. This Change Order is Issued Pursuant To: \_\_\_\_\_ The Changes Set Forth In Item 14 Are Made In \_\_\_\_\_  
The Contract/Order No. In Item 10A.
- B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).
- C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:
- D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor  is not,  is required to sign this document and return \_\_\_\_\_ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)

16A. Name And Title Of Contracting Officer (Type or print)

SARAH L. DAVIS  
SARAH.L.DAVIS@US.ARMY.MIL (586)282-6076

15B. Contractor/Offeror

15C. Date Signed

16B. United States Of America

16C. Date Signed

(Signature of person authorized to sign)

By \_\_\_\_\_  
(Signature of Contracting Officer)

NSN 7540-01-152-8070

30-105-02

STANDARD FORM 30 (REV. 10-83)

PREVIOUS EDITIONS UNUSABLE

Prescribed by GSA FAR (48 CFR) 53.243

**CONTINUATION SHEET****Reference No. of Document Being Continued****Page 2 of 8**

PIIN/SIIN W56HZV-13-C-0141

MOD/AMD P00002

**Name of Offeror or Contractor:** KIPPER TOOL COMPANY

## SECTION A - SUPPLEMENTAL INFORMATION

Buyer Name: COLETTE JOHNSON

Buyer Office Symbol/Telephone Number: CCTA-HBA-T/(586)282-8737

Type of Contract: Firm Fixed Price

Kind of Contract: Supply Contracts and Priced Orders

Type of Business: Other Small Business Performing in U.S.

Surveillance Criticality Designator: B

Weapon System: Tools and Shop Sets

\*\*\* End of Narrative A0000 \*\*\*

1. The purpose of Modification P00002 is to provide additional information on the Scope of Work--Section C and Packaging and Delivery-Section D.
2. As a result of this modification the contract value remains the same.
3. Except as provided herein, all contract terms and conditions remain unchanged and in full force effect.

\*\*\* END OF NARRATIVE A0002 \*\*\*

CONTINUATION SHEET

Reference No. of Document Being Continued  
 PIIN/SIIN W56HZV-13-C-0141 MOD/AMD P00002

Name of Offeror or Contractor: KIPPER TOOL COMPANY

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001AA	<p>SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS</p> <p><u>REFRIGERATION SUPPLEMENTAL #3 ACCESSORY KIT</u></p> <p>GENERIC NAME DESCRIPTION: TOOL KIT,REFRIGERAT                      CLIN CONTRACT TYPE:                      Firm Fixed Price                      PRON: EH3V4402EH PRON AMD: 04 ACRN: AA                      AMS CD: SM2B1100000                      PSC: 5180</p> <p><u>Packaging and Marking</u></p> <p><u>Inspection and Acceptance</u>                      INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u>                      DOC SUPPL  <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u>                      001 W56HZV2276D700 W25G1U J 2  <u>DEL REL CD QUANTITY DEL DATE</u>                      001 72 13-DEC-2013</p> <p>FOB POINT: Destination</p> <p>SHIP TO:                      (W25G1U) SU W1BG DLA DISTRIBUTION                      DDSP NEW CUMBERLAND FACILITY                      2001 NORMANDY DRIVE DOOR 113 TO 134                      NEW CUMBERLAND,PA,17070-5002</p>	72	EA	\$ 1,595.00000	\$ 114,840.00

**CONTINUATION SHEET****Reference No. of Document Being Continued****Page 4 of 8****PIIN/SIIN** W56HZV-13-C-0141**MOD/AMD** P00002**Name of Offeror or Contractor:** KIPPER TOOL COMPANY

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

PART I \\_ SECTION C \\_ DESCRIPTION/SPECIFICATIONS

In addition to the Item Description, Drawing(s) and/or Specification(s) listed below, Preservation/Packaging/Packing and Inspection and Acceptance documents are contained elsewhere herein (Sections D & E respectively).

## PRODUCT ENGINEERING REQUIREMENTS

The following Item Description, Drawing(s) and/or Specification(s) represent minimum Government requirements and are applicable to this Procurement.

National Stock Number (NSN): [NSN]

Item: TOOL KIT, REFRIGERATION SERVICE ACCESSORY

In accordance with:

Description for Purchase (DFP) 668, Revision A, dated 12 November 2013.

Specifications and Standards referenced in the above cited applicable document(s) (drawings, part lists, and specifications) shall be the effective issue or revision in effect as listed in the Department of Defense ASSIST database, assist.daps.dla.mil, as of 12 Dec 2012.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> W56HZV-13-C-0141 <b>MOD/AMD</b> P00002	<b>Page</b> 5 <b>of</b> 8
<b>Name of Offeror or Contractor:</b> KIPPER TOOL COMPANY		

\*\*\* END OF NARRATIVE C0001 \*\*\*

**CONTINUATION SHEET****Reference No. of Document Being Continued**

Page 6 of 8

PIIN/SIIN W56HZV-13-C-0141

MOD/AMD P00002

**Name of Offeror or Contractor:** KIPPER TOOL COMPANY

## SECTION D - PACKAGING AND MARKING

## PART 1 SECTION D

## PACKAGING

NSN: [NSN]

ITEM: Refrigeration Repair Supplemental Kit

1 Packaging. Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year, provide for multiple handling, redistribution and shipment by any mode and meet or exceed the following requirements.

1.1 Cleanliness. Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants. Cleaning may be any suitable process that is not injurious to the item or the protective finish.

1.2 Preservation. Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and or watervaporproof barriers.

1.3 Cushioning. Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment. Items of a delicate nature shall not be subjected to damage from rugged items contained within the kit. Non-critical items of odd shapes or having sharp protrusions will not damage other items or protective barriers.

2 Unit Package. A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box. Unit packs shall be designed to have minimum size and weight while retaining the protection required and enhancing standardization.

3 Unit Package Quantity. Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

4 Intermediate Package (as applicable) Intermediate packaging is required whenever one or more of the following conditions exist:

- a. the quantity is over one (1) gross of the same national stock number,
- b. use enhances handling and inventorying,
- c. the exterior surfaces of the unit pack is a bag of any type, regardless of size,
- d. the unit pack is less than 64 cubic inches,
- e. the weight of the unit pack is less than five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

5 Shipping Containers. Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items. The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

6 Unitization. Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads shall be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two pallet loads high and wide in a conveyance. The weight capacity of the pallet shall be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. All variations must be approved by the contracting office prior to implementation. The load shall be contained in a manner that will permit safe handling during shipment and storage.

7 Marking. All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P Change Notice 4, dated 19 Sep 2007 including bar coding and a MSL label. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors shall check the solicitation and/or contract

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>	<b>Page 7 of 8</b>
	PIIN/SIIN W56HZV-13-C-0141	MOD/AMD P00002

**Name of Offeror or Contractor:** KIPPER TOOL COMPANY

for this clause. For details and most recent information, see <http://www.acq.osd.mil/log/rfid/index.htm> for the current DoD Suppliers Passive RFID Information Guide and Supplier Implementation Plan. If the item has Unique Item Identifier (UII) markings then the UII needs to be 2D bar coded and applied on the unit package, intermediate and exterior containers, and the unit load.

8 Hazardous Materials (as applicable): Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

When applicable, the packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA)? Dangerous Goods Regulations  
International Maritime Dangerous Goods Code (IMDG)?

Code of Federal Regulations (CFR) Title 29, Title 40? and Title 49

Joint Service Regulation? AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

Product Material Safety Data Sheet (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

9 Heat Treatment and Marking of Wood Packaging Materials. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. . Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

In addition, wood used as dunnage for blocking and bracing, to include ISO containers, shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

10 Quality Assurance. The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package. All items, packing configurations, and markings supplied under this contract shall be identical to the first article

11 Supplemental Instructions. When a (set/kit) requires two or more containers, each container shall be marked IAW 5.2.14 of MIL-STD-129P. Each container shall be marked with its own number within the set (1 of 2, 2 of 2) and the number of the set within each shipment (i.e., Set 1). Each numbered container shall be identical from set to set (i.e. chest 1 of 2 of Set 1 shall be identical to chest 1 of 2 of Set 2). See FIGURE 33 for marking in MIL-STD-129P.

Where VCI is used, electric or battery operated devices, batteries, and components of natural or synthetic rubber shall be heat sealed in a bag conforming to MIL-DTL-117, Type-III, Class-B to prevent exposure to vapors. Desiccant and VCI shall not be present in the same pack.

Manuals, parts lists, and warranty information shall be packed in sealed water proof packaging that is reusable, i.e. zip lock bag. Packing Lists shall be sealed in water-resistant envelopes and secured to the exterior of the load or container in the most protected location.

Overall, packaging shall successfully pass test levels of ASTM D 4169, Distribution Cycle 18, Assurance Level (I for level A pack, or II for level B pack), Acceptance Criterion 3. Testing shall be witnessed by the Government Quality Assurance Representative. Packaged gross weight and size shall be included on the test report as well as a detailed description of the packaging. The Contractor is exempted from testing if previous data for same or similar items can be provided (see Para. 5.6 of MIL-STD-2073-1D) and is acceptable to the Government.

\*\*\* END OF NARRATIVE D0001 \*\*\*

**CONTINUATION SHEET**

**Reference No. of Document Being Continued**

**Page 8 of 8**

**PIIN/SIIN** W56HZV-13-C-0141

**MOD/AMD** P00002

**Name of Offeror or Contractor:** KIPPER TOOL COMPANY

SECTION J - LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 0002	DFP 668 REV A 12 NOV 2013	12-NOV-2013	012	EMAIL