

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. Contract ID Code
Firm Fixed Price

Page 1 Of 11

2. Amendment/Modification No. P00005	3. Effective Date 2014SEP05	4. Requisition/Purchase Req No. SEE SCHEDULE	5. Project No. (If applicable)
---	--------------------------------	---	--------------------------------

6. Issued By U.S. ARMY CONTRACTING COMMAND MARGARET BADAMO WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL EMAIL: MARGARET.M.BADAMO.CIV@MAIL.MIL	Code W56HZV	7. Administered By (If other than Item 6) DCMA BALTIMORE 217 EAST REDWOOD STREET SUITE 1800 BALTIMORE MD 21202-3375	Code S2101A
---	----------------	---	----------------

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code) APEX TOOL GROUP, LLC 14600 YORK RD STE A SPARKS, MD 21152-9396	<input type="checkbox"/>	9A. Amendment Of Solicitation No.
	<input type="checkbox"/>	9B. Dated (See Item 11)
	<input checked="" type="checkbox"/>	10A. Modification Of Contract/Order No. W56HZV-14-D-0022
	<input type="checkbox"/>	10B. Dated (See Item 13) 2013DEC19
Code 636D0	Facility Code	

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers

is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning _____ copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

NO CHANGE TO OBLIGATION DATA

**13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS
It Modifies The Contract/Order No. As Described In Item 14.**

<input type="checkbox"/>	A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10A.	The Changes Set Forth In Item 14 Are Made In
<input type="checkbox"/>	B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).	
<input checked="" type="checkbox"/>	C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:	Mutual Agreement of Both Parties
<input type="checkbox"/>	D. Other (Specify type of modification and authority)	

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)	16A. Name And Title Of Contracting Officer (Type or print) TERRENCE R. BROWN TERRENCE.R.BROWN@US.ARMY.MIL (586)282-8886		
15B. Contractor/Offeror _____ (Signature of person authorized to sign)	15C. Date Signed	16B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)	16C. Date Signed 2014SEP05

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 2 of 11

PIIN/SIIN W56HZV-14-D-0022

MOD/AMD P00005

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

SECTION A - SUPPLEMENTAL INFORMATION

Buyer Name: MARGARET BADAMO
 Buyer Office Symbol/Telephone Number: CCTA-HBA-K/(586)282-8737
 Type of Contract: Firm Fixed Price
 Kind of Contract: Supply Contracts and Priced Orders
 Type of Business: Large Business Performing in U.S.
 Surveillance Criticality Designator: B
 Contract Expiration Date: 2019DEC05

*** End of Narrative A0000 ***

Modification P00005 to Base Contract W56HZV-14-D-0022, Electronic Maintenance Tool Kit (ESMTK) is a supplemental agreement. This is a bilateral modification.

1. The purpose of Modification P00005 is to incorporate changes in DFP 622L, the Replacement and Warranty Spreadsheet (Version 3), the Component List Spreadsheet (Version 3), the Tool Layout Component List Spreadsheet (Version 3), and the Box 2 Tool Layout Drawing (Version 2).

2. The COMMERCIAL ITEM DESCRIPTION (CID) will be changed in the following paragraphs of DFP 622L: 2.2.2 Other Government Documents, Drawings and Publications; 3.5.94 Tool Box; 3.6.3.5 Security; and 4.2.1.7 Security. The CID will be changed as follows:

FROM: A-A-59486

TO: A-A-59487

**As a result of the above changes the DFP (ATTACHMENT 0001) will be updated from DFP 622L to DFP 622M.

3. The REPLACEMENT AND WARRANTY SPREADSHEET will be changed as follows:

FROM:

DFP Component Numbers	Nomenclature	Manufacturer	Part Number
3.5.19	Hex Key, Short, 0.028 inch	Allen	57002
3.5.20	Hex Key, Short, 0.035 inch	Allen	57004
3.5.22	Hex Key, Short, 7/64 inch	Allen	57013
3.5.76	Hex Bit Set	KD	3.5.76
3.5.76.1	Adapter, 1/4 in. square to 1/4 in. hex	KD	GCT410201
3.5.76.2	Adapter, 3/8 in. square to 1/4 in. hex	KD	GCT410103
3.5.76.3	Phillips #1 bit	KD	B411901
3.5.76.4	Phillips #2 bit	KD	B411902
3.5.76.5	Phillips #3 bit	KD	B411903
3.5.76.6	Slotted 3/16 inch bit	KD	B411925
3.5.76.7	Slotted 1/4 inch bit	KD	B411926
3.5.76.8	Slotted 9/32 inch bit	KD	GCT411927
3.5.81.6	Wrench, 9/32 inch	Armstrong	G25-009
3.5.89	Wrench, Spanner, Adjustable Arms, 4 inch	Urenda Tool	UTC 5120-00-561-0854
3.5.90	Wrench, Spanner, Adjustable Arms	Urenda Tool	UTC 5120-00-561-0855

TO:

DFP Component Numbers	Nomenclature	Manufacturer	Part Number
3.5.19	Hex Key, Short, 0.028 inch	Allen	57002D
3.5.20	Hex Key, Short, 0.035 inch	Allen	57004D
3.5.22	Hex Key, Short, 7/64 inch	Allen	57013D
3.5.76	Hex Bit Set	Armstrong	3.5.76
3.5.76.1	Adapter, 1/4 in. square to 1/4 in. hex	Armstrong	GCT410201

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 3 of 11

PIIN/SIIN W56HZV-14-D-0022

MOD/AMD P00005

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

3.5.76.2	Adapter, 3/8 in. square to 1/4 in. hex	Armstrong	GCT410103
3.5.76.3	Phillips #1 bit	Armstrong	B411901
3.5.76.4	Phillips #2 bit	Armstrong	B411902
3.5.76.5	Phillips #3 bit	Armstrong	B411903
3.5.76.6	Slotted 3/16 inch bit	Armstrong	B411925
3.5.76.7	Slotted 1/4 inch bit	Armstrong	B411926
3.5.76.8	Slotted 9/32 inch bit	Armstrong	GCT411927
3.5.81.6	Wrench, 9/32 inch	Armstrong	25-009
3.5.89	Wrench, Spanner, Adjustable Arms, 4 inch	Urenda Tool	5120-00-561-0854
3.5.90	Wrench, Spanner, Adjustable Arms	Urenda Tool	5120-00-561-0855

**As a result of the changes above, the REPLACEMENT AND WARRANTY SPREADSHEET (ATTACHMENT 0002) will be updated and identified as Version 4 to reflect these changes.

4. The COMPONENT LIST SPREADSHEET will be changed as follows:

FROM:

DFP

<u>Paragraph</u>	<u>Description</u>	<u>Manufacturer</u>	<u>Part Number</u>
3.5.19	Hex Key, Short, 0.028 inch	Allen	57002
3.5.20	Hex Key, Short, 0.035 inch	Allen	57004
3.5.22	Hex Key, Short, 7/64 inch	Allen	57013
3.5.76.1	Adapter, 1/4 in. square to 1/4 in. hex	KD	GCT410201
3.5.76.2	Adapter, 3/8 in. square to 1/4 in. hex	KD	GCT410103
3.5.76.3	Phillips #1 bit	KD	B411901
3.5.76.4	Phillips #2 bit	KD	B411902
3.5.76.5	Phillips #3 bit	KD	B411903
3.5.76.6	Slotted 3/16 inch bit	KD	B411925
3.5.76.7	Slotted 1/4 inch bit	KD	B411926
3.5.76.8	Slotted 9/32 inch bit	KD	GCT411927
3.5.81.6	Wrench, 9/32 inch	Armstrong	G25-009
3.5.89	Wrench, Spanner, Adjustable Arms, 4 inch	Urenda Tool	UTC 5120-00-561-0854
3.5.90	Wrench, Spanner, Adjustable Arms	Urenda Tool	UTC 5120-00-561-0855

TO:

DFP

<u>Paragraph</u>	<u>Description</u>	<u>Manufacturer</u>	<u>Part Number</u>
3.5.19	Hex Key, Short, 0.028 inch	Allen	57002D
3.5.20	Hex Key, Short, 0.035 inch	Allen	57004D
3.5.22	Hex Key, Short, 7/64 inch	Allen	57013D
3.5.76.1	Adapter, 1/4 in. square to 1/4 in. hex	Armstrong	GCT410201
3.5.76.2	Adapter, 3/8 in. square to 1/4 in. hex	Armstrong	GCT410103
3.5.76.3	Phillips #1 bit	Armstrong	B411901
3.5.76.4	Phillips #2 bit	Armstrong	B411902
3.5.76.5	Phillips #3 bit	Armstrong	B411903
3.5.76.6	Slotted 3/16 inch bit	Armstrong	B411925
3.5.76.7	Slotted 1/4 inch bit	Armstrong	B411926
3.5.76.8	Slotted 9/32 inch bit	Armstrong	GCT411927
3.5.81.6	Wrench, 9/32 inch	Armstrong	25-009
3.5.89	Wrench, Spanner, Adjustable Arms, 4 inch	Urenda Tool	5120-00-561-0854
3.5.90	Wrench, Spanner, Adjustable Arms	Urenda Tool	5120-00-561-0855

**As a result of the changes above, the COMPONENT LIST SPREADSHEET (ATTACHMENT 0003) will be updated and identified as Version 4 to reflect these changes.

5. The TOOL LAYOUT COMPONENT LIST SPREADSHEET will be changed as follows:

FROM:

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 4 of 11

PIIN/SIIN W56HZV-14-D-0022

MOD/AMD P00005

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

<u>Box #</u>	<u>Drawer #</u>	<u>Comp. No.</u>	<u>Brand</u>	<u>Part No.</u>
1	3	3.5.19	Allen	57002
1	3	3.5.20	Allen	57004
1	3	3.5.22	Allen	57013
2	1	3.5.76.1	KD	GCT410201
2	1	3.5.76.2	KD	GCT410103
2	1	3.5.76.3	KD	B411901
2	1	3.5.76.4	KD	B411902
2	1	3.5.76.5	KD	B411903
2	1	3.5.76.6	KD	B411925
2	1	3.5.76.7	KD	B411926
2	1	3.5.76.8	KD	CT411927
2	1	3.5.81.6	Armstrong	G25-009
1	1	3.5.89	Urenda Tool	UTC 5120-00-561-0854
1	1	3.5.90	Urenda Tool	UTC 5120-00-561-0855

TO:

<u>Box #</u>	<u>Drawer #</u>	<u>Comp. No.</u>	<u>Brand</u>	<u>Part No.</u>
1	3	3.5.19	Allen	57002D
1	3	3.5.20	Allen	57004D
1	3	3.5.22	Allen	57013D
2	3	3.5.76.1	Armstrong	GCT410201
2	3	3.5.76.2	Armstrong	GCT410103
2	3	3.5.76.3	Armstrong	B411901
2	3	3.5.76.4	Armstrong	B411902
2	3	3.5.76.5	Armstrong	B411903
2	3	3.5.76.6	Armstrong	B411925
2	3	3.5.76.7	Armstrong	B411926
2	3	3.5.76.8	Armstrong	CT411927
2	3	3.5.81.6	Armstrong	25-009
1	1	3.5.89	Urenda Tool	5120-00-561-0854
1	1	3.5.90	Urenda Tool	5120-00-561-0855

** As a result of the changes above, the TOOL LAYOUT COMPONENT LIST SPREADSHEET (ATTACHMENT 0004) will be updated and identified as Version 4 to reflect these changes.

6. The following changes will be incorporated for BOX 2:

- a) There are no changes to the TOP.
- b) DRAWER 1 will be changed as follows:

FROM:

- 3.5.76 Hex Bit Set, 8-pc, consists of:
 - 3.5.76.1 Adapter, 1/4" square drive to 1/4 hex drive
 - 3.5.76.2 Adapter, 3/8" square drive to 1/4" hex drive
 - 3.5.76.3 1/4" hex drive bit, Phillips #1
 - 3.5.76.4 1/4" hex drive bit, Phillips #2
 - 3.5.76.5 1/4" hex drive bit, Phillips #3
 - 3.5.76.6 1/4" hex drive bit, Slotted, 3/16" tip
 - 3.5.76.7 1/4" hex drive bit, Slotted, 1/4" tip
 - 3.5.76.8 1/4" hex drive bit, Slotted, 9/32" tip
- 3.5.80.1 Wrench, Combination, 12 pt., chrome finish, regular length, 5/16" size
- 3.5.80.2 Wrench, Combination, 12 pt., chrome finish, regular length, 3/8" size
- 3.5.80.3 Wrench, Combination, 12 pt., chrome finish, regular length, 7/16" size
- 3.5.80.4 Wrench, Combination, 12 pt., chrome finish, regular length, 1/2" size
- 3.5.80.5 Wrench, Combination, 12 pt., chrome finish, regular length, 9/16" size
- 3.5.80.6 Wrench, Combination, 12 pt., chrome finish, regular length, 5/8" size
- 3.5.80.7 Wrench, Combination, 12 pt., chrome finish, regular length, 11/16" size

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 5 of 11

PIIN/SIIN W56HZV-14-D-0022

MOD/AMD P00005

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

- 3.5.80.8 Wrench, Combination, 12 pt., chrome finish, regular length, 3/4" size
- 3.5.80.9 Wrench, Combination, 12 pt., chrome finish, regular length, 13/16" size
- 3.5.81.1 Wrench, Combination 6 pt., chrome finish, regular length, 1/8" size
- 3.5.81.2 Wrench, Combination, 6 pt., chrome finish, regular length, 5/32" size
- 3.5.81.3 Wrench, Combination, 6 pt., chrome finish, regular length, 3/16" size
- 3.5.81.4 Wrench, Combination, 6 pt., chrome finish, regular length, 7/32" size
- 3.5.81.5 Wrench, Combination, 6 pt., chrome finish, regular length, 1/4" size
- 3.5.81.6 Wrench, Combination, 6 pt., chrome finish, regular length, 9/32 size
- 3.5.81.7 Wrench, Combination, 6 pt., chrome finish, regular length, 5/16" size
- 3.5.81.8 Wrench, Combination, 6 pt., chrome finish, regular length, 11/32" size
- 3.5.81.9 Wrench, Combination, 6 pt., chrome finish, regular length, 3/8" size

TO:

- 3.5.4 File, Hand, Set 12 pc., #2 cut, knurled handles, 6-1/4" length, vinyl case
- 3.5.5 File, Hand, Flat, American Pattern, second cut, 8" length
- 3.5.6 File, Hand, Half-Round, American Pattern, second cut, 6" length
- 3.5.7 File, Hand, Round, American Pattern, second cut, 4" length
- 3.5.8 Handle, File, adjustable
- 3.5.13 Hammer, Ball Peen, fiberglass handle, 9 to 11" length, 4 oz. head
- 3.5.14 Hammer, Dead Blow, urethane, 10" max length, 1" max head dia., 5-9 oz weight
- 3.5.15 Hammer, Dead Blow, steel overall with non-marring striking surfaces, 23-25 oz. wt
- 3.5.39 Punch Set, Drive Pin, 9 pc., 1/16" to 3/8" point sizes
- 3.5.40 Punch, Drive Pin, 1/16", 3" to 4.5" overall length, One piece design, knurled grip
- 3.5.41 Pin Adjusting, Driving, Punch, double ended, In acc/w Army Drawing 7597712.
- 3.5.42 Punch, Center, 5/32" point, hexagonal shank 3/8" width, min 4" overall length
- 3.5.43 Drift Pin, 3/16 to 1/4", Brass, single taper, 3.75" to 4.25" overall length
- 3.5.44 Chisel, Cold, 1/4", flat or convex striking surface, Type I, Class 2
- 3.5.82 Wrench, Strap, 11.5" to 12" length wrench, 2" pipe capacity
- 3.5.69 Stripper, Wire, 10 - 22 AWG, replaceable cutting blades, cushion grip handles

c) DRAWER 2 will be changed as follows:

FROM:

- 3.5.75.1 Socket, 1/4" Dr., 6 pt., Regular length, 1/8" size
- 3.5.75.2 Socket, 1/4" Dr., 6 pt., Regular length, 5/32" size
- 3.5.75.3 Socket, 1/4" Dr., 6 pt., Regular length, 3/16" size
- 3.5.75.4 Socket, 1/4" Dr., 6 pt., Regular length, 7/32" size
- 3.5.75.5 Socket, 1/4" Dr., 6 pt., Regular length, 1/4" size
- 3.5.75.6 Socket, 1/4" Dr., 6 pt., Regular length, 9/32" size
- 3.5.75.7 Socket, 1/4" Dr., 6 pt., Regular length, 5/16" size
- 3.5.75.8 Socket, 1/4" Dr., 6 pt., Regular length, 11/32" size
- 3.5.75.9 Socket, 1/4" Dr., 6 pt., Regular length, 3/8" size
- 3.5.75.10 Socket, 1/4" Dr., 6 pt., Regular length, 7/16" size
- 3.5.75.11 Socket, 1/4" Dr., 6 pt., Regular length, 1/2" size
- 3.5.75.12 Socket, 1/4" Dr., 6 pt., Regular length, 9/16" size
- 3.5.75.13 Socket, 1/4" Dr., 6 pt., Deep length, 3/16" size
- 3.5.75.14 Socket, 1/4" Dr., 6 pt., Deep length, 7/32" size
- 3.5.75.15 Socket, 1/4" Dr., 6 pt., Deep length, 1/4" size
- 3.5.75.16 Socket, 1/4" Dr., 6 pt., Deep length, 9/32" size
- 3.5.75.17 Socket, 1/4" Dr., 6 pt., Deep length, 5/16" size
- 3.5.75.18 Socket, 1/4" Dr., 6 pt., Deep length, 11/32" size
- 3.5.75.19 Socket, 1/4" Dr., 6 pt., Deep length, 3/8" size
- 3.5.75.20 Socket, 1/4" Dr., 6 pt., Deep length, 7/16" size
- 3.5.75.21 Socket, 1/4" Dr., 6 pt., Deep length, 1/2" size
- 3.5.75.22 Socket, 1/4" Dr., 6 pt., Deep length, 9/16" size
- 3.5.75.23 Sliding T-handle, 1/4" Dr., 4 to 5 inches long, 5/16-inch handle diameter
- 3.5.75.24 Breaker Bar, 1/4" Dr., 5.75 to 6.25 inches long
- 3.5.75.25 Ratchet Spinner, 1/4" Dr., 1 \ 'bl 0.1875 inch outer diameter
- 3.5.75.26 Speeder, 1/4" Dr., 15.75 to 16.25" length
- 3.5.75.27 Flexible Driver, 1/4" Dr., 6 to 7.5" length, screwdriver-type handle, flexible shaft
- 3.5.75.28 Driver, 1/4" Dr., screwdriver-type handle, 6 to 7.5" length
- 3.5.75.29 Ratchet, 1/4" Dr., sealed head, 72-teeth min., 4 to 5.5" length, 90 ft-lbs torque

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 6 of 11

PIIN/SIIN W56HZV-14-D-0022

MOD/AMD P00005

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

- 3.5.75.30 Socket, 1/4" Dr., 8 pt., Regular length, 1/4" size
- 3.5.75.31 Socket, 1/4" Dr., 8 pt., Regular length, 5/16" size
- 3.5.75.32 Socket, 1/4" Dr., 8 pt., Regular length, 3/8" size
- 3.5.75.33 Extension, 1/4" Dr., Flexible, 6" length
- 3.5.75.34 Carburetor Adjusting Tool, 1/4" Dr., Flexible adjusting wrench, 19" to 21" length
- 3.5.75.35 Socket, 1/4" Dr., Flat Tip screwdriver type, short length, 1/4" x 0.036" size
- 3.5.75.36 Socket, 1/4" Dr., Hex Driver, standard length, 5/64" size
- 3.5.75.37 Socket, 1/4" Dr., Hex Driver, standard length, 3/32" size
- 3.5.75.38 Socket, 1/4" Dr., Hex Driver, standard length, 7/64" size
- 3.5.75.39 Socket, 1/4" Dr., Hex Driver, standard length, 1/8" size
- 3.5.75.40 Socket, 1/4" Dr., Hex Driver, standard length, 9/64" size
- 3.5.75.41 Socket, 1/4" Dr., Hex Driver, standard length, 5/32" size
- 3.5.75.42 Socket, 1/4" Dr., Hex Driver, standard length, 3/16" size
- 3.5.75.43 Socket, 1/4" Dr., Hex Driver, standard length, 7/32" size
- 3.5.75.44 Socket, 1/4" Dr., Hex Driver, standard length, 1/4" size
- 3.5.75.45 Socket, 1/4" Dr., Flat Tip, standard length, 3/16" blade width
- 3.5.75.46 Socket, 1/4" Dr., Flat Tip, standard length, 1/4" blade width
- 3.5.75.47 Socket, 1/4" Dr., Flat Tip, standard length, 3/8" blade width
- 3.5.75.48 Socket, 1/4" Dr., Phillips Tip, standard length, #1 tip size
- 3.5.75.49 Socket, 1/4" Dr., Phillips Tip, standard length, #2 tip size
- 3.5.75.50 Socket, 1/4" Dr., Phillips Tip, long length, #2 tip size
- 3.5.75.51 Socket, 1/4" Dr., 12 pt., Universal type, 1/4" size
- 3.5.75.52 Socket, 1/4" Dr., 12 pt., Universal type, 5/16" size
- 3.5.75.53 Socket, 1/4" Dr., 12 pt., Universal type, 3/8" size
- 3.5.75.54 Socket, 1/4" Dr., 12 pt., Universal type, 7/16" size
- 3.5.75.55 Socket, 1/4" Dr., 12 pt., Universal type, 1/2" size
- 3.5.75.56 Socket, 1/4" Dr., 12 pt., Universal type, 9/16" size
- 3.5.75.57 Universal Joint, 1/4" Dr.
- 3.5.75.58 Extension, 1/4" Dr., Knurled, 2" length
- 3.5.75.59 Extension, 1/4" Dr., Knurled, 4" length
- 3.5.75.60 Extension, 1/4" Dr., Knurled, 6" length
- 3.5.75.61 Extension, 1/4" Dr., Knurled, 14" length

TO:

- 3.5.29 Pliers, Needle Nose, straight, 6" to 7" length with vinyl grips
- 3.5.30 Pliers, Bent Nose, Needle Nose, 5.5" to 7.40" length with vinyl grips
- 3.5.32 Pliers, Diagonal Cutting, 6" length, standard cutting blades and narrow jaws
- 3.5.33 Pliers, Diagonal Cutting, 4.5" length, standard cutting blades and narrow jaws
- 3.5.34 Pliers, Diagonal Cutting, 6 inch, wire stripping, wire stripping hole
- 3.5.35 Pliers, Combination Slip Joint, with wire cutter, 7" to 9" overall length
- 3.5.36 Pliers, Slip Joint, Angled Jaw, multiple tongue and groove, 9.5" to 10.5" length
- 3.5.37 Pliers, Wire Twister, right hand, nominal length of 9", overall length 10" to 10.5"
- 3.5.83 Wrench, Adjustable, 6" length
- 3.5.84 Wrench, Adjustable, 10" length
- 3.5.85 Wrench, Adjustable, 12" length
- 3.5.31 Pliers Set, Retaining Ring, external pliers, internal pliers, tips, in a plastic box

d) DRAWER 3 will be changed as follows:

FROM:

- 3.5.79 Wrench Set, Socket, 23 pc., 3/8 inch drive consisting of the following:
 - 3.5.79.1 Socket, 3/8" Dr., 12 pt., Regular length, 3/8" size
 - 3.5.79.2 Socket, 3/8" Dr., 12 pt., Regular length, 7/16" size
 - 3.5.79.3 Socket, 3/8" Dr., 12 pt., Regular length, 1/2" size
 - 3.5.79.4 Socket, 3/8" Dr., 12 pt., Regular length, 9/16" size
 - 3.5.79.5 Socket, 3/8" Dr., 12 pt., Regular length, 5/8" size
 - 3.5.79.6 Socket, 3/8" Dr., 12 pt., Regular length, 11/16" size
 - 3.5.79.7 Socket, 3/8" Dr., 12 pt., Regular length, 3/4" size
 - 3.5.79.8 Socket, 3/8" Dr., 12 pt., Regular length, 13/16" size
 - 3.5.79.9 Socket, 3/8" Dr., 12 pt., Regular length, 7/8" size
 - 3.5.79.10 Socket, 3/8" Dr., 12 pt., Deep length, 1/2" size
 - 3.5.79.11 Socket, 3/8" Dr., 12 pt., Deep length, 9/16" size

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 7 of 11

PIIN/SIIN W56HZV-14-D-0022

MOD/AMD P00005

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

- 3.5.79.12 Socket, 3/8" Dr., 12 pt., Deep length, 5/8" size
- 3.5.79.13 Socket, 3/8" Dr., 12 pt., Deep length, 11/16" size
- 3.5.79.14 Socket, 3/8" Dr., 12 pt., Deep length, 3/4" size
- 3.5.79.15 Socket, 3/8" Dr., 12 pt., Deep length, 13/16" size
- 3.5.79.16 Socket, 3/8" Dr., 12 pt., Universal type, Regular length, 1/2" size
- 3.5.79.17 Socket, 3/8" Dr., 12 pt., Universal type, Regular length, 9/16" size
- 3.5.79.18 Extension, 3/8" Dr., Knurled, 6" length
- 3.5.79.19 Extension, 3/8" Dr., Knurled, 11" to 12" length
- 3.5.79.20 Breaker Bar, 3/8" Dr., 8 to 10" length
- 3.5.79.21 Speeder, 3/8" Dr., 16 to 18" length
- 3.5.79.22 Ratchet, 3/8" Dr., sealed head, reversible, 72 teeth min., 6 to 8" length
- 3.5.79.23 Universal Joint, 3/8" Dr
- 3.5.77 Adapter, Socket Wrench, 3/8 female to 1/4 inch male square
- 3.5.78 Adapter, Socket Wrench, 1/4 female to 3/8 inch male square

TO:

- 3.5.76 Hex Bit Set, 8-pc, consists of:
 - 3.5.76.1 Adapter, 1/4" square drive to 1/4 hex drive
 - 3.5.76.2 Adapter, 3/8" square drive to 1/4" hex drive
 - 3.5.76.3 1/4" hex drive bit, Phillips #1
 - 3.5.76.4 1/4" hex drive bit, Phillips #2
 - 3.5.76.5 1/4" hex drive bit, Phillips #3
 - 3.5.76.6 1/4" hex drive bit, Slotted, 3/16" tip
 - 3.5.76.7 1/4" hex drive bit, Slotted, 1/4" tip
 - 3.5.76.8 1/4" hex drive bit, Slotted, 9/32" tip
- 3.5.80.1 Wrench, Combination, 12 pt., chrome finish, regular length, 5/16" size
- 3.5.80.2 Wrench, Combination, 12 pt., chrome finish, regular length, 3/8" size
- 3.5.80.3 Wrench, Combination, 12 pt., chrome finish, regular length, 7/16" size
- 3.5.80.4 Wrench, Combination, 12 pt., chrome finish, regular length, 1/2" size
- 3.5.80.5 Wrench, Combination, 12 pt., chrome finish, regular length, 9/16" size
- 3.5.80.6 Wrench, Combination, 12 pt., chrome finish, regular length, 5/8" size
- 3.5.80.7 Wrench, Combination, 12 pt., chrome finish, regular length, 11/16" size
- 3.5.80.8 Wrench, Combination, 12 pt., chrome finish, regular length, 3/4" size
- 3.5.80.9 Wrench, Combination, 12 pt., chrome finish, regular length, 13/16" size
- 3.5.81.1 Wrench, Combination 6 pt., chrome finish, regular length, 1/8" size
- 3.5.81.2 Wrench, Combination, 6 pt., chrome finish, regular length, 5/32" size
- 3.5.81.3 Wrench, Combination, 6 pt., chrome finish, regular length, 3/16" size
- 3.5.81.4 Wrench, Combination, 6 pt., chrome finish, regular length, 7/32" size
- 3.5.81.5 Wrench, Combination, 6 pt., chrome finish, regular length, 1/4" size
- 3.5.81.6 Wrench, Combination, 6 pt., chrome finish, regular length, 9/32" size
- 3.5.81.7 Wrench, Combination, 6 pt., chrome finish, regular length, 5/16" size
- 3.5.81.8 Wrench, Combination, 6 pt., chrome finish, regular length, 11/32" size
- 3.5.81.9 Wrench, Combination, 6 pt., chrome finish, regular length, 3/8" size

e) DRAWER 4 will be changed as follows:

FROM:

- 3.5.91 C-Clamp, 0 to 4" capacity, 2.75" min. throat depth, rated no less than 4,100 lbs

TO:

- 3.5.75.1 Socket, 1/4" Dr., 6 pt., Regular length, 1/8" size
- 3.5.75.2 Socket, 1/4" Dr., 6 pt., Regular length, 5/32" size
- 3.5.75.3 Socket, 1/4" Dr., 6 pt., Regular length, 3/16" size
- 3.5.75.4 Socket, 1/4" Dr., 6 pt., Regular length, 7/32" size
- 3.5.75.5 Socket, 1/4" Dr., 6 pt., Regular length, 1/4" size
- 3.5.75.6 Socket, 1/4" Dr., 6 pt., Regular length, 9/32" size
- 3.5.75.7 Socket, 1/4" Dr., 6 pt., Regular length, 5/16" size
- 3.5.75.8 Socket, 1/4" Dr., 6 pt., Regular length, 11/32" size
- 3.5.75.9 Socket, 1/4" Dr., 6 pt., Regular length, 3/8" size
- 3.5.75.10 Socket, 1/4" Dr., 6 pt., Regular length, 7/16" size

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 8 of 11

PIIN/SIIN W56HZV-14-D-0022

MOD/AMD P00005

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

- 3.5.75.11 Socket, 1/4" Dr., 6 pt., Regular length, 1/2" size
- 3.5.75.12 Socket, 1/4" Dr., 6 pt., Regular length, 9/16" size
- 3.5.75.13 Socket, 1/4" Dr., 6 pt., Deep length, 3/16" size
- 3.5.75.14 Socket, 1/4" Dr., 6 pt., Deep length, 7/32" size
- 3.5.75.15 Socket, 1/4" Dr., 6 pt., Deep length, 1/4" size
- 3.5.75.16 Socket, 1/4" Dr., 6 pt., Deep length, 9/32" size
- 3.5.75.17 Socket, 1/4" Dr., 6 pt., Deep length, 5/16" size
- 3.5.75.18 Socket, 1/4" Dr., 6 pt., Deep length, 11/32" size
- 3.5.75.19 Socket, 1/4" Dr., 6 pt., Deep length, 3/8" size
- 3.5.75.20 Socket, 1/4" Dr., 6 pt., Deep length, 7/16" size
- 3.5.75.21 Socket, 1/4" Dr., 6 pt., Deep length, 1/2" size
- 3.5.75.22 Socket, 1/4" Dr., 6 pt., Deep length, 9/16" size
- 3.5.75.23 Sliding T-handle, 1/4" Dr., 4 to 5 inches long, 5/16-inch handle diameter
- 3.5.75.24 Breaker Bar, 1/4" Dr., 5.75 to 6.25 inches long
- 3.5.75.25 Ratchet Spinner, 1/4" Dr., 1 \ 'bl 0.1875 inch outer diameter
- 3.5.75.26 Speeder, 1/4" Dr., 15.75 to 16.25" length
- 3.5.75.27 Flexible Driver, 1/4" Dr., 6 to 7.5" length, screwdriver-type handle, flexible shaft
- 3.5.75.28 Driver, 1/4" Dr., screwdriver-type handle, 6 to 7.5" length
- 3.5.75.29 Ratchet, 1/4" Dr., sealed head, 72-teeth min., 4 to 5.5" length, 90 ft-lbs torque
- 3.5.75.30 Socket, 1/4" Dr., 8 pt., Regular length, 1/4" size
- 3.5.75.31 Socket, 1/4" Dr., 8 pt., Regular length, 5/16" size
- 3.5.75.32 Socket, 1/4" Dr., 8 pt., Regular length, 3/8" size
- 3.5.75.33 Extension, 1/4" Dr., Flexible, 6" length
- 3.5.75.34 Carburetor Adjusting Tool, 1/4" Dr., Flexible adjusting wrench, 19" to 21" length
- 3.5.75.35 Socket, 1/4" Dr., Flat Tip screwdriver type, short length, 1/4" x 0.036" size
- 3.5.75.36 Socket, 1/4" Dr., Hex Driver, standard length, 5/64" size
- 3.5.75.37 Socket, 1/4" Dr., Hex Driver, standard length, 3/32" size
- 3.5.75.38 Socket, 1/4" Dr., Hex Driver, standard length, 7/64" size
- 3.5.75.39 Socket, 1/4" Dr., Hex Driver, standard length, 1/8" size
- 3.5.75.40 Socket, 1/4" Dr., Hex Driver, standard length, 9/64" size
- 3.5.75.41 Socket, 1/4" Dr., Hex Driver, standard length, 5/32" size
- 3.5.75.42 Socket, 1/4" Dr., Hex Driver, standard length, 3/16" size
- 3.5.75.43 Socket, 1/4" Dr., Hex Driver, standard length, 7/32" size
- 3.5.75.44 Socket, 1/4" Dr., Hex Driver, standard length, 1/4" size
- 3.5.75.45 Socket, 1/4" Dr., Flat Tip, standard length, 3/16" blade width
- 3.5.75.46 Socket, 1/4" Dr., Flat Tip, standard length, 1/4" blade width
- 3.5.75.47 Socket, 1/4" Dr., Flat Tip, standard length, 3/8" blade width
- 3.5.75.48 Socket, 1/4" Dr., Phillips Tip, standard length, #1 tip size
- 3.5.75.49 Socket, 1/4" Dr., Phillips Tip, standard length, #2 tip size
- 3.5.75.50 Socket, 1/4" Dr., Phillips Tip, long length, #2 tip size
- 3.5.75.51 Socket, 1/4" Dr., 12 pt., Universal type, 1/4" size
- 3.5.75.52 Socket, 1/4" Dr., 12 pt., Universal type, 5/16" size
- 3.5.75.53 Socket, 1/4" Dr., 12 pt., Universal type, 3/8" size
- 3.5.75.54 Socket, 1/4" Dr., 12 pt., Universal type, 7/16" size
- 3.5.75.55 Socket, 1/4" Dr., 12 pt., Universal type, 1/2" size
- 3.5.75.56 Socket, 1/4" Dr., 12 pt., Universal type, 9/16" size
- 3.5.75.57 Universal Joint, 1/4" Dr.
- 3.5.75.58 Extension, 1/4" Dr., Knurled, 2" length
- 3.5.75.59 Extension, 1/4" Dr., Knurled, 4" length
- 3.5.75.60 Extension, 1/4" Dr., Knurled, 6" length
- 3.5.75.61 Extension, 1/4" Dr., Knurled, 14" length

f) DRAWER 5 will be changed as follows:

FROM:

- 3.5.29 Pliers, Needle Nose, straight, 6" to 7" length with vinyl grips
- 3.5.30 Pliers, Bent Nose, Needle Nose, 5.5" to 7.40" length with vinyl grips
- 3.5.32 Pliers, Diagonal Cutting, 6" length, standard cutting blades and narrow jaws
- 3.5.33 Pliers, Diagonal Cutting, 4.5" length, standard cutting blades and narrow jaws
- 3.5.34 Pliers, Diagonal Cutting, 6 inch, wire stripping, wire stripping hole
- 3.5.35 Pliers, Combination Slip Joint, with wire cutter, 7" to 9" overall length
- 3.5.36 Pliers, Slip Joint, Angled Jaw, multiple tongue and groove, 9.5" to 10.5" length
- 3.5.37 Pliers, Wire Twister, right hand, nominal length of 9", overall length 10" to 10.5"

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 9 of 11

PIIN/SIIN W56HZV-14-D-0022

MOD/AMD P00005

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

- 3.5.83 Wrench, Adjustable, 6" length
- 3.5.84 Wrench, Adjustable, 10" length
- 3.5.85 Wrench, Adjustable, 12" length
- 3.5.31 Pliers Set, Retaining Ring, external pliers, internal pliers, tips, in a plastic box

TO:

- 3.5.79 Wrench Set, Socket, 23 pc., 3/8 inch drive consisting of the following:
 - 3.5.79.1 Socket, 3/8" Dr., 12 pt., Regular length, 3/8" size
 - 3.5.79.2 Socket, 3/8" Dr., 12 pt., Regular length, 7/16" size
 - 3.5.79.3 Socket, 3/8" Dr., 12 pt., Regular length, 1/2" size
 - 3.5.79.4 Socket, 3/8" Dr., 12 pt., Regular length, 9/16" size
 - 3.5.79.5 Socket, 3/8" Dr., 12 pt., Regular length, 5/8" size
 - 3.5.79.6 Socket, 3/8" Dr., 12 pt., Regular length, 11/16" size
 - 3.5.79.7 Socket, 3/8" Dr., 12 pt., Regular length, 3/4" size
 - 3.5.79.8 Socket, 3/8" Dr., 12 pt., Regular length, 13/16" size
 - 3.5.79.9 Socket, 3/8" Dr., 12 pt., Regular length, 7/8" size
 - 3.5.79.10 Socket, 3/8" Dr., 12 pt., Deep length, 1/2" size
 - 3.5.79.11 Socket, 3/8" Dr., 12 pt., Deep length, 9/16" size
 - 3.5.79.12 Socket, 3/8" Dr., 12 pt., Deep length, 5/8" size
 - 3.5.79.13 Socket, 3/8" Dr., 12 pt., Deep length, 11/16" size
 - 3.5.79.14 Socket, 3/8" Dr., 12 pt., Deep length, 3/4" size
 - 3.5.79.15 Socket, 3/8" Dr., 12 pt., Deep length, 13/16" size
 - 3.5.79.16 Socket, 3/8" Dr., 12 pt., Universal type, Regular length, 1/2" size
 - 3.5.79.17 Socket, 3/8" Dr., 12 pt., Universal type, Regular length, 9/16" size
 - 3.5.79.18 Extension, 3/8" Dr., Knurled, 6" length
 - 3.5.79.19 Extension, 3/8" Dr., Knurled, 11" to 12" length
 - 3.5.79.20 Breaker Bar, 3/8" Dr., 8 to 10" length
 - 3.5.79.21 Speeder, 3/8" Dr., 16 to 18" length
 - 3.5.79.22 Ratchet, 3/8" Dr., sealed head, reversible, 72 teeth min., 6 to 8" length
 - 3.5.79.23 Universal Joint, 3/8" Dr
- 3.5.77 Adapter, Socket Wrench, 3/8 female to 1/4 inch male square
- 3.5.78 Adapter, Socket Wrench, 1/4 female to 3/8 inch male square

g) DRAWER 6 will be changed as follows:

FROM:

- 3.5.4 File, Hand, Set 12 pc., #2 cut, knurled handles, 6-1/4" length, vinyl case
- 3.5.5 File, Hand, Flat, American Pattern, second cut, 8" length
- 3.5.6 File, Hand, Half-Round, American Pattern, second cut, 6" length
- 3.5.7 File, Hand, Round, American Pattern, second cut, 4" length
- 3.5.8 Handle, File, adjustable
- 3.5.13 Hammer, Ball Peen, fiberglass handle, 9 to 11" length, 4 oz. head
- 3.5.14 Hammer, Dead Blow, urethane, 10" max length, 1" max head dia., 5-9 oz weight
- 3.5.15 Hammer, Dead Blow, steel overall with non-marring striking surfaces, 23-25 oz. wt
- 3.5.39 Punch Set, Drive Pin, 9 pc., 1/16" to 3/8" point sizes
- 3.5.40 Punch, Drive Pin, 1/16", 3" to 4.5" overall length, One piece design, knurled grip
- 3.5.41 Pin Adjusting, Driving, Punch, double ended, In acc/w Army Drawing 7597712.
- 3.5.42 Punch, Center, 5/32" point, hexagonal shank 3/8" width, min 4" overall length
- 3.5.43 Drift Pin, 3/16 to 1/4", Brass, single taper, 3.75" to 4.25" overall length
- 3.5.44 Chisel, Cold, 1/4", flat or convex striking surface, Type I, Class 2
- 3.5.82 Wrench, Strap, 11.5" to 12" length wrench, 2" pipe capacity
- 3.5.69 Stripper, Wire, 10 - 22 AWG, replaceable cutting blades, cushion grip handles

TO:

- 3.5.91 C-Clamp, 0 to 4" capacity, 2.75" min. throat depth, rated no less than 4,100 lbs

**As a result of the changes above, the TOOL LAYOUT COMPONENT LIST SPREADSHEET (ATTACHMENT 0004) will be updated and identified as Version 4, and BOX 2 TOOL LAYOUT DRAWINGS ATTACHMENT (0006) will be updated and be identified as Version 3 to reflect these changes.

7. As a result of this modification, the dollar amount remains unchanged.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-14-D-0022 MOD/AMD P00005	Page 10 of 11
---------------------------	---	----------------------

Name of Offeror or Contractor: APEX TOOL GROUP, LLC

- 8. As a result of this modification, the delivery schedule remains unchanged.

- 9. Except as specified above, all other terms and conditions of Base Contract W56HZV-14-D-0022 remain unchanged and in full force and effect.

*** END OF NARRATIVE A0020 ***

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 11 of 11****PIIN/SIIN** W56HZV-14-D-0022**MOD/AMD** P00005**Name of Offeror or Contractor:** APEX TOOL GROUP, LLC

SECTION J - LIST OF ATTACHMENTS

<u>List of Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number of Pages</u>	<u>Transmitted By</u>
Attachment 0001	DFP 622M UPATED 04 AUGUST 2014	04-AUG-2014	055	EMAIL
Attachment 0002	WARRANTY AND REPLACEMENT SPREADSHEET - VERSION 4 UPDATED 04 AUGUST 2014	04-AUG-2014	007	EMAIL
Attachment 0003	COMPONENT LIST SPREADSHEET - VERSION 4 UPDATED 04 AUGUST 2014	04-AUG-2014	008	EMAIL
Attachment 0004	TOOL LAYOUT COMPONENT LIST SPREADSHEET VERSION 4 UPDATED 04 AUGUST 2014	04-AUG-2014	004	EMAIL
Attachment 0006	BOX 2 TOOL LAYOUT DRAWINGS VERSION 3 UPDATED 04 AUGUST 2014	20-AUG-2014	007	EMAIL