

ORDER FOR SUPPLIES OR SERVICES

1. CONTRACT PURCH ORDER/AGREEMENT NO. W56HZV-14-P-0028				2. DELIVERY ORDER/CALL NO.		3. DATE OF ORDER/CALL (YYYYMMDD) 2013OCT16		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA4					
6. ISSUED BY U.S. ARMY CONTRACTING COMMAND JONATHAN DROUILLARD WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL EMAIL: JON.DROUILLARD@US.ARMY.MIL				CODE W56HZV		7. ADMINISTERED BY (if other than 6) DCMA DAYTON AREA C, BUILDING 30 1725 VAN PATTON DRIVE WRIGHT-PATTERSON AFB, OH 45433-5302				CODE S3605A					
9. CONTRACTOR FEDERAL PRISON INDUSTRIES INC CUSTOMER SERVICE CENTER 3301 LEESTOWN RD LEXINGTON, KY 40511-8702				CODE 1XFF6		FACILITY 4W2T2		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER (See Schedule if other)				
NAME AND ADDRESS								12. DISCOUNT TERMS			11. X IF BUSINESS IS <input type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED				
								13. MAIL INVOICES TO THE ADDRESS IN BLOCK See Block 15							
14. SHIP TO SEE SCHEDULE				CODE		15. PAYMENT WILL BE MADE BY DFAS - COLUMBUS CENTER NORTH ENTITLEMENT OPERATIONS P.O. BOX 182266 COLUMBUS, OH 43218-2266				CODE HQ0337		MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2			
16. TYPE OF ORDER												DELIVERY/ CALL		THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.	
PURCHASE <input checked="" type="checkbox"/>												<input type="checkbox"/> Oral <input type="checkbox"/> Written		Reference your Quotation W56HZV13T0405, Dated _____, furnish the following on terms specified herein.	
ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.															
NAME OF CONTRACTOR				SIGNATURE				TYPED NAME AND TITLE				DATE SIGNED (YYYYMMDD)			
<input checked="" type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies: 2															
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE CONTRACT ADMINISTRATION DATA															
18. ITEM NO.		19. SCHEDULE OF SUPPLIES/SERVICE				20. QUANTITY ORDERED/ ACCEPTED*		21. UNIT	22. UNIT PRICE		23. AMOUNT				
		SEE SCHEDULE													
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.						24. UNITED STATES OF AMERICA LISA BEHNKE /SIGNED/ 2013OCT16 LISA.BEHNKE@US.ARMY.MIL (586)282-4502						25. TOTAL \$1,200.00		26. DIFFERENCES	
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED															
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE							
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO.		29. D.O. VOUCHER NO.		30. INITIALS					
f. TELEPHONE NUMBER				g. E-MAIL ADDRESS				<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR			
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL				34. CHECK NUMBER					
a. DATE (YYYYMMDD)		b. SIGNATURE AND TITLE OF CERTIFYING OFFICER								35. BILL OF LADING NO.					
37. RECEIVED AT		38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS		41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.					

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-14-P-0028 MOD/AMD	Page 2 of 30
Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC		

SUPPLEMENTAL INFORMATION

Buyer Name: JONATHAN DROUILLARD
 Buyer Office Symbol/Telephone Number: CCTA-AHP-B/(583)282-7163
 Type of Contract: Firm Fixed Price
 Kind of Contract: Supply Contracts and Priced Orders
 Type of Business: Other Nonprofit
 Surveillance Criticality Designator: B
 Weapon System: Bridge Armored Vehicle and Support Equip

*** End of Narrative A0000 ***

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-4016	WARREN ELECTRONIC CONTRACTING	MAR/2013

(a) All Army Contracting Command - Warren (DTA) solicitations and awards are distributed on the Army Contracting Command - Warren Procurement Network (ProcNet) Business Opportunities website (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The Technical Data Packages (TDPs) and other documents, when available electronically, will be attachments or links to the solicitation package on ProcNet.

(b) You may need to use special software to view documents that we post on ProcNet. This viewing software is freeware, available for download at no cost from commercial websites like Microsoft and Adobe. In cases where such software is required, we provide a link from ProcNet to the commercial site where the software is available. Once you arrive at the software developer's site, follow its instructions to download the free viewer. You can then return to the ProcNet.

(c) Unless directed to do otherwise in Section L of this solicitation, you are required to submit your offer, bid, or quote electronically, via the Army Single Face to Industry (ASFI) Online Bid Response System (BRS). For detailed information about submitting your offer electronically, please see <http://contracting.tacom.army.mil/acqinfo/ebidnotice.htm>.

(d) Requirements for the online ASFI bid submission:

(1) You must be registered in the System for Award Management (SAM) at www.sam.gov (a Federal Government owned and operated free web site) and have a CAGE Code and CCR Marketing Partner Identification Number (MPIN).

(2) If you found the solicitation on ProcNet, use the following link to the Start Bid Page on the ASFI BRS website for this solicitation:
https://acquisition.army.mil/asfi/solicitation_view.cfm?psolicitationnbr=w56hzv13t0405

(3) If you found the solicitation by searching on ASFI, you can start the online bidding process by using the Start Bid button on the ASFI Solicitation View page. You may also access the ASFI BRS by going to <https://acquisition.army.mil/asfi/> and clicking on the Contracting Opportunities Search to find the solicitation.

(4) Once in the ASFI BRS, you will be asked to enter basic information and will then be directed to upload one or more files containing your offer and information required by the solicitation.

(5) You will receive a confirmation of your bid upon completion of the bid submission process.

(6) You can find detailed BRS user instructions on the ASFI website at https://acquisition.army.mil/asfi/BRS_guide.doc.

(e) Note to offerors:

Your attention is called to the solicitation closing date and time as stated on the cover page of this solicitation, local time for the Army Contracting Command - Warren (DTA), Michigan. In accordance with FAR 15.208(a), offerors are responsible for submitting proposals, and any revisions, and modifications, so as to be received by the Government office designated in the solicitation by the time specified.

It is the offeror's responsibility to assure their proposal is received by the date and time specified on the cover page of this solicitation. In accordance with FAR 15.208, if your proposal was not received at the initial point of entry to the Government infrastructure (in this case, received through ASFI) by the exact date and time specified on the cover page of this solicitation, it will be determined late. Proposal, as the term is used here, means ALL volumes and/or parts of the proposal.

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

Note: There is no "expected" or "target" length of time for proposal submission; size and content may be factors, therefore offerors are strongly cautioned to submit their proposals allowing adequate time for submission.

Solicitations may remain posted on the AFPSI Open Solicitation Web page after the solicitation closes. Even though the system will allow you to submit a proposal after the closing date/time, your proposal will be considered late and may not be considered for award. If you are responding to a Request for Proposal, your offer will not be considered if it is submitted after the closing date and time unless one of the exceptions is met at FAR 15.208(b). If you are responding to a Request for Quotation, your quote may be considered if it is received after the closing date, and it will not unduly delay award.

(f) Any award issued as a result of this solicitation will be distributed electronically. Awards and modifications posted on ProcNet represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release in the base contract or contract modifications, and you intend to submit an offer, notify the contracting officer in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(g) If you have questions or need help using ProcNet, call our E-commerce Contracting Help Desk at (586) 282-7059, or send an email to usarmy.detroit.acc.mbx.wrn-web-page-request@mail.mil. If you have questions about the content of any specific item posted on the ProcNet, please call the contract specialist or point of contact listed for the item. For technical assistance in doing business with the Government, and doing business electronically, please visit the Procurement Technical Assistance Center website at <http://www.dla.mil/SmallBusiness/Pages/ProcurementTechnicalAssistanceCenters.aspx> to find a location near you.

End of Provision

2 52.201-4000 ARMY CONTRACTING COMMAND-WARREN (DTA) OMBUDSPERSON APR/2011

Information regarding the Ombudsperson for this contract is located at the following website:
<http://contracting.tacom.army.mil/acqinfo/ombudsperson.htm>

[End of Provision]

3 52.214-4000 ACKNOWLEDGMENT OF AMENDMENTS OCT/1993

Acknowledge all the amendments you've received from us by identifying the amendment number and its issue date in the box below:

:	:	:	:
:	Amendment Number	Date	:
:	:	:	:
:	:	:	:
:	:	:	:
:	:	:	:
:	:	:	:
:	:	:	:
:	:	:	:
:	:	:	:

[End of Provision]

4 52.214-4003 ALL OR NONE MAR/1998
(TACOM)

Offers in response to this solicitation must be submitted for the total quantity of the items identified in the solicitation.

(1) ONLY ONE AWARD WILL BE MADE AS A RESULT OF THIS SOLICITATION.

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 4 of 30****PIIN/SIIN** W56HZV-14-P-0028**MOD/AMD**

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

(2) OFFERS SUBMITTED FOR LESS THAN THE TOTAL QUANTITIES OF ALL THE ITEMS IN THIS SOLICITATION ARE INELIGIBLE FOR AWARD.

[End of Provision]

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-14-P-0028 MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																														
0001	SUPPLIES OR SERVICES AND PRICES/COSTS WIRING HARNESS,BRAN NSN: 6150-01-574-9454 FSCM: 19207 PART NR: 12326547																																		
0001AA	<p><u>Production Quantity</u></p> <p>GENERIC NAME DESCRIPTION: WIRING HARNESS,BRAN CLIN CONTRACT TYPE: Firm Fixed Price PRON: EH3V0605EH PRON AMD: 02 ACRN: AA AMS CD: SM2B1100000 PSC: 6150</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: 12326547 DATE: 12-MAR-2013</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u></p> <table border="0"> <tr> <td>DOC</td> <td>SUPPL</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><u>REL CD</u></td> <td><u>MILSTRIP</u></td> <td><u>ADDR</u></td> <td><u>SIG CD</u></td> <td><u>MARK FOR</u></td> <td><u>TP CD</u></td> </tr> <tr> <td>001</td> <td>W56HZV3063I568</td> <td>W562RP</td> <td>J</td> <td></td> <td>2</td> </tr> <tr> <td><u>DEL REL CD</u></td> <td><u>QUANTITY</u></td> <td><u>DEL DATE</u></td> <td></td> <td></td> <td></td> </tr> <tr> <td>001</td> <td>40</td> <td>15-MAR-2014</td> <td></td> <td></td> <td></td> </tr> </table> <p>FOB POINT: Destination</p> <p>SHIP TO: (W562RP) SR W0LX ARMY GENERAL SUPPLY CENTRAL RECEIVING POINT 7 FRANKFORD AVE ANNISTON,AL,36201-4199</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-14-P-0028/0000</p>	DOC	SUPPL					<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>	001	W56HZV3063I568	W562RP	J		2	<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>				001	40	15-MAR-2014				40	EA	\$ 30.00000	\$ 1,200.00
DOC	SUPPL																																		
<u>REL CD</u>	<u>MILSTRIP</u>	<u>ADDR</u>	<u>SIG CD</u>	<u>MARK FOR</u>	<u>TP CD</u>																														
001	W56HZV3063I568	W562RP	J		2																														
<u>DEL REL CD</u>	<u>QUANTITY</u>	<u>DEL DATE</u>																																	
001	40	15-MAR-2014																																	

CONTINUATION SHEET

Reference No. of Document Being Continued
 PIIN/SIIN W56HZV-14-P-0028 MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	WIRING HARNESS, BRANCHED NSN: 6150-01-574-9454 FSCM: 19207 PART NR: 12326547				
0002AA	<p><u>UNEXERCISED OPTION QUANTITY</u></p> <p>GENERIC NAME DESCRIPTION: WIRING HARNESS, BRANCHED CLIN CONTRACT TYPE: Firm Fixed Price PSC: 6150</p> <p>OPTION QUANTITY, PURSUANT TO THE CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY---SEPARATELY PRICED LINE ITEM (52.217-4001).</p> <p>The quantity stated for the option CLIN DOES NOT form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.</p> <p style="text-align: center;">(End of narrative B001)</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: 12326547 DATE: 12-MAR-2013</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SE PACKAGING REQUIREMENT CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD</u> 001 <u>DEL REL CD QUANTITY DAYS AFTER AWARD</u> 001 40 0150</p> <p>FOB POINT: Destination</p> <p>SHIP TO: (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR</p>	40	EA	\$ 30.00000	\$ 1,200.00

CONTINUATION SHEET

Reference No. of Document Being Continued
PIIN/SIIN W56HZV-14-P-0028 **MOD/AMD**

Page 7 of 30

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.</p> <p><u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-14-P-0028/0000</p>				

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 8 of 30

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.211-4015 CONFIGURATION CONTROL - ENGINEERING CHANGES	DEC/2005

(a) DEFINITIONS:

(1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.

(2) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.

(3) Value Engineering Change Proposal (VECP). A proposal that --

(i) Requires a change to the instant contract; and

(ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --

(A) In deliverable end item quantities only;

(B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or

(C) To the contract type only.

(4) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.

(b) When will Army Contracting Command - Warren (DTA) start processing change requests? We won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.

(c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.

(1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is WB.

(2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

(3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

(i) Files readable using these Microsoft 97 Office Products or later versions: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-14-P-0028 MOD/AMD	Page 9 of 30
Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC		

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

Email a copy of the contractor's request and ACO comments (DD Form 1998) to the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155. Indicate end item application (if known) in subject line, along with the NSN and contract number.

(f) Approval of ECPs, VECPs and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. Army Contract Command - Warren (DTA) will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. Army Contract Command - Warren (DTA) will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

2 52.211-4053 REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES (CIODS) MAR/2006

(a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the Army Contracting Command - Warren (DTA)'s Acquisition Center's web-site. Directions for reaching our website and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Specifications and standards affected are: MIL-C-11796.

(c) The CIODS listing that contains the required tailoring language is on the Army Contracting Command - Warren (DTA)'s web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/acqinfo/ciods.html>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-14-P-0028 MOD/AMD	Page 10 of 30
Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC		

3 52.211-4072 TECHNICAL DATA PACKAGE INFORMATION JUL/2012

The following Xd item applies to this solicitation:

- [] 1. There is no Technical Data Package (TDP) included with this solicitation.
- [] 2. This solicitation contains one or more web-located TDPs. If multiple Contract Line Item Numbers (CLINS) are listed below, each one will have its own URL just under the CLIN listing. The URL will take you to that CLINS Web-located TDP. To access the TDP, you will have to copy or type the links URL to your web browser address bar at the top of the screen.
- Note: To copy a link from a .pdf file, click on the Text Select Tool, then highlight the URL, copy and paste it into your browser, and hit the Enter key.

CLIN:
TDP Link (URL):

- [] 3. The TDP for this solicitation resides within FedBizOpps (://www.fbo.gov), associated with this solicitation number, and can be accessed via this URL:https://www.fbo.gov/fedteds/W56HZV13T0405

To access the data through FBO:

- a. Log on to the FBO web site.
 - b. Enter your Marketing Partner Identification Number (MPIN).
 - c. Search for the solicitation number.
 - d. If solicitation is Export Controlled, select Verify MPIN.
 - (1) TDPs that have an Export Control Warning Notice are subject to the Arms Export Control Act (Title 22, U.S.C., Sec 2751, et.seq.) or the Export Administration Act of 1979, as amended, Title 50, U.S.C, App. 2401 et. seq..
 - (2) Further dissemination must be in accordance with provisions of DoD Directive 5230.25. This also applies to distribution of the TDP to all SUBCONTRACTORS at every level.
 - (3) To obtain these TDPs, vendors and contractors must have a current DD 2345, Militarily Critical Technical Data Agreement on file with Defense Logistics Information Service (DLIS).\~ If you are currently certified, your MPIN will be verified and you may proceed to the next step.\~ To obtain certification, go to ://www.dlis.dla.mil/jcp/
 - click on documents and follow instructions provided. Processing time is estimated at six (6) to ten (10) weeks after receipt. FBO will allow you to access export controlled TDPs once certification is confirmed.
 - (4) Upon completion of the purposes for which Government Technical Data has been provided, the Contractor is required to destroy all documents, including all reproductions, duplications, or copies thereof as may have been further distributed by the Contractor. Destruction of this technical data shall be accomplished by: shredding, pulping, burning, or melting any physical copies of the TDP and/or deletion or removal of downloaded TDP files from computer drives and electronic devices, and any copies of those files.
 - e. If technical data is otherwise restricted, select Request Explicit Access. This will generate an email to the FBO system administrator at Army Contract Command - Warren (DTA) with all the information needed for them to grant you access. FBO will subsequently automatically generate an email stating when you have permission to view or download TDP items. Allow 2 3 working days to complete this FBO-TDP access/approval process through the FBO system.
 - f. If multiple individuals in your company need access to the Technical Data Package (TDP) for a solicitation and an explicit access request is required, each individual MUST submit an explicit access request to be granted approval to view the TDP. Those same individuals MUST be registered in Federal Business Opportunities (FBO). Any individuals no longer with the company should be deleted. Questions related to registration in FBO should be directed to ://www.fbo.gov/index The FBO helpdesk phone number is (866) 606-8220. Vendors are responsible for placing correct information in FBO.
 - g. It is strongly suggested that you submit the explicit access request and provide the buyer with the completed Use and Non-Disclosure Agreement at the same time if the solicitation requires both to gain access to view the TDP.
 - h. A user guide for FBO can be found at ://www.fbo.gov - on the right is User Guides - click on Vendor.
- [End of clause]

4 52.246-4053 USE OF MIL-STD 1916 JAN/2001
(TACOM)

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD-1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916.

[End of Clause]

5 52.211-4008 DRAWING LIMITATIONS NOV/2005
(TACOM)

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) You, the contractor, are responsible for obtaining all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

(End of Clause)

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 12 of 30

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

PACKAGING AND MARKING

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.211-4516 (TACOM)	PACKAGING REQUIREMENTS (SELECTIVE GROUP PACKAGING REQUIREMENTS)	DEC/2007

(a) Military preservation, packing, and marking for this contract shall be accomplished in accordance with the specific requirements identified below and all the applicable requirements of MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 including Notice 1, Dated 10 May 2002.

- (1) LEVEL OF PRESERVATION: Military
- (2) LEVEL OF PACKING: B
- (3) QUANTITY PER UNIT PACKAGE: 001

(b) MIL-STD-2073-1, Appendix J establishes and defines codes used in describing military packaging methods and materials. The following codes from Appendix J apply:

- (1) Preservation Method Code: 41 (Table j.i. and j.ia.)
- (2) Cleaning Procedure Code: 1 (Table j.ii)
- (3) Preservative Material Code: 00 (Table j.iii)
- (4) Wrapping Material Code: EC (Table j.iv)
- (5) Cushioning and Dunnage Code: 00 (Table j.v)
- (6) Thickness of Cushioning or Dunnage Code: 0 (Table j.vi)
- (7) Unit Container Code: BS (Table j.vii)
- (8) Intermediate Container Code: ED (Table j.vii)
- (9) Quantity per Intermediate Container Code: AAA (Appendix J.4.11)
- (10) Packing Code: A (Table j.IX and J.IXa)
- (11) Special Marking Code: 00 (Table j.x)

(c) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(d) Marking:

(1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 4, dated 19 Sep 2007, including bar coding and Military Shipment Label (MSL). The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material. Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause. For details and most recent information, see <http://www.acq.osd.mil/log/rfid/index.htm> for the current DoD Suppliers Passive RFID Information Guide and Supplier Implementation Plan. If the item has Unique Item Identifier (UII) markings then the concatenated UII needs to be 2D bar coded and applied on the unit package, intermediate and exterior containers, and the palletized unit load.

(e) Heat Treatment and Marking of Wood Packaging Materials (WPM): Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 13 of 30

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

International Plant Protection Convention Standard. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens. Pallet markings shall be applied to the stringer or block on diagonally opposite sides and ends of the pallet and be contrasting and clearly visible. All dunnage used in configuring and/or securing the load shall also comply with https://www.ippc.int/servlet/BinaryDownloaderServlet/133703_ISPM15_2002_with_Ann.pdf?filename=1152091663986_ISPM_15_2002_with_Annex1_2006_E.pdf&refID=133703 and be marked with an ALSC approved dunnage stamp, marked at two foot intervals (in the case of dunnage shorter than 2 feet, each piece must still have the mark present). Foreign manufacturers shall have the heat treatment and marking of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(f) These packaging requirements are intended to provide protection against environmentally induced corrosion and deterioration, physical and mechanical damage, and other forms of degradation during storage, multiple handling, and shipment associated with the military distribution system. The Government encourages contractors to submit requests for changes that will result in savings or improve the packaging. Please submit request for changes in accordance with the RFD clause of the contract. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing at contractors expense.

(g) Hazardous Materials(as applicable):

(1) Hazardous Materials is defined as a substance or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204(I)/TM38-250/NAVSUPPUB 505/MCO P4030.19(I)/DLAM 4145.3(I) (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(h) SUPPLEMENTAL INSTRUCTIONS:

Weight and cube are estimated.

Distribution Data Report data is NOT required.

UNIT PACKAGE WEIGHT (lbs): 2.0 UNIT PACKAGE CUBE (cubic feet): 0.047 UNIT PACKAGE SIZE (length x width x depth inches): 9.00 x 9.00 x 1.00

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 14 of 30
	PIIN/SIIN W56HZV-14-P-0028	MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

INSPECTION AND ACCEPTANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
2	52.246-15	CERTIFICATE OF CONFORMANCE	APR/1984
3	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
4	52.246-4025 (TACOM)	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM REQUIREMENT	JAN/2009

(a) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of contract performance.

(b) Your quality system under this contract shall be in accordance with the quality system indicated by an X below:

- [X] ISO 9001:2008 (tailored: delete paragraph 7.3) or comparable quality system
- [] ISO 9001:2008 (untailored) or comparable quality system
- [] ISO 9001:2008 (tailored: delete paragraphs -1-) or comparable quality system

If you intend to use a system comparable to ISO 9001:2008, please identify your quality system below. You may use an in-house quality system, or one based on a commercial, military, national, or international system.

In addition to identifying your proposed system in the space above, you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive a contract award, your proposed system will be required by the contract.)

(c) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(d) At any point during contract performance, we have the right to review your quality system to assess its effectiveness in meeting contractual requirements.

[End of Clause]

5	52.211-4017 (TACOM)	PREPARATION, APPLICATION AND QUALITY ASSURANCE OF CARC PAINT SYSTEMS (LOCAL WARREN)	MAY/2012
---	------------------------	--	----------

1) Painting shall be in accordance with The Chemical Agent Resistant Coatings (CARC) Application Procedures and Quality Control Inspection specification MIL-DTL-53072. All painting procedures, including process stages, materials, times, temperatures, humidity, and process control methods, shall be submitted to and approved by the Contracting Officer prior to painting. A copy of the paint procedure documents shall also be sent to the Tank Automotive Research, Development and Engineering Center (TARDEC) for concurrence at the following address:

TARDEC EBG Materials Environmental Corrosion Team
 Bldg. 200A, Mail Stop 267, 2nd Fl
 Tank Automotive Research, Development and Engineering Center
 6501 E. Eleven Mile Rd.
 WARREN, MI 48397-5000

2) Noted exceptions, additional or special instructions are as follows:

- (a) Chemical conversion coatings and pretreatments for ferrous surfaces (Base for Organic Coatings).

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

(i) Non-stainless steel

(1) Chemical conversion coatings and pretreatments shall be IAW Fed Spec TT-C-490 (Type I or V). Approval and production part submission requirements listed in paragraphs (b)(1)(i)(C) through (b)(1)(i)(E) below apply only to zinc phosphate conversion coatings and pretreatment coatings identified in Fed Spec TT-C-490 (Type I and V).

(2) Rinses/sealers containing hexavalent chromium shall not be used. Trivalent Chromium Process (TCP) or other equivalent products shall be used.

(3) If the contractor has a government-approved process already in place; pre-production approval in accordance with (IAW) section 3 of TT-C-490 may be waived or amended at the discretion of the government. Requests for Deviation (RFD) shall be submitted to the government for approval.

(4) Once pre-production approvals are met for Types I and V per section 3.0 of TT-C-490, monthly Quality Assurance (QA) checks using three production parts shall be performed by the vendor. If a lot represents more than one month's production, testing shall be performed once per month with no less than 25-day intervals between samples. If a lot represents less than a month of production, then the QA shall be performed on each lot. All results shall be recorded and submitted to the Army Research Laboratory for approval.

(5) Section 3.2.21 of TT-C-490 requires that coated production parts be sent to the Army Research Laboratory for evaluation and testing. Prior to production painting, vendor shall receive written approval from the Army Research Laboratory, based on statistical production sample testing.

(6) Vendor shall send coated production parts IAW TT-C-490 to the Army Research Laboratory CARC Commodity Manager at the following address:

US Army Research Laboratory
Attn: John Escarsega
AMSRD-ARL-WM-MC
Deer Creek Loop, Bld. 4600
APG, MD 21005

(7) Production parts to be tested shall be accompanied by the following information: (a) Company name; (b) Contract number; (c) Material from which the production parts were made and the processes used; (d) Explanation as to why production parts are being submitted and (e) Vendor Point of Contact.

(ii) Stainless Steel:

(1) Stainless steel surfaces shall be cleaned IAW MIL-DTL 53072 section 3.2.

(2) DOD-P-15328 and MIL-C-8514 shall not be used due to their hexavalent chromium content. Following cleaning, stainless steel surfaces shall be pretreated using one of the following methods:

(a) Mechanical blasting IAW SSPC-10. NOTE: Mechanical blasting may not be suitable for thin sheet stainless steel.

(b) Conversion Coatings: A non-hexavalent chromium substitute that meets the performance requirements of DOD-P-15328 may be used.

3) Chemical conversion coatings and pretreatments for non-ferrous surfaces.

(a) Aluminum surfaces and aluminum alloys: All aluminum and its alloys require cleaning and pretreatment prior to painting or for standalone conversion coatings.

(i) Use the following: MIL-DTL-81706 Type II Class 1A or when low electrical resistance is required, use MIL-DTL-81706 Class 3 or ASTM B 921, Table 1 Standard Specification for Non-Hexavalent Chromium Conversion Coatings on Aluminum and Aluminum Alloys.

(ii) Applications, quality assurance and coating requirements in MIL-DTL-81706 shall be IAW spec MIL-DTL-5541 Chemical Conversion Coatings on Aluminum and Aluminum Alloys.

(iii) Anodizing - Anodic Coatings shall be in IAW with MIL-A-8625 Anodic Coatings for Aluminum and Aluminum Alloys. Rinses/sealers containing hexavalent chromium shall not be used.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 16 of 30
	PIIN/SIIN W56HZV-14-P-0028 MOD/AMD	
Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC		

(b) E-coating (Electrocoat Primer) shall be IAW MIL-DTL-53084:

- (i) E-coat application shall be done in accordance with written instructions from the E-coat QPL supplier.
- (ii) Ferrous and zinc/zinc alloy coated surfaces shall be cleaned and pretreated with a Type 1 zinc phosphate coating IAW Fed spec TT-C-490 plus any additional requirements from the e-coat QPL supplier.
- (iii) All pre-production E-coat test parts shall be scribed IAW ASTM D 1654, section 4.1.1 or 4.1.2 and then undergo 1000 hours of salt spray ASTM B117 for non-galvanized surfaces, or 40 cycles of SAE J2334 or GMW14782 on galvanized surfaces, unless otherwise directed in the contract.
- (iv) Once samples are approved and production has begun: The coating contractor shall, on a monthly basis or as agreed upon, perform a corrosion audit by E-coating three (3) production parts through the actual production line. The production parts shall then be scribed IAW ASTM 1654, section 4.1.1 or 4.1.2 and be tested for a period of 336 hours IAW ASTM B117 neutral salt fog test, or 20 Cycles of SAE J2334 or GMW14782 for galvanized surfaces.
- (v) On a yearly basis: the E-coat corrosion audit shall consist of taking three (3) production parts run through the actual production line. The test production parts shall then be scribed IAW ASTM D 1654, section 4.1.1 or 4.1.2 and be tested for a period of 1000 hours salt spray IAW ASTM B117, or a 40 Cycle test IAW SAE J2334 or GMW14782 for galvanized surfaces. All results shall be recorded and submitted to the Army Research Laboratory for approval at the following address:

US Army Research Laboratory
Attn: John Escarsega
AMSRD-ARL-WM-MC
Deer Creek Loop, Bld. 4600
APG, MD 21005
- (vi) After corrosion testing, all samples shall pass the requirements of:
 - (1) ASTM D3359: Standard Test Method for Measuring Adhesion by Tape Test. Adhesion rating shall be no greater than classification 3B, FIG. 1.
 - (2) ASTM D610: Standard Test Method for Evaluating Degree of Rusting on Painted Steel Surfaces. Rust Ratings shall be no lower than grade 9, Table 1.
 - (3) ASTM D714: Standard Test Method for Evaluating Degree of Blistering of Paints. Blistering of paint, shall be no greater than Few, Blister size 4 Fig. 2 and no more than 5 blisters per 24 in square.
 - (4) ASTM D 1654 Standard Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments. Creepage from scribe shall be no greater than Rating 6 of Table 1. Evaluation of unscribed area shall not be greater than rating number 9 of Table 2.

4) Powder coating (primer) selection, application and QC requirements:

- (a) Powder coat primer shall be selected from the qualified products list for MIL-PRF-32348.
- (b) All cleaning and conversion coatings prior to powder coating of surfaces and quality inspection shall be IAW MIL-DTL-53072, except cleaning and conversion coatings containing hexavalent chromium shall not be used.
- (c) Cleaning and pretreatment shall be IAW above paragraphs that address the substrate being used.

[End of Clause]

6 52.211-4029 INTERCHANGEABILITY OF COMPONENTS MAY/1994
(TACOM)

- (a) DESIGN CHANGES TO ITEMS NOT UNDER GOV'T DESIGN CONTROL. Once the Government accepts the first production test item, or accepts the first end item you deliver, (whichever comes first) you must not make design changes to any item or part that is not under Government design control.
- (b) WHEN THE POLICY CAN BE WAIVED. The Procuring Contracting Officer (PCO) will consider waiving this policy at your request. If your request reaches the CO after the first production item test has been performed, then we may conduct another first production test at your expense.

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 18 of 30

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

DELIVERIES OR PERFORMANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.211-17	DELIVERY OF EXCESS QUANTITIES	SEP/1989
2	52.242-15	STOP-WORK ORDER	AUG/1989
3	52.247-34	F.O.B. DESTINATION	NOV/1991
4	52.247-48	F.O.B. DESTINATION--EVIDENCE OF SHIPMENT	FEB/1999
5	252.211-7003	ITEM IDENTIFICATION AND VALUATION (JUN 2011) -- ALTERNATE I (DEC 2011)	DEC/2011
6	252.211-7006	PASSIVE RADIO FREQUENCY IDENTIFICATION	SEP/2011

(a) Definitions. As used in this clause--

"Advance shipment notice" means an electronic notification used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as passive radio frequency identification (RFID) or item unique identification (IUID) information, order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment.

"Bulk commodities" means the following commodities, when shipped in rail tank cars, tanker trucks, trailers, other bulk wheeled conveyances, or pipelines:

- (1) Sand.
- (2) Gravel.
- (3) Bulk liquids (water, chemicals, or petroleum products).
- (4) Ready-mix concrete or similar construction materials.
- (5) Coal or combustibles such as firewood.
- (6) Agricultural products such as seeds, grains, or animal feed.

"Case" means either a MIL-STD-129 defined exterior container within a palletized unit load or a MIL-STD-129 defined individual shipping container.

"Electronic Product Code\TM\ (EPC)" means an identification scheme for universally identifying physical objects via RFID tags and other means. The standardized EPC\TM\ data consists of an EPC\TM\ (or EPC\TM\ identifier) that uniquely identifies an individual object, as well as an optional filter value when judged to be necessary to enable effective and efficient reading of the EPC\TM\ tags. In addition to this standardized data, certain classes of EPC\TM\ tags will allow user-defined data. The EPC\TM\ Tag Data Standards will define the length and position of this data, without defining its content.

"EPCglobal" means a subscriber-driven organization comprised of industry leaders and organizations focused on creating global standards for the adoption of passive RFID technology.

"Exterior container" means a MIL-STD-129 defined container, bundle, or assembly that is sufficient by reason of material, design, and construction to protect unit packs and intermediate containers and their contents during shipment and storage. It can be a unit pack or a container with a combination of unit packs or intermediate containers. An exterior container may or may not be used as a shipping container.

"Palletized unit load" means a MIL-STD-129 defined quantity of items, packed or unpacked, arranged on a pallet in a specified manner and secured, strapped, or fastened on the pallet so that the whole palletized load is handled as a single unit. A palletized or skidded load is not considered to be a shipping container. A loaded 463L System pallet is not considered to be a palletized unit load. Refer to the Defense Transportation Regulation, DoD 4500.9-R, Part II, Chapter 203, for marking of 463L System pallets.

"Passive RFID tag" means a tag that reflects energy from the reader/interrogator or that receives and temporarily stores a small amount of energy from the reader/interrogator signal in order to generate the tag response. The only acceptable tags are EPC Class 1 passive RFID tags that meet the EPCglobal\TM\ Class 1 Generation 2 standard.

"Radio frequency identification (RFID)" means an automatic identification and data capture technology comprising one or more reader/interrogators and one or more radio frequency transponders in which data transfer is achieved by means of suitably modulated inductive or radiating electromagnetic carriers.

"Shipping container" means a MIL-STD-129 defined exterior container that meets carrier regulations and is of sufficient strength, by reason of material, design, and construction, to be shipped safely without further packing (e.g., wooden boxes or crates, fiber and metal drums, and corrugated and solid fiberboard boxes).

(b)(1) Except as provided in paragraph (b)(2) of this clause, the Contractor shall affix passive RFID tags, at the case- and palletized-unit-load packaging levels, for shipments of items that--

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 19 of 30

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

(i) Are in any of the following classes of supply, as defined in DoD 4140.1-R, DoD Supply Chain Materiel Management Regulation, APl.1.11:

(A) Subclass of Class I--Packaged operational rations.

(B) Class II--Clothing, individual equipment, tentage, organizational tool kits, hand tools, and administrative and housekeeping supplies and equipment.

(C) Class IIIP--Packaged petroleum, lubricants, oils, preservatives, chemicals, and additives.

(D) Class IV--Construction and barrier materials.

(E) Class VI--Personal demand items (non-military sales items).

(F) Subclass of Class VIII--Medical materials (excluding pharmaceuticals, biologicals, and reagents--suppliers should limit the mixing of excluded and non-excluded materials).

(G) Class IX--Repair parts and components including kits, assemblies and subassemblies, repairable and consumable items required for maintenance support of all equipment, excluding medical-peculiar repair parts; and

(ii) Are being shipped to one of the locations listed at <http://www.acq.osd.mil/log/rfid/> or to--

(A) A location outside the contiguous United States when the shipment has been assigned Transportation Priority 1, or to--

(B) The following location(s) deemed necessary by the requiring activity:

Contract line, subline, or exhibit line item number	Location name	City	State	DoDAAC
0001AA	DLA Distribution Anniston	Anniston	AL	W562RP
0002AA	DLA Distribution Anniston	Anniston	AL	W562RP

(2) The following are excluded from the requirements of paragraph (b)(1) of this clause:

(i) Shipments of bulk commodities.

(ii) Shipments to locations other than Defense Distribution Depots when the contract includes the clause at FAR 52.213-1, Fast Payment Procedures.

(c) The Contractor shall--

(1) Ensure that the data encoded on each passive RFID tag are globally unique (i.e., the tag ID is never repeated across two or more RFID tags) and conforms to the requirements in paragraph (d) of this clause;

(2) Use passive tags that are readable; and

(3) Ensure that the passive tag is affixed at the appropriate location on the specific level of packaging, in accordance with MIL-STD-129 (Section 4.9.2) tag placement specifications.

(d) Data syntax and standards. The Contractor shall encode an approved RFID tag using the instructions provided in the EPC\TM\ Tag Data Standards in effect at the time of contract award. The EPC\TM\ Tag Data Standards are available at <http://www.epcglobalinc.org/standards/>.

(1) If the Contractor is an EPCglobal\TM\ subscriber and possesses a unique EPC\TM\ company prefix, the Contractor may use any of the identifiers and encoding instructions described in the most recent EPC\TM\ Tag Data Standards document to encode tags.

(2) If the Contractor chooses to employ the DoD identifier, the Contractor shall use its previously assigned Commercial and Government Entity (CAGE) code and shall encode the tags in accordance with the tag identifier details located at http://www.acq.osd.mil/log/rfid/tag_data.htm. If the Contractor uses a third-party packaging house to encode its tags, the CAGE code of the third-party packaging house is acceptable.

(3) Regardless of the selected encoding scheme, the Contractor with which the Department holds the contract is responsible for ensuring that the tag ID encoded on each passive RFID tag is globally unique, per the requirements in paragraph (c)(1) of this clause.

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 21 of 30

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

8 52.247-4009 DELIVERY OF SUPPLIES FROM FOREIGN FIRMS TO U.S. PORT OF ENTRY AUG/2003
(TACOM)

This clause applies only to foreign firms when shipments are required to destinations within the Continental United States (CONUS).

(1) The F.O.B. point for this acquisition is DESTINATION. You must arrange and pay for (i) transportation to the U.S. port of entry, (ii) port handling, (iii) customs clearance, and (iv) all transportation from the port of entry to the consignee(s) listed in this solicitation.

(2) Acceptance will be at destination if the awardee is an OCONUS (Outside Continental United States) foreign firm.

(3) Identification of shipment. The Contractor must insure that all shipments be clearly marked in accordance with MIL-STD-129 and other marking requirements specified in the Schedule. The Duty-Free Entry clauses in this contract contain instructions on the documentation required to accompany the shipment for duty-free entry.

(4) Notification of Shipment. The Contractor shall send electronic notification to the Procuring Contracting Officer (PCO) when shipment is made, which includes the following information:

(i) Mode of transportation, carrier, bill of lading number, customs broker (if any), and estimated time of arrival of materiel at OCONUS port authority

(ii) Mode of transportation, carrier, bill of lading number, and estimated dates for pick-up from CONUS port authority and delivery to final destination.

(5) You assume all responsibility for risk of loss or damage to the supplies until received at the destination. See the clause entitled RESPONSIBILITY FOR SUPPLIES (FAR 52.246-16).

[End of Clause]

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

-2- Please reference GS7800 for fill ins.

(3) Document routing. The Contractor shall use the information in the Routing Data Table below only to fill in applicable fields in WAWF when creating payment requests and receiving reports in the system.

Routing Data Table*

Field Name in WAWF	Data to be entered in WAWF
Pay Official DoDAAC	Please reference GS7800 for fill ins.
Issue By DoDAAC	-4-
Admin DoDAAC	-5-
Inspect By DoDAAC	-6-
Ship To Code	-7-
Ship From Code	-8-
Mark For Code	-9-
Service Approver (DoDAAC)	-10-
Service Acceptor (DoDAAC)	-11-
Accept at Other DoDAAC	-12-
LPO DoDAAC	-13-
DCAA Auditor DoDAAC	-14-
Other DoDAAC(s)	-15-

(4) Payment request and supporting documentation. The Contractor shall ensure a payment request includes appropriate contract line item and subline item descriptions of the work performed or supplies delivered, unit price/cost per unit, fee (if applicable), and all relevant back-up documentation, as defined in DFARS Appendix F, (e.g. timesheets) in support of each payment request.

(5) WAWF email notifications. The Contractor shall enter the email address identified below in the "Send Additional Email Notifications" field of WAWF once a document is submitted in the system.

-16- Please reference GS7800 for fill ins.

(g) WAWF point of contact. (1) The Contractor may obtain clarification regarding invoicing in WAWF from the following contracting activity's WAWF point of contact.

-17-

(2) For technical WAWF help, contact the WAWF helpdesk at 866-618-5988.

(End of clause)

2	252.204-0005	PAYMENT INSTRUCTIONS FOR THE DEFENSE FINANCE AND ACCOUNTING SERVICE	SEP/2009
	(DFARS PGI)	(DFAS) - Line Item Specific: by Cancellation Date	

The payment office shall make payment using the ACRN with the earliest cancellation date first, exhausting all funds in that ACRN before disbursing funds from the next. In the event there is more than one ACRN associated with the same cancellation date, the payment amount shall be disbursed from each ACRN with the same cancellation date in the same proportion as the amount of funding obligated for each ACRN with the same cancellation date.

[End of Clause]

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 24 of 30

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

SPECIAL CONTRACT REQUIREMENTS

<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1 52.204-4005	REQUIRED USE OF ELECTRONIC CONTRACTING	AUG/2012

(a) All contract awards, modifications and delivery orders issued by Army Contracting Command - Warren (DTA) will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference," meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) System for Award Management (SAM). The SAM registration process may be done electronically at the World Wide Web (WWW) site: <https://www.sam.gov/portal/public/SAM>. (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate Army Contracting Command - Warren webpage:

Warren: http://contracting.tacom.army.mil/CFDATA/AWARDS/AWARD_RPT01.cfm
Rock Island - JMTC: <https://acquisition.army.mil/asfi/>
Red River Army Depot: <https://acquisition.army.mil/asfi/>
Anniston Army Depot: <https://acquisition.army.mil/asfi/>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic SAM registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/dpap/ebiz/VANs.htm>. If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Please go to the following webpage for detailed information about submitting your offer electronically: <http://contracting.tacom.army.mil/acqinfo/ebidnotice.htm>

(f) Additional information can be obtained by sending a message to: usarmy.detroit.acc.mbx.wrn-web-page@mail.mil or by calling (586) 282-7059.

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

CONTRACT CLAUSES

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-13	CENTRAL CONTRACTOR REGISTRATION MAINTENANCE	DEC/2012
2	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	APR/2008
3	52.215-8	ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT	OCT/1997
4	52.215-15	PENSION ADJUSTMENTS AND ASSET REVERSIONS	OCT/2010
5	52.215-18	REVERSION OR ADJUSTMENT OF PLANS FOR POSTRETIREMENT BENEFITS (PRB) OTHER THAN PENSIONS	JUL/2005
6	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	NOV/2011
7	52.219-13	NOTICE OF SET-ASIDE OF ORDERS	NOV/2011
8	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
9	52.222-3	CONVICT LABOR	JUN/2003
10	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
11	52.222-26	EQUAL OPPORTUNITY	MAR/2007
12	52.222-50	COMBATING TRAFFICKING IN PERSONS	FEB/2009
13	52.223-18	ENCOURAGING CONTRACTOR POLICIES TO BAN TEXT MESSAGING WHILE DRIVING	AUG/2011
14	52.227-1	AUTHORIZATION AND CONSENT	DEC/2007
15	52.232-1	PAYMENTS	APR/1984
16	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
17	52.232-11	EXTRAS	APR/1984
18	52.232-25	PROMPT PAYMENT	OCT/2008
19	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
20	52.233-1	DISPUTES	JUL/2002
21	52.233-3	PROTEST AFTER AWARD	AUG/1996
22	52.233-4	APPLICABLE LAW FOR BREACH OF CONTRACT CLAIM	OCT/2004
23	52.243-1	CHANGES--FIXED PRICE	AUG/1987
24	52.247-68	REPORT OF SHIPMENT (REPSHIP)	FEB/2006
25	52.249-1	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) (SHORT FORM)	APR/1984
26	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)	APR/1984
27	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
28	252.203-7000	REQUIREMENTS RELATING TO COMPENSATION OF FORMER DOD OFFICIALS	SEP/2011
29	252.203-7002	REQUIREMENT TO INFORM EMPLOYEES OF WHISTLEBLOWER RIGHTS	JAN/2009
30	252.204-7000	DISCLOSURE OF INFORMATION	DEC/1991
31	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
32	252.204-7004	ALTERNATE A, SYSTEM FOR AWARD MANAGEMENT	MAY/2013
33	252.204-7006	BILLING INSTRUCTIONS	OCT/2005
34	252.215-7000	PRICING ADJUSTMENTS	DEC/2012
35	252.225-7001	BUY AMERICAN AND BALANCE OF PAYMENTS PROGRAM	DEC/2012
36	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	DEC/2012
37	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	JUN/2011
38	252.225-7033	WAIVER OF UNITED KINGDOM LEVIES	APR/2003
39	252.225-7048	EXPORT-CONTROLLED ITEMS	JUN/2013
40	252.232-7003	ELECTRONIC SUBMISSION OF PAYMENT REQUESTS AND RECEIVING REPORTS	JUN/2012
41	252.232-7010	LEVIES ON CONTRACT PAYMENTS	DEC/2006
42	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
43	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2008
44	252.247-7023	TRANSPORTATION OF SUPPLIES BY SEA (MAY 2002) -- ALTERNATE III (MAY 2002)	MAY/2002
45	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition. Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 26 of 30
	PIIN/SIIN W56HZV-14-P-0028	MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

(Name) mailto:usarmy.detroit.tacom.mbx.lcmc-competition-management-of@mail.mil

(Address) 6501 E. 11 Mile Rd., ATTN: AMSTA-CSC-M, Warren, MI 48397-5000.

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offerors Name _____

Manufacturers Name _____

Sources Name _____

Item Name _____

Service Identification _____

Test Number _____ (to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Governments best interests.

(e) If an offeror, manufacturer, source, product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Governments interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

(End of Clause)

46 52.217-4001 SEPARATELY PRICED OPTION FOR INCREASED QUANTITY FEB/2007
(TACOM)

(a) The Government may require the delivery of the numbered item, identified in the schedule as an option item, in the quantity and at the price stated in the schedule. This option may be exercised by the Government at any time, but in any event not later than 365 days after either (i) award or, if FAT is required, (ii) after FAT approval. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.

(b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.

(c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 27 of 30
	PIIN/SIIN W56HZV-14-P-0028 MOD/AMD	

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

47 52.208-8 REQUIRED SOURCES FOR HELIUM AND HELIUM USAGE DATA APR/2002

(a) Definitions.

Bureau of Land Management, as used in this clause, means the Department of the Interior, Bureau of Land Management, Amarillo Field Office, Helium Operations, located at 801 South Fillmore Street, Suite 500, Amarillo, TX 79101-3545.

Federal helium supplier means a private helium vendor that has an in-kind crude helium sales contract with the Bureau of Land Management (BLM) and that is on the BLM Amarillo Field Offices Authorized List of Federal Helium Suppliers available via the Internet at http://www.nm.blm.gov/www/amfo/amfo_home.html .

Major helium requirement means an estimated refined helium requirement greater than 200,000 standard cubic feet (scf) (measured at 14.7 pounds per square inch absolute pressure and 70 degrees Fahrenheit temperature) of gaseous helium or 7510 liters of liquid helium delivered to a helium use location per year.

(b) Requirements --

(1) Contractors must purchase major helium requirements from Federal helium suppliers, to the extent that supplies are available.

(2) The Contractor shall provide to the Contracting Officer the following data within 10 days after the Contractor or subcontractor receives a delivery of helium from a Federal helium supplier --

(i) The name of the supplier;

(ii) The amount of helium purchased;

(iii) The delivery date(s); and

(iv) The location where the helium was used.

(c) Subcontracts --The Contractor shall insert this clause, including this paragraph (c), in any subcontract or order that involves a major helium requirement.

(End of Clause)

48 52.215-19 NOTIFICATION OF OWNERSHIP CHANGES OCT/1997

(a) The Contractor shall make the following notifications in writing:

(1) When the Contractor becomes aware that a change in its ownership has occurred, or is certain to occur, that could result in changes in the valuation of its capitalized assets in the accounting records, the Contractor shall notify the Administrative Contracting Officer (ACO) within 30 days.

(2) The Contractor shall also notify the ACO within 30 days whenever changes to asset valuations or any other cost changes have occurred or are certain to occur as a result of a change in ownership.

(b) The Contractor shall --

(1) Maintain current, accurate, and complete inventory records of assets and their costs;

(2) Provide the ACO or designated representative ready access to the records upon request;

(3) Ensure that all individual and grouped assets, their capitalized values, accumulated depreciation or amortization, and remaining useful lives are identified accurately before and after each of the Contractors ownership changes; and

(4) Retain and continue to maintain depreciation and amortization schedules based on the asset records maintained before each Contractor ownership change.

(c) The Contractor shall include the substance of this clause in all subcontracts under this contract that meet the applicability requirement of FAR 15.408(k).

(End of Clause)

CONTINUATION SHEET**Reference No. of Document Being Continued**

Page 28 of 30

PIIN/SIIN W56HZV-14-P-0028

MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

49 52.223-3 HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA JAN/1997

(a) Hazardous material, as used in this clause, includes any material defined as hazardous under the latest version of Federal Standard No. 313 (including revisions adopted during the term of the contract).

(b) The offeror must list any hazardous material, as defined in paragraph (a) of this clause, to be delivered under this contract. The hazardous material shall be properly identified and include any applicable identification number, such as National Stock Number or Special Item Number. This information shall also be included on the Material Safety Data Sheet submitted under this contract.

Material	Identification No.
(If none, insert None)	
NONE	

(c) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.

(d) The apparently successful offeror agrees to submit, for each item as required prior to award, a Material Safety Data Sheet, meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all hazardous material identified in paragraph (b) of this clause. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.

(e) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, which renders incomplete or inaccurate the data submitted under paragraph (d) of this clause, the Contractor shall promptly notify the Contracting Officer and resubmit the data.

(f) Neither the requirements of this clause nor any act or failure to act by the Government shall relieve the Contractor of any responsibility or liability for the safety of Government, Contractor, or subcontractor personnel or property.

(g) Nothing contained in this clause shall relieve the Contractor from complying with applicable Federal, State, and local laws, codes, ordinances, and regulations (including the obtaining of licenses and permits) in connection with hazardous material.

(h) The Government's rights in data furnished under this contract with respect to hazardous material are as follows:

(1) To use, duplicate and disclose any data to which this clause is applicable. The purposes of this right are to --

(i) Apprise personnel of the hazards to which they may be exposed in using, handling, packaging, transporting, or disposing of hazardous materials;

(ii) Obtain medical treatment for those affected by the material; and

(iii) Have others use, duplicate, and disclose the data for the Government for these purposes.

(2) To use, duplicate, and disclose data furnished under this clause, in accordance with subparagraph (h)(1) of this clause, in precedence over any other clause of this contract providing for rights in data.

(3) The Government is not precluded from using similar or identical data acquired from other sources.

(End of Clause)

50 52.223-11 OZONE-DEPLETING SUBSTANCES MAY/2001

(a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR Part 82 as--

(1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 29 of 30
	PIIN/SIIN W56HZV-14-P-0028	MOD/AMD

Name of Offeror or Contractor: FEDERAL PRISON INDUSTRIES INC

(2) Class II , including, but not limited to hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j (b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

Warning

Contains (or manufactured with, if applicable) * _____, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

* The Contractor shall insert the name of the substance(s).

(End of Clause)

51 52.252-2 CLAUSES INCORPORATED BY REFERENCE FEB/1998

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address:

<http://www.acq.osd.mil/dpap/dars/far.html> or <http://www.acq.osd.mil/dpap/dars/index.htm> or <http://farsite.hill.af.mil/VFAFARA.HTM>

(End of Clause)

52 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any DoD FAR SUPPLEMENT (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

(End of Clause)

53 252.223-7001 HAZARD WARNING LABELS DEC/1991

(a) Hazardous material, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.

(b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labeling requirements of one of the following statutes:

- (1) Federal Insecticide, Fungicide and Rodenticide Act;
- (2) Federal Food, Drug and Cosmetics Act;
- (3) Consumer Product Safety Act;
- (4) Federal Hazardous Substances Act; or
- (5) Federal Alcohol Administration Act.

(c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labeled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the

