

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT1. Contract ID Code
Firm Fixed Price

Page 1 Of 6

2. Amendment/Modification No.

0001

3. Effective Date

2013MAR21

4. Requisition/Purchase Req No.

SEE SCHEDULE

5. Project No. (If applicable)

6. Issued By

U.S. ARMY CONTRACTING COMMAND
ERIC BUCHHOLZ
WARREN, MICHIGAN 48397-5000
HTTP://CONTRACTING.TACOM.ARMY.MIL

Code

W56HZV

7. Administered By (If other than Item 6)

Code

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)

9A. Amendment Of Solicitation No.

W56HZV-13-R-0120

9B. Dated (See Item 11)

2013MAR08

10A. Modification Of Contract/Order No.

10B. Dated (See Item 13)

Code

Facility Code

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:
 (a) By completing items 8 and 15, and returning 2 signed copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS

It Modifies The Contract/Order No. As Described In Item 14.

- A. This Change Order is Issued Pursuant To: _____ The Changes Set Forth In Item 14 Are Made In _____
The Contract/Order No. In Item 10A.
- B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).
- C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: _____
- D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)

16A. Name And Title Of Contracting Officer (Type or print)

15B. Contractor/Offeror

15C. Date Signed

16B. United States Of America

16C. Date Signed

(Signature of person authorized to sign)

By _____ /SIGNED/
(Signature of Contracting Officer)

NSN 7540-01-152-8070

30-105-02

STANDARD FORM 30 (REV. 10-83)

PREVIOUS EDITIONS UNUSABLE

Prescribed by GSA FAR (48 CFR) 53.243

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 2 of 6
	PIIN/SIIN W56HZV-13-R-0120	MOD/AMD 0001	

Name of Offeror or Contractor:

SECTION A - SUPPLEMENTAL INFORMATION

Buyer Name: ERIC BUCHHOLZ
Buyer Office Symbol/Telephone Number: CCTA-ADT-A/(586)282-9723
Type of Contract: Firm Fixed Price
Kind of Contract: Supply Contracts and Priced Orders
Weapon System: Gas Masks

*** End of Narrative A0000 ***

1. The purpose of Amendment 0001 to Solicitation W56HZV-13-R-0120 is to revise the packaging instructions in Section D.
2. Clause 52.211-4503(RI) Packaging Requirements (Commercial)(Dec 2007), is revised to remove the packaging requirement for Drink Tube, Internal, NSN: 4240-01-260-8711.
3. Clause 52.211-4501(RI) Packaging Requirements (Special Packaging Instructions)(Dec 2007) is added to include special packaging instructions for Drink Tube, Internal, NSN: 4240-01-260-8711.
4. Except as stated herein, all other terms and conditions remain in full force and effect.

*** END OF NARRATIVE A0003 ***

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 3 of 6**

PIIN/SIIN W56HZV-13-R-0120

MOD/AMD 0001

Name of Offeror or Contractor:

SECTION D - PACKAGING AND MARKING

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
---------------	------------------------	--------------	-------------

D-1 CHANGED	52.211-4501 TACOM (RI)	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	DEC/2007
-------------	---------------------------	---	----------

A. Military preservation, packing, and marking for the item identified above shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Date 15 Dec 99 including Notice 1, dated 10 May 02 and the Special Packaging Instruction (SPI) contained in the TDP.

For Drink Tube, Internal, NSN 4240-01-20-8711

PRESERVATION: MILITARY
LEVEL OF PACKING: B
QUANTITY PER UNIT PACKAGE: 10 per bag
SPI NUMBER P-1-1085, Rev. E, Dated 14 May 2010

B. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The pallet shall be a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

C. Marking: In addition to any special markings called out on the SPI;

C.1. All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 4, dated 19 Sep 2007 including bar coding and a MSL label. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause. For details and most recent information, see <http://www.acq.osd.mil/log/rfid/index.htm> for the current DoD Suppliers Passive RFID Information Guide and Supplier Implementation Plan. If the item has Unique Item Identifier (UII) markings then the concatenated UII needs to be 2D bar coded and applied on the unit package, intermediate and exterior containers, and the palletized unit load.

D. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program. In addition, wood used as dunnage for blocking and bracing, to include ISO containers, shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

E. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

F. Hazardous Materials (as applicable):

F.1. Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

F.2. Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 4 of 6
	PIIN/SIIN W56HZV-13-R-0120 MOD/AMD 0001	

Name of Offeror or Contractor:

--International Air Transport Association (IATA) Dangerous Goods Regulations
--International Maritime Dangerous Goods Code (IMDG)
--Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
--Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

F.3. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

F.4. When applicable, a Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

G. SUPPLEMENTAL INSTRUCTIONS: -4

(DS6419) (End of Clause)

D-2 CHANGED 52.211-4503 PACKAGING REQUIREMENTS (COMMERCIAL) DEC/2007
TACOM (RI)

The preservation, packing, and marking requirements for the item identified above shall be accomplished in accordance with the performance requirements defined herein.

The following Packaging requirements shall apply:

Item Name: Internal Drink Tube
NSN: 4240-01-441-0557
Preservation: COMMERCIAL
Level of Packing: COMMERCIAL
Quantity Per Unit Package: BULK

Item Name: Outlet Cover Valve
NSN: 4240-01-260-8699
Preservation: COMMERCIAL
Level of Packing: COMMERCIAL
Quantity Per Unit Package: BULK

1. Packaging - Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year, provide for multiple handling, redistribution and shipment by any mode and meet or exceed the following requirements.

1.1 Cleanliness - Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.

1.2 Preservation - Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.

1.3 Cushioning - Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.

2. Unit Package. A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box. Unit packs shall be designed to have minimum size and weight while retaining the protection required and enhancing standardization.

3. Unit Package Quantity - Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

4. Intermediate Package - Intermediate packaging is required whenever one or more of the following conditions exists:

- a. the quantity is over one (1) gross of the same national stock number,
- b. use enhances handling and inventorying,
- c. the exterior surfaces of the unit pack is a bag of any type, regardless of size,
- d. the unit pack is less than 64 cubic inches,

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 5 of 6
	PIIN/SIIN W56HZV-13-R-0120	MOD/AMD 0001

Name of Offeror or Contractor:

e. the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

5. Packing

5.1 Unit packages and intermediate packages meeting the requirements for a shipping container may be utilized as a shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

5.2 Shipping Containers - The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.

6. Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The pallet shall be a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

7. Marking:

7.1. All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 4, dated 19 Sep 2007 including bar coding and a MSL label. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause. For details and most recent information, see <http://www.acq.osd.mil/log/rfid/index.htm> for the current DoD Suppliers Passive RFID Information Guide and Supplier Implementation Plan. If the item has Unique Item Identifier (UII) markings then the UII needs to be 2D bar coded and applied on the unit package, intermediate and exterior containers, and the unit load.

8. Hazardous Materials (as applicable):

8.1 Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

8.2 When applicable, the packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

8.3 If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

8.4 A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

9. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. . Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-13-R-0120 MOD/AMD 0001	Page 6 of 6
---------------------------	--	--------------------

Name of Offeror or Contractor:

In addition, wood used as dunnage for blocking and bracing, to include ISO containers, shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

10. Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.

11. SUPPLEMENTAL INSTRUCTIONS: -PLACE A RED X AND THE WORDSSHORT BOX ON THE FRONT OF ANY BOX THAT HAS A SHORT QUANTITY, THEN PLACE THAT BOX/BOXES WITH THE MARKINGS SHOWING ON THE TOP FRONT OF THE PALLET LOAD.

(DS6422)

(End of Clause)