

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT1. Contract ID Code
Firm Fixed Price

Page 1 Of 6

2. Amendment/Modification No.

0001

3. Effective Date

2014JUL09

4. Requisition/Purchase Req No.

SEE SCHEDULE

5. Project No. (If applicable)

6. Issued By

U.S. ARMY CONTRACTING COMMAND
COLETTE JOHNSON
WARREN, MICHIGAN 48397-5000
HTTP://CONTRACTING.TACOM.ARMY.MIL

Code

W56HZV

7. Administered By (If other than Item 6)

Code

8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)

9A. Amendment Of Solicitation No.

W56HZV-14-T-0362

9B. Dated (See Item 11)

2014JUL08

10A. Modification Of Contract/Order No.

10B. Dated (See Item 13)

Code

Facility Code

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:
(a) By completing items 8 and 15, and returning 2 signed copies of the amendments; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. Accounting And Appropriation Data (If required)

13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS

It Modifies The Contract/Order No. As Described In Item 14.

A. This Change Order is Issued Pursuant To:
The Contract/Order No. In Item 10A.

The Changes Set Forth In Item 14 Are Made In

B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).

C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:

D. Other (Specify type of modification and authority)

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the Issuing Office.

14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

SEE SECOND PAGE FOR DESCRIPTION

Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. Name And Title Of Signer (Type or print)

16A. Name And Title Of Contracting Officer (Type or print)

15B. Contractor/Offeror

15C. Date Signed

16B. United States Of America

16C. Date Signed

(Signature of person authorized to sign)

By _____ /SIGNED/
(Signature of Contracting Officer)

NSN 7540-01-152-8070

30-105-02

STANDARD FORM 30 (REV. 10-83)

PREVIOUS EDITIONS UNUSABLE

Prescribed by GSA FAR (48 CFR) 53.243

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 2 of 6****PIIN/SIIN** W56HZV-14-T-0362**MOD/AMD** 0001**Name of Offeror or Contractor:**

SUPPLEMENTAL INFORMATION

Buyer Name: COLETTE JOHNSON

Buyer Office Symbol/Telephone Number: CCTA-HBA-T/(586)282-8737

Type of Contract: Firm Fixed Price

Kind of Contract: Supply Contracts and Priced Orders

Weapon System: Other Managed Component of Tool Set

*** End of Narrative A0000 ***

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 3 of 6
	PIIN/SIIN W56HZV-14-T-0362	MOD/AMD 0001

Name of Offeror or Contractor:

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

SECTION C _ DESCRIPTION/SPECIFICATIONS (5BA Control Valve)

In addition to the Item Description, Drawing(s) and/or Specification(s) listed below, Preservation/Packaging/Packing and Inspection and Acceptance documents are contained elsewhere herein (Sections D & E respectively).

PRODUCT ENGINEERING REQUIREMENTS

Remarks: End Item FRS (Forward Repair System) was procured under full and open competition to a performance specification. As authorized by FAR 6.302-1, procurement by other than full and open competition for the 5-valve hydraulic set used on the Grove crane is necessary because control valve sets from a manufacturer other than the original equipment manufacturer (OEM) or an authorized dealer of the manufacturer would not be compatible with the Grove crane.

The FRS, in its current configuration, was tested using a Grove crane having Grove hydraulic control valves. The use of other than Grove valves would cause compatibility issues. Such changes from the OEM part requirements not only could cause system damage but also could cause injury to personnel. Since the Government does not own the technical data for the Grove crane, nor does the Government have the rights to the technical data, competitively procuring replacement valves would be impractical and would incur testing and re-engineering costs that the Government could not reasonably expect to recoup through competition. Re-engineering the FRS to accept other than the current Grove crane control valves cannot be done in a short time and would cause unacceptable delays.

The following Item Description, Drawing(s) and/or Specification(s) represent minimum Government requirements and are applicable to this Procurement.

National Stock Number (NSN): 4820-01-559-5983

Item: VALVE, CONTROL 5-BA

In accordance with:

Part Number: 7-926-100586,

Cage Code: 12361,

Supplier: Grove U.S. L.L.C. DBA Manitowoc Crane Group

Address: 1565 Buchanan Trail E, Shady Grove, PA

Phone Number: (717) 597-8121

End Article Application: Forward Repair System

NSN: 4940-01-533-1621

Specifications and Standards referenced in the above cited applicable document(s) (drawings, part lists, and specifications) shall be the effective issue or revision in effect as listed in the Department of Defense ASSIST database, assist.daps.dla.mil, as of 23 May 2014.

The following Item, Description and Documents are applicable to this procurement with the Additions and Exceptions noted:

Item: VALVE, CONTROL 5-BA

DESCRIPTION:

As described in the Product Engineering Requirements, Part I - Section C - Description/Specifications, including all additions and exceptions.

ADDITIONS AND EXCEPTIONS:

1. Responsibility for inspection.
 Unless otherwise specified in the contract, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspection set forth in the specifications where such inspection are deemed necessary to assure supplies and services conform to prescribed requirements.
2. Quality conformance inspection.
 Quality conformance inspection shall be applied to production units being offered for acceptance under the contract. The inspection shall consist of a, and b as follows and failure of any unit to pass these inspection or tests shall be cause for rejection.
 - a. Product examination (2.1)
 - b. Packaging inspection (2.2)

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 4 of 6
	PIIN/SIIN W56HZV-14-T-0362	MOD/AMD 0001

Name of Offeror or Contractor:

2.1. Product Examination.

The production units shall be examined to determine compliance with Army drawings, parts lists, and specifications in the contract including any exception and additions noted in the Product Engineering Requirements, Part I - Section C - Description/Specifications.

2.2. Packaging Inspection.

The items shall be inspected before and after packaging to determine compliance with the preservation, packaging, packing and marking requirements specified in Section D of the contract.

3. Inspection lot formation. Lot formation shall be in accordance with Section 4 of MIL-STD-1916, unless the contract specifies otherwise, or 100% inspection is specified.

4. Sampling plan determination. Conformance verification methods are specified in paragraphs 2.1 and 2.2. Attribute-sampling inspections shall be conducted in accordance with MIL-STD-1916 using Verification Level IV for Product examination and Level II for Packaging.

*** END OF NARRATIVE C0001 ***

SECTION C _ DESCRIPTION/SPECIFICATIONS (3BA Control Valve)

In addition to the Item Description, Drawing(s) and/or Specification(s) listed below, Preservation/Packaging/Packing and Inspection and Acceptance documents are contained elsewhere herein (Sections D & E respectively).

PRODUCT ENGINEERING REQUIREMENTS

Remarks: End Item FRS (Forward Repair System) was procured under full and open competition to a performance specification. As authorized by FAR 6.302-1, procurement by other than full and open competition for the 3-valve hydraulic set used on the Grove crane is necessary because control valve sets from a manufacturer other than the original equipment manufacturer (OEM) or an authorized dealer of the manufacturer would not be compatible with the Grove crane.

The FRS, in its current configuration, was tested using a Grove crane having Grove hydraulic control valves. The use of other than Grove valves would cause compatibility issues. Such changes from the OEM part requirements not only could cause system damage but also could cause injury to personnel. Since the Government does not own the technical data for the Grove crane, nor does the Government have the rights to the technical data, competitively procuring replacement valves would be impractical and would incur testing and re-engineering costs that the Government could not reasonably expect to recoup through competition. Re-engineering the FRS to accept other than the current Grove crane control valves cannot be done in a short time and would cause unacceptable delays.

The following Item Description, Drawing(s) and/or Specification(s) represent minimum Government requirements and are applicable to this Procurement.

National Stock Number (NSN): 4820-01-559-5984

Item: VALVE, CONTROL 3-BA

In accordance with:

Part Number: 7-926-100588,

Cage Code: 12361,

Supplier: Grove U.S. L.L.C. DBA Manitowoc Crane Group

Address: 1565 Buchanan Trail E, Shady Grove, PA

Phone Number: (717) 597-8121

End Article Application: Forward Repair System

NSN: 4940-01-533-1621

Specifications and Standards referenced in the above cited applicable document(s) (drawings, part lists, and specifications) shall be the effective issue or revision in effect as listed in the Department of Defense ASSIST database, assist.daps.dla.mil, as of 23 May 2014.

The following Item, Description and Documents are applicable to this procurement with the Additions and Exceptions noted:

Item: VALVE, CONTROL 3-BA

DESCRIPTION:

As described in the Product Engineering Requirements, Part I - Section C - Description/Specifications, including all additions and exceptions.

Name of Offeror or Contractor:ADDITIONS AND EXCEPTIONS:1. Responsibility for inspection.

Unless otherwise specified in the contract, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspection set forth in the specifications where such inspection are deemed necessary to assure supplies and services conform to prescribed requirements.

2. Quality conformance inspection.

Quality conformance inspection shall be applied to production units being offered for acceptance under the contract. The inspection shall consist of a, and b as follows and failure of any unit to pass these inspection or tests shall be cause for rejection.

- a. Product examination (2.1)
- b. Packaging inspection (2.2)

2.1. Product Examination.

The production units shall be examined to determine compliance with Army drawings, parts lists, and specifications in the contract including any exception and additions noted in the Product Engineering Requirements, Part I - Section C - Description/Specifications.

2.2. Packaging Inspection.

The items shall be inspected before and after packaging to determine compliance with the preservation, packaging, packing and marking requirements specified in Section D of the contract.

3. Inspection lot formation. Lot formation shall be in accordance with Section 4 of MIL-STD-1916, unless the contract specifies otherwise, or 100% inspection is specified.

4. Sampling plan determination. Conformance verification methods are specified in paragraphs 2.1 and 2.2. Attribute-sampling inspections shall be conducted in accordance with MIL-STD-1916 using Verification Level IV for Product examination and Level II for Packaging.

*** END OF NARRATIVE C0002 ***

CONTINUATION SHEET**Reference No. of Document Being Continued****Page 6 of 6**

PIIN/SIIN W56HZV-14-T-0362

MOD/AMD 0001

Name of Offeror or Contractor:

LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 0001	CDRL FOR NSN 4820-01-559-5983	09-JUL-2014	001	DATA
Attachment 0002	CDRL FOR NSN 4820-01-559-5984	09-JUL-2014	001	DATA